

2011년 녹십자의료재단 검사수가 변경 안내(급여)

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
1	U108	Bilirubin(RU)	나3	B0030	20.17	1,320	24.21	1,610
2	U109	Blood(RU)						
3	U113	Color(RU)						
4	U105	Glucose(RU)						
5	U106	Ketone(RU)						
6	U101	Nitrite(RU)						
7	U103	pH(RU)						
8	U104	Protein(RU)						
9	U110	Specific Gravity(RU)						
10	U107	Urobilinogen(RU)						
11	U102	WBC(RU)						
12	X101	Band Neutrophil	나109	B1091	25.53	1,670	25.43	1,690
13	X106	Basophil						
14	X108	Blast						
15	X105	Eosinophil						
16	X103	Lymphocyte						
17	X104	Monocyte						
18	X109	Myelocyte						
19	X102	Neutrophil Seg.						
20	X107	N-RBC	너271	CX271006	263.21	17,190	179.61	11,960
21	C621	Acetoacetate						
22	C619	Total ketone						
23	C622	β-Hydroxy butyric acid	나735	E7352	266.15	17,380	154.87	10,310
24	S211	Anti Sperm Ab IgA						
25	S212	Anti Sperm Ab IgG						
26	S213	Anti Sperm Ab IgM						
27	C615	1,25-(OH) ₂ vitamin D3	너153	CY705	109.88	7,180	149.00	9,920
28	B714	17a-OHP(hydroxypro.neona)	나347	C3470	157.16	10,260	154.55	10,290
29	C435	17-KS	나324	C3247	139.77	9,130	131.05	8,730
30	C436	17-OHCS	나324	C3246	138.18	9,020	128.94	8,590
31	E453	17α-OH progesterone	나347	C7347	151.71	9,910	150.12	10,000
32	Z156	2,5-Hexanedione	나451	CY373290	399.4	26,080	281.02	18,720
33	C404	25-(OH) Vitamin D3	너153	CY155	109.88	7,180	90.15	6,000
34	Z107	5-HIAA 정성	나322	C3221	18.97	1,240	17.44	1,160
35	C438	5-HIAA(U,정량)	나322	CX224006	310.2	20,260	331.98	22,110
36	M724	결핵균 특이항원자극 IFN-γ	나477	CZ393006	1162.62	75,920	1162.62	77,430
37	H455	골수검사(도말&생검조직절편)	나111	B1113 B1117	848.8	55,430	894.96	59,610
38	H403	골수검사(도말검사)	나111	B1113	443.74	28,980	478.35	31,860
39	H707	면역화학염색(CD34)	나557	C5575006	466.94	30,490	463.89	30,900
40	X906	면역화학염색(CD45/LCA)	나557	C5575006	466.94	30,490	463.89	30,900
41	X753	면역화학염색(CD56)	나557	C5575006	466.94	30,490	463.89	30,900
42	H542	면역화학염색(CD68)	나557	C5575006	466.94	30,490	463.89	30,900
43	X842	면역화학염색(CEA)	나557	C5575006	466.94	30,490	463.89	30,900
44	X745	면역화학염색(C-erb B2)	나557	C5575006	466.94	30,490	463.89	30,900
45	X751	면역화학염색(Chromogranin A)	나557	C5575006	466.94	30,490	463.89	30,900
46	H533	면역화학염색(CK)	나557	C5575006	466.94	30,490	463.89	30,900
47	X748	면역화학염색(CK19)	나557	C5575006	466.94	30,490	463.89	30,900
48	X844	면역화학염색(CK20)	나557	C5575006	466.94	30,490	463.89	30,900

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
49	X840	면역화학염색(CK5/6)	나557	C5575006	466.94	30,490	463.89	30,900
50	X841	면역화학염색(CK7)	나557	C5575006	466.94	30,490	463.89	30,900
51	X747	면역화학염색(C-Kit)	나557	C5575006	466.94	30,490	463.89	30,900
52	H538	면역화학염색(Desmin)	나557	C5575006	466.94	30,490	463.89	30,900
53	X746	면역화학염색(E-cadherin)	나557	C5575006	466.94	30,490	463.89	30,900
54	X743	면역화학염색(EGFR)	나557	C5575006	466.94	30,490	463.89	30,900
55	S419	면역화학염색(EMA)	나557	C5575006	466.94	30,490	463.89	30,900
56	S134	면역화학염색(ER)	나559	C5590	517.64	33,800	473.77	31,550
57	X749	면역화학염색(HBME-1)	나557	C5575006	466.94	30,490	463.89	30,900
58	X932	면역화학염색(HMB45)	나557	C5575006	466.94	30,490	463.89	30,900
59	X750	면역화학염색(HMW-CK)	나557	C5575006	466.94	30,490	463.89	30,900
60	X754	면역화학염색(Ki-67)	나557	C5575006	466.94	30,490	463.89	30,900
61	X755	면역화학염색(P16)	나557	C5575006	466.94	30,490	463.89	30,900
62	X744	면역화학염색(P53)	나557	C5575006	466.94	30,490	463.89	30,900
63	X843	면역화학염색(P63)	나557	C5575006	466.94	30,490	463.89	30,900
64	S133	면역화학염색(PR)	나559	C5590	517.64	33,800	473.77	31,550
65	H530	면역화학염색(S-100)	나557	C5575006	466.94	30,490	463.89	30,900
66	H537	면역화학염색(SMA)	나557	C5575006	466.94	30,490	463.89	30,900
67	X752	면역화학염색(Synaptophysin)	나557	C5575006	466.94	30,490	463.89	30,900
68	H113	면역화학염색(Vimentin)	나557	C5575006	466.94	30,490	463.89	30,900
69	X864	액상세포진 검사(Cell prep)	너541	CX541	368.41	24,060	368.46	24,540
70	S870	액상세포진 검사(Thin prep)	너541	CX541	368.41	24,060	368.46	24,540
71	M428	액상세포진 검사	나593-1	CZ521	372.72	24,340	372.72	24,820
72	X705	액상흡입세포진 검사	나594-3	C5943	392.25	25,610	392.25	26,120
73	B103	요총란검사(스카치테이프법)	나62	B0620	16.12	1,050	16.42	1,090
74	U111	요침사(Flow cytometry)	나4-1	B0043	15.69	1,020	16.21	1,080
75	X092	유전자전위검사(14,17,18)	너563	CY056006	497.26	32,470	587.11	39,100
76	B578	정신신체7종 Ch(PB)	나600	C6001006	1135.28	74,130	1210.58	80,620
77	B154	항결핵약제신속내성검사(INH)	나595-1	CY752006	581.83	37,990	626.96	41,760
78	B153	항결핵약제신속내성검사(RFP)	나595-1	CY751006	581.83	37,990	626.96	41,760
79	B405	항균제 최소억제농도 검사	나406	B4062	174.96	11,420	178.35	11,880
80	B105	환경배양검사	나405	B4051	158.13	10,330	163.15	10,870
81	M102	흡인세포검사(절편제작)	나594-1	C5942	239.09	15,610	239.59	15,960
82	X111	A/G ratio	나221 나220	C2210 C2200	45.47	2,970	42.79	2,850
83	H638	Ab elution test	나211	B2110006	61.56	4,020	55.95	3,730
84	H415	Ab identification test	나206	B2062006	218.05	14,240	230.57	15,360
85	H414	Ab screening test	나206	B2061006	95.43	6,230	99.48	6,630
86	B867	Ab screening test(ID Set)	나206	B2061006	95.43	6,230	99.48	6,630
87	H885	ABO Back typing	나201	B2010	13.26	870	13.87	920
88	H125	ABO typing	나201	B2000	13.03	850	13.87	920
89	H433	Absolute Neutrophil Count	나105 나109	B1050 B1091	36.26	2,370	36.29	2,410
90	C511	ACE (Angiotensin converting enzyme)	나273	B2731	277.92	18,150	250.42	16,680
91	D704	Acetaminophen(Tylenol)	나450	C4503390	144.47	9,430	134.68	8,970
92	S707	Acetylcholine receptor Ab	너450	CX747	133.69	8,730	137.40	9,150
93	B706	Acid Phosphatase Stain	나118	B1182006	84.01	5,490	83.61	5,570
94	C550	ACP(환부 swab)	나260	B2601	22	1,440	20.14	1,340
95	C151	ACP(Acid Phosphatase)	나260	B2601	22	1,440	20.14	1,340
96	E416	ACTH(RIA)	나359	C7359	185.87	12,140	177.94	11,850
97	B108	Adeno V. Ag	나469	C4690516	203.1	13,260	203.16	13,530

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
98	B658	Adeno virus culture	나416	B4160006	546.65	35,700	560.25	37,310
99	S950	Adeno virus IgG	나468	C4682516	266.76	17,420	270.11	17,990
100	S492	Adeno virus IgM	나468	C4683516	259.16	16,920	259.99	17,320
101	C512	Adenosine deaminase	나272	B2721	167.07	10,910	165.68	11,030
102	E418	ADH(RIA)	나365	C7365	160.33	10,470	122.68	8,170
103	B167	AFB culture(고체&액체배지)	나405	B4054 B4055	384.8	25,120	384.80	25,620
104	B126	AFB culture(고체배지)	나405	B4054	192.4	12,560	192.40	12,810
105	B166	AFB culture(액체배지)	나405	B4055	192.4	12,560	192.40	12,810
106	B124	AFB sensitivity	나406	B4064	522.61	34,130	543.31	36,180
107	B102	AFB stain	나304	BX304	64.27	4,200	73.12	4,870
108	E550	AFP(양수)	나421	C4212	172.86	11,290	172.24	11,470
109	S302	AFP(정성)	나421	C4211	61.14	3,990	55.48	3,690
110	C409	AFP(CLIA)	나421	C4212	172.86	11,290	172.24	11,470
111	Z960	AFP(NT Screen)	나421	C4212	172.86	11,290	172.24	11,470
112	E952	AFP(other)	나421	C4212	172.86	11,290	172.24	11,470
113	S418	AIDS Ab	나471	C4712	124.88	8,150	128.42	8,550
114	C441	AI	나452	C4523990	306.17	19,990	309.81	20,630
115	S524	Albumin(CSF)	나230	C2302	202.83	13,240	203.09	13,530
116	C102	Albumin(S)	나221	C2210	25.33	1,650	23.88	1,590
117	S525	Albumin(U)	나230	C2302	202.83	13,240	203.09	13,530
118	H536	Alcian blue stain	나553	C5533	122.36	7,990	123.07	8,200
119	C152	Alcohol(Ethanol)	나450	C4503390	144.47	9,430	134.68	8,970
120	C471	Aldolase	나269	B2690	68.93	4,500	60.89	4,060
121	E467	Aldosterone(24hU)	나358	C7358	177.58	11,600	142.14	9,470
122	E436	Aldosterone(RIA)	나358	C7358	177.58	11,600	142.14	9,470
123	C412	ALP EP	나305	B3050006	177.08	11,560	177.65	11,830
124	C104	ALP(Alkaline phosphatase)	나260	B2602	24.03	1,570	22.06	1,470
125	C106	ALT(SGPT)	나258	B2580	25.24	1,650	24.12	1,610
126	D422	Amikacin(Amikin)	나450	C4504390	243.15	15,880	247.78	16,500
127	C167	Amino acid	나443	C4433006	1142.52	74,610	1173.22	78,140
128	Z129	Amiodarone	나450	C4504390	243.15	15,880	247.78	16,500
129	D417	Amitriptyline	나450	CX375696	542.51	35,430	570.54	38,000
130	Z020	AML1/ETO 유전자 재배열	나597	C5975006	1573.83	102,770	1601.91	106,690
131	C165	Ammonia	나387	C3870	66.37	4,330	64.58	4,300
132	S453	Amoeba Ab IgG	나472	C4722626	271.19	17,710	270.18	17,990
133	D419	Amphetamine	나450	C4502390	124.57	8,130	118.13	7,870
134	C605	Amylase creatinine clear	나261외	B2611×2외	122.88	8,020	119.08	7,940
135	C608	Amylase EP(S)	나306	B3060006	152.41	9,950	144.53	9,630
136	C699	Amylase EP(U)	나306	B3060006	152.41	9,950	144.53	9,630
137	C486	Amylase(other)	나261	B2611	41.67	2,720	41.29	2,750
138	C114	Amylase(S)	나261	B2611	41.67	2,720	41.29	2,750
139	C472	Amylase(U)	나261	B2611	41.67	2,720	41.29	2,750
140	M406	ANAE	나118	B1188006	85.01	5,550	84.94	5,660
141	S231	ANCA(Quan) (IFA)	나499	C4992006	325.59	21,260	327.47	21,810
142	B152	ANCA정량(MPO Ab)	나447	CY472006	234.99	15,340	216.90	14,450
143	B151	ANCA정량(Pr III Ab)	나447	CY471006	234.99	15,340	216.90	14,450
144	X602	Angiostrongylus Ab	나472	C4722796	271.19	17,710	270.18	17,990
145	C391	Anion GAP	나379 나381	C3791~3 C3812	98.62	6,440	95.39	6,350
146	C508	Anisakis & Toxocariosis	나472	C4722796×2	542.38	35,420	540.36	35,980
147	S332	Anti Cardio IgA	나503	C5034	248.9	16,250	255.56	17,020

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
148	S494	Anti Cardio IgG	나503	C5032	248.9	16,250	255.56	17,020
149	S495	Anti Cardio IgM	나503	C5033	248.9	16,250	255.56	17,020
150	S981	Anti Centromere Ab	나443	CY449006	616.68	40,270	547.71	36,480
151	S408	Anti delta Ab(HDV Ab)	나421	CX421	264.37	17,260	185.97	12,390
152	B145	Anti ds-DNA Ab IgG	나492	C4922	250.42	16,350	252.56	16,820
153	E685	Anti ds-DNA Ab IgM	나492	C4922	250.42	16,350	252.56	16,820
154	S451	Anti ds-DNA Ab(RIA)	나492	C7492	235.83	15,400	236.52	15,750
155	S135	Anti ENA Ab	나443	CY452006	616.68	40,270	549.30	36,580
156	S626	Anti GAD Ab	나441	CX744	868.56	56,720	572.74	38,140
157	S518	Anti gastric parietal Ab	나504	C5040	98.45	6,430	88.24	5,880
158	S719	Anti GBM Ab	나451	CX451	122.08	7,970	125.21	8,340
159	S731	Anti H.Pylori IgG	나465	C4650	195.51	12,770	199.17	13,260
160	S474	Anti H.Pylori IgM	나465	C4650	195.51	12,770	199.17	13,260
161	S488	Anti Histone Ab	나443	CY450006	616.68	40,270	549.30	36,580
162	S807	Anti intrinsic factor Ab	나452	CX452	122.07	7,970	121.18	8,070
163	S125	Anti Jo-1 Ab	나443	CY448006	616.68	40,270	570.41	37,990
164	S804	Anti LKM-1 Ab	나455	CX455	393.15	25,670	347.72	23,160
165	S433	Anti Microsome Ab(TPO Ab)	나495	C7495	220.21	14,380	223.51	14,890
166	S435	Anti Mitochondria Ab	나496	C4962	131.18	8,570	131.82	8,780
167	S924	Anti neutr.C-Ab(ANCA)	나499	C4991006	161.99	10,580	162.66	10,830
168	S732	Anti phospho.IgG (EIA)	나498	C4982006	265.3	17,320	269.80	17,970
169	S784	Anti phospho.IgM (EIA)	나498	C4983006	265.75	17,350	270.40	18,010
170	H420	Anti platelet Ab (FIA)	나501	C5012006	242.4	15,830	246.92	16,440
171	S953	Anti SCL 70 Ab	나443	CY447006	616.68	40,270	594.69	39,610
172	S266	Anti Tetanus Ab	나466	C4662196	203.46	13,290	203.63	13,560
173	Z014	Anti Xa LMWH(Heparin)	나163-1	B1634	173.83	11,350	180.33	12,010
174	S094	Anti β2-GPI IgG	나506	C5061	228.16	14,900	255.56	17,020
175	S095	Anti β2-GPI IgM	나506	C5062	228.16	14,900	255.56	17,020
176	B122	Antibiotic sensitivity	나406	B4061	113.85	7,430	114.75	7,640
177	B337	Antifungal sensitivity	나406	B4062	174.96	11,420	178.35	11,880
178	H421	Antithrombin III	나158	B1580	111.28	7,270	111.50	7,430
179	H635	APCR(Activated protein C)	나89	BX089	278.89	18,210	330.08	21,980
180	S875	Apo E genotype	나572	CX572006	833.29	54,410	906.44	60,370
181	S505	Apolipoprotein A I	나246	C2461	102.08	6,670	102.32	6,810
182	S744	Apolipoprotein A II	나246	C2461	102.08	6,670	102.32	6,810
183	S504	Apolipoprotein B	나246	C2462	104.12	6,800	105.27	7,010
184	S745	Apolipoprotein C II	나246	C2463	105.92	6,920	107.67	7,170
185	S743	Apolipoprotein C III	나246	C2463	105.92	6,920	107.67	7,170
186	S818	Apolipoprotein E	나246	C2464	105.31	6,880	106.86	7,120
187	S101	ASO(Qual)	나463	C4631	33.76	2,200	31.27	2,080
188	S831	ASO(Quan)	나463	C4633	105.61	6,900	106.53	7,090
189	X149	Aspergillus Ab IgG	나467	C4672236	195.36	12,760	192.85	12,840
190	Z004	Aspergillus Ag	나475	C4752996	293.16	19,140	300.61	20,020
191	M421	Aspiration cytopathology	나594-1	C5941	176.82	11,550	178.74	11,900
192	M423	Aspiration cytopathology5	나594-1	C5941	176.82	11,550	178.74	11,900
193	M424	Aspiration cytopathology6	나594-1	C5941	176.82	11,550	178.74	11,900
194	M425	Aspiration cytopathology7	나594-1	C5941	176.82	11,550	178.74	11,900
195	M426	Aspiration cytopathology8	나594-1	C5941	176.82	11,550	178.74	11,900
196	C850	Aspirin(Salicylic acid)	나450	C4503390	144.47	9,430	134.68	8,970
197	C105	AST(SGOT)	나257	B2570	25.48	1,660	24.52	1,630
198	S511	B cell(CD19)	나512	C5120006	447.99	29,250	449.61	29,940
199	B717	Bacterial meningitidis 3종	나408	B4080×3	272.7	17,820	255.63	17,010

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
200	S844	Bacterial meningitidis 5종	나408	B4080×5	454.5	29,700	426.05	28,350
201	B415	Bacterial vaginosis	나400	B4101	20.27	1,320	20.51	1,370
202	D413	Barbiturate	나450	C4502070	124.57	8,130	118.13	7,870
203	U112	BenceJones protein	나227	C2271	16.17	1,060	14.75	980
204	C885	Benzodiazepines	나450	C4502080	124.57	8,130	118.13	7,870
205	C171	Bile acid	너272	CX272	239.28	15,620	176.71	11,770
206	C103	Bilirubin, total	나372	C3720	19.95	1,300	18.62	1,240
207	E569	BNP	나368	CZ204	605.25	39,520	605.25	40,310
208	C547	Bone ALP	나398	C3980	125.07	8,170	108.23	7,210
209	H529	Bone section	나552	C5520	377.12	24,630	361.88	24,100
210	M734	Borrelia burgdorferi PCR	너563	CY059006	497.16	32,460	575.61	38,340
211	Z137	BRCA 1 genetic test	나599	CY713006	5911.54	386,020	7282.19	484,990
212	Z138	BRCA 2 genetic Test	나599	CY714006	5911.54	386,020	7282.19	484,990
213	C117	BUN	나373	C3730	24.46	1,600	22.98	1,530
214	C474	BUN(U)	나373	C3730	24.46	1,600	22.98	1,530
215	B164	C.difficile Toxin A,B	너302	BY022	122.08	7,970	131.94	8,790
216	S438	C1q	나226	C2267	105.21	6,870	106.72	7,110
217	S442	C3	나226	C2261	105.13	6,860	106.61	7,100
218	S443	C4	나226	C2262	104.1	6,800	105.25	7,010
219	S463	CA125	나424	C4240	253.45	16,550	253.45	16,880
220	S469	CA15-3	나433	C4330	252.22	16,470	251.81	16,770
221	S464	CA19-9	나423	C4230	261.22	17,060	262.29	17,470
222	E514	CA72-4	나426	C4260	281.68	18,390	280.83	18,700
223	E411	Calcitonin	나356	C7356	200.18	13,070	165.18	11,000
224	C154	Calcium	나379	C3795	18	1,180	16.96	1,130
225	C475	Calcium(U)	나379	C3795	18	1,180	16.96	1,130
226	C960	Calculate LDL Cholesterol	나243	C2430	90.26	5,890	89.39	5,950
227	M674	Campylobactor Culture	너301	BY309006	363.17	23,720	403.18	26,850
228	B701	Candida Ag	나408	B4080	90.9	5,940	85.21	5,670
229	B413	Candida spp. 배양	나405	B4051	158.13	10,330	163.15	10,870
230	Z928	Cannabinoide(정성)	나450	C4502390	124.57	8,130	118.13	7,870
231	D401	Carbamazepine(Tegretol)	나450	C4504030	243.15	15,880	247.78	16,500
232	H111	Carboxy Hb(Co-Hb)	나370	C3700	156.27	10,200	158.21	10,540
233	C715	Carotene,total	나255	C2550	57.58	3,760	54.33	3,620
234	C201	Ccr(Creatinine clearance)	나376	C3760	51.4	3,360	47.86	3,190
235	C442	Cd	나452	C4523650	306.17	19,990	309.81	20,630
236	S682	CD34	나512	C5120006	447.99	29,250	449.61	29,940
237	S800	CD34(Stem cell)	나514	C5140006	724.53	47,310	737.42	49,110
238	Z911	CD55	너42	BY422006	429.94	28,080	440.69	29,350
239	S256	CD59	너42	BY422006	429.94	28,080	440.69	29,350
240	C540	CD68 (Macrophage stain)	나556	C5566	320.13	20,900	308.77	20,560
241	C408	CEA	나422	C4220	230.65	15,060	230.54	15,350
242	E953	CEA(other)	나422	C4220	230.65	15,060	230.54	15,350
243	S873	Cell block(세포)	나594	C5940	145.11	9,480	133.42	8,890
244	S601	Cell Count(fluid)	나51	B0510	49.02	3,200	50.45	3,360
245	X064	Cell Culture(Amniotic Fluid)	너498	CX498	366.25	23,920	472.91	31,500
246	C461	Ceruloplasmin	나235	C2350	107.19	7,000	110.51	7,360
247	S351	Ch(L-BM)	나600-2	C6006006	1590.33	103,850	1590.33	105,920
248	S460	Ch(L-PB)	나600-2	C6006006	1590.33	103,850	1590.33	105,920
249	S456	Ch(PB)	나600	C6001006	1135.28	74,130	1210.58	80,620
250	S444	CH50	나225	C2250	118.16	7,720	111.44	7,420
251	S954	Chlamydia Ag	나475	C4752816	293.16	19,140	300.61	20,020

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
252	S789	Chlamydia P.IgG	나474	C4742816	205.72	13,430	206.65	13,760
253	S790	Chlamydia P.IgM	나474	C4743816	204.59	13,360	205.15	13,660
254	S678	Chlamydia pneumonia PCR	나595	C5956006	403.21	26,330	409.20	27,250
255	S881	Chlamydia T. Ab IgG	나474	C4742816	205.72	13,430	206.65	13,760
256	S882	Chlamydia T. Ab IgM	나474	C4743816	204.59	13,360	205.15	13,660
257	S676	Chlamydia trachomatis PCR	나595-1	C6029006	668.68	43,660	696.95	46,420
258	C672	Cholesterol,ester	나241	C2412	20.79	1,360	18.86	1,260
259	C119	Cholesterol,total	나241	C2411	24.39	1,590	23.20	1,550
260	C155	Cholinesterase(pseudo)	나270	B2700	50.75	3,310	45.32	3,020
261	C602	Cholinesterase(RBC act.)	나270	B2700	50.75	3,310	45.32	3,020
262	C639	Citric acid(Citrate,S)	너345	CY342	339.91	22,200	229.50	15,280
263	C505	Citric acid(Citrate,U)	너345	CY342	339.91	22,200	229.50	15,280
264	C413	CK(CPK) EP(S)	나304	B3040006	167.97	10,970	165.79	11,040
265	C108	CK(Creatine Kinase, CPK)	나263	B2630	55.91	3,650	55.93	3,720
266	C483	CK(other)	나263	B2630	55.91	3,650	55.93	3,720
267	C678	CK-BB(S)	나304	B3040006	167.97	10,970	165.79	11,040
268	C109	CK-MB(S)	나264	B2640	150.4	9,820	151.70	10,100
269	C674	CK-MM(S)	나304	B3040006	167.97	10,970	165.79	11,040
270	C113	Cl	나379	C3793	17.42	1,140	16.05	1,070
271	C480	Cl(U)	나379	C3793	17.42	1,140	16.05	1,070
272	D702	Clonazepam(Rivotril)	나450	CX375696	542.51	35,430	570.54	38,000
273	X881	Clonorchis sinensis Ab IgG	나472	C4722796	271.19	17,710	270.18	17,990
274	B133	Clostridium culture	너302	BY021	154.65	10,100	176.14	11,730
275	S808	Clozapine	나450	CX375696	542.51	35,430	570.54	38,000
276	Z995	CMV Antigenemia	나557	C5575006	466.94	30,490	463.89	30,900
277	B705	CMV Culture	나416	B4160006	546.65	35,700	560.25	37,310
278	S411	CMV IgG	나468	C4682426	266.76	17,420	270.11	17,990
279	S412	CMV IgM	나468	C4683426	259.16	16,920	259.99	17,320
280	S137	CMV PCR	나595	C5951006	409.65	26,750	417.78	27,820
281	B593	Cobalt	나452	C4523990	306.17	19,990	309.81	20,630
282	C561	Cocaine	나450	C4502390	124.57	8,130	118.13	7,870
283	H416	Cold hemagglutination	나209	B2090006	64.61	4,220	59.10	3,940
284	U131	Coproporphyrin(정량)	나389	C3893	175.41	11,450	177.74	11,840
285	U121	Coproporphyrin(정성)	나389	C3891	11.03	720	10.45	700
286	D729	Corrected Ca	나379 나375	C3795 C3750	37.77	2,470	35.21	2,350
287	E435	Cortisol	나324	C7322	146.13	9,540	121.38	8,080
288	E439	Cortisol,free	나324	C7323	136.42	8,910	100.87	6,720
289	B116	Coxsackie V.culture	나416	B4160006	546.65	35,700	560.25	37,310
290	S434	C-peptide	나343	C3430	196.42	12,830	199.48	13,290
291	C444	Cr	나452	C4523990	306.17	19,990	309.81	20,630
292	C125	Creatine(S)	나377	C3770	24.2	1,580	21.68	1,440
293	E605	Creatine(U)	나377	C3770	24.2	1,580	21.68	1,440
294	C116	Creatinine	나375	C3750	19.77	1,290	18.25	1,220
295	C476	Creatinine(U)	나375	C3750	19.77	1,290	18.25	1,220
296	C696	CRF	나242 나241	C2420 C2411	106.37	6,940	104.35	6,950
297	S102	CRP(정량)	나224	C2243	105.01	6,860	105.73	7,040
298	S189	CRP(정성)	나224	C2241	24.17	1,580	21.79	1,450
299	Z977	CRP(high sensitivity)	나224	C2243	105.01	6,860	105.73	7,040
300	H417	Cryoglobulin	나500	C5001	31.28	2,040	31.26	2,080
301	S304	Cryptococcal Ag	나408	B4080	90.9	5,940	85.21	5,670

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
302	S641	CTx	나393-2	C3932	199.38	13,020	190.27	12,670
303	C445	Cu(S)	나452	C4523620	306.17	19,990	309.81	20,630
304	E534	Cu(tissue)	나452	C4527620	607.56	39,670	613.25	40,840
305	C450	Cu(U)	나452	C4523620	306.17	19,990	309.81	20,630
306	E511	Cyclosporine	나450	C7451150	206.42	13,480	215.72	14,370
307	Z883	Cystatin-C	너131	CX131	85.83	5,600	106.91	7,120
308	X883	Cysticercosis Ab IgG	나472	C4722796	271.19	17,710	270.18	17,990
309	H512	D-dimer(정량)	나172	B1723	157.1	10,260	166.65	11,100
310	S735	Deoxyypyridinoline	나393	C3930	200.03	13,060	191.36	12,740
311	D423	Desipramine	나450	CX375696	542.51	35,430	570.54	38,000
312	E431	DHEA-S	나364	C7364	182.69	11,930	226.97	15,120
313	C695	Diazepam(Valium)	나450	CX375016	542.51	35,430	570.54	38,000
314	D402	Digoxin(Lanovin, Dinoxin)	나450	C4504090	243.15	15,880	247.78	16,500
315	C130	Direct Bilirubin	나372	C3721	20.06	1,310	18.80	1,250
316	H411	Direct Coombs' test	나204	B2041106	34.97	2,280	35.19	2,340
317	H172	Direct,coombs' Anti-C3d	나204	B2047406	60.9	3,980	62.90	4,190
318	H555	Direct,coombs' Anti-IgG	나204	B2047106	60.9	3,980	62.90	4,190
319	H413	Donath Landsteiner test	나210	B2100006	46.35	3,030	43.10	2,870
320	C604	Dopamine(P)	너228	CY283006	310.2	20,260	328.04	21,850
321	X834	DPAS Stain	나553	C5533	122.36	7,990	123.07	8,200
322	Z201	DRPLA Dx.	너573	CY533006	953.51	62,260	1150.44	76,620
323	C718	Drug abuse Screening test	나450	CX373690	378.82	24,740	295.04	19,650
324	H419	Du test(weak D)	나202	B2023	46.09	3,010	44.27	2,950
325	H140	Dysmorphic RBC	너1	BX001006	26.86	1,750	29.50	1,960
326	Z966	DYT 1	너562	CY635006	416.68	27,210	460.19	30,650
327	S620	E.coli 0157 culture	너301	BY309006	363.17	23,720	403.18	26,850
328	B339	E.coli O157 PCR	나595	C5956006	403.21	26,330	409.20	27,250
329	X031	E2A-PBX1 유전자 재배열	나597	C5974006	1573.83	102,770	1601.91	106,690
330	S628	EBV DNA PCR	나595	C5955006	385.98	25,200	386.27	25,730
331	S966	EBV EA-DR IgG	나468	C4682446	266.76	17,420	270.11	17,990
332	S721	EBV EA-DR IgM	나468	C4683446	259.16	16,920	259.99	17,320
333	S963	EBV EBNA IgG	나468	C4682456	266.76	17,420	270.11	17,990
334	S970	EBV EBNA IgM	나468	C4683456	259.16	16,920	259.99	17,320
335	H706	EBV In situ	너567	CY673006	604.71	39,490	568.99	37,890
336	S427	EBV VCA IgG(EIA)	나468	C4682436	266.76	17,420	270.11	17,990
337	S428	EBV VCA IgM(EIA)	나468	C4683436	259.16	16,920	259.99	17,320
338	S733	Echinococcus Ab	나472	C4722796	271.19	17,710	270.18	17,990
339	B117	Echo virus culture	나416	B4160006	546.65	35,700	560.25	37,310
340	C437	Ecstasy(MDMA)	나450	C4502390	124.57	8,130	118.13	7,870
341	H652	Egg Count	나68	B0680	31.85	2,080	30.46	2,030
342	M419	Endometrium cytology	나592	C5920	90.27	5,890	89.65	5,970
343	B139	Entero V. culture(3종)	나416	B4160006×3	1639.95	107,100	1680.75	111,930
344	S588	Entero virus PCR	나596	C5962006	575.08	37,550	595.55	39,660
345	B410	Enterococcus spp. Culture	나405	B4051	158.13	10,330	163.15	10,870
346	B852	Enterovirus culture	나416	B4160006	546.65	35,700	560.25	37,310
347	H122	Eosinophil Count	나107	B1070	12.58	820	12.49	830
348	E449	Epinephrine(P)	너228	CY281006	310.2	20,260	328.04	21,850
349	Y994	ER-PR	나559×2	C5590×2	1035.28	67,600	947.54	63,100
350	S502	Erythropoietin	나357	C7357	301.06	19,660	131.45	8,750
351	H110	ESR	나103	B1033	11.09	720	10.68	710
352	E427	Estradiol(E2)	나326	C3260	185.63	12,120	188.29	12,540
353	E429	Estriol(E3)	나327	C7327	163.31	10,660	212.59	14,160

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
354	E425	Estrogen	나325	C7325	106.4	6,950	88.69	5,910
355	D403	Ethosuximide	나450	CX374690	262.87	17,170	313.25	20,860
356	X615	EWS/FLI 재배열	나597	C5979006	1669.92	109,050	1729.88	115,210
357	X616	EWS/WT1 재배열	나597	C5979006	1669.92	109,050	1729.88	115,210
358	H526	F.M(silver) stain	나553	C5533	122.36	7,990	123.07	8,200
359	H129	Factor I (fibrinogen)	나160	B1601	38.69	2,530	39.22	2,610
360	H422	Factor II(2)	나169	B1691006	164.31	10,730	168.76	11,240
361	H423	Factor V(5)	나169	B1692006	163.09	10,650	167.09	11,130
362	H427	Factor VII(7)	나169	B1693006	168.6	11,010	174.49	11,620
363	H424	Factor VIII(8)	나169	B1694006	171.28	11,180	178.87	11,910
364	H503	Factor VIII(8) Ab(Inhibitor)	나178	B1780006	207.67	13,560	208.52	13,890
365	H425	Factor IX(9)	나169	B1695006	170.18	11,110	177.39	11,810
366	H516	Factor IX(9) Ab(Inhibitor)	나178	B1781006	210.85	13,770	212.74	14,170
367	H426	Factor X(10)	나169	B1696006	161.28	10,530	165.00	10,990
368	H428	Factor X I (11)	나169	B1697006	161.73	10,560	165.59	11,030
369	H429	Factor X II(12)	나169	B1698006	155.39	10,150	157.05	10,460
370	H432	Factor X III(13)	나169	B1699006	161.69	10,560	165.59	11,030
371	M683	Factor V Leiden mutation	나562	CY633006	416.68	27,210	453.38	30,200
372	S452	FANA	나491	C4912006	148.85	9,720	153.05	10,190
373	S449	FANA(정량)	나491	C4913006	278.33	18,170	280.30	18,670
374	S980	Fasciola hepatica Ab	나472	C4722796	271.19	17,710	270.18	17,990
375	S777	Fat(정성)	나67	B0670	12.63	820	13.27	880
376	H117	FDP 정량	나161	B1613	136.94	8,940	138.83	9,250
377	C401	Ferritin	나252	C2520	167.93	10,970	172.81	11,510
378	C878	Fetal Hb	나382	C3824	65.55	4,280	66.14	4,400
379	C403	Folate	나254	C2540	221.1	14,440	221.94	14,780
380	E430	Folate(RBC)	나254	C2540	221.1	14,440	221.94	14,780
381	B129	For anaerobic culture	나405	B4051	158.13	10,330	163.15	10,870
382	S615	Fragile X PCR	나573	CY539006	953.51	62,260	1150.44	76,620
383	S685	Fragile X PCR(Southern)	나598 나573	C5987006 CY539006	1925.17	125,710	2104.28	140,150
384	E539	Free E3	나327	C3270	223.86	14,620	225.54	15,020
385	C166	Free fatty acid	나245	C2450	42.76	2,790	38.53	2,570
386	Z171	Free Phenytoin	나450	C4504390	243.15	15,880	247.78	16,500
387	S774	Free PSA	나321	CX321	173.78	11,350	179.99	11,990
388	E408	Free T3	나330	C3300	150.44	9,820	149.24	9,940
389	E406	Free T4	나334	C3340	171.51	11,200	172.44	11,480
390	E587	Free Testosterone	나232	CX232	181.05	11,820	173.36	11,550
391	S855	Free Thyroxine Index	나333 나331	C7333 C7331	339.63	22,170	296.73	19,760
392	Z983	Free κlight chain(S)	나237	C2371006	474.18	30,960	474.18	31,580
393	C181	Free κlight chain(U)	나237	C2381006	474.18	30,960	474.18	31,580
394	Z982	Free λlight chain(S)	나237	C2372006	474.18	30,960	474.18	31,580
395	C182	Free λlight chain(U)	나237	C2382006	474.18	30,960	474.18	31,580
396	S203	Friedreich's Ataxia	나573	CY539006	953.51	62,260	1150.44	76,620
397	C406	Fructosamine	나397	C3970	112.2	7,330	99.83	6,650
398	C688	Fructose(semen)	나893	EX893	79.87	5,220	61.06	4,070
399	E421	FSH	나350	C3500	162.39	10,600	160.84	10,710
400	S440	FTA-ABS IgG	나462	C4620006	155.84	10,180	157.07	10,460
401	S472	FTA-ABS IgM	나462	C4620006	155.84	10,180	157.07	10,460
402	B003	Fungus culture	나405	B4051	158.13	10,330	163.15	10,870

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
403	X198	G6PC gene common Mutation (GSD1a)	너562	CY630006×4	1666.72	108,840	1879.20	125,160
404	C203	G-6-PD	나274	B2741	103.33	6,750	95.85	6,380
405	E442	Gastrin	나345	C7345	144.75	9,450	78.40	5,220
406	E869	GastroPanel(Gastrin-17)	나345	C3450	159.14	10,390	147.58	9,830
407	E867	GastroPanel(Pepsinogen II)	나362	C3620	256.1	16,720	226.41	15,080
408	E866	GastroPanel(Pepsinogen I)	나362	C3620	256.1	16,720	226.41	15,080
409	M722	GBS culture	나405	B4051	158.13	10,330	163.15	10,870
410	D404	Gentamicin	나450	C4504120	243.15	15,880	247.78	16,500
411	H527	Giemsa stain	나553	C5533	122.36	7,990	123.07	8,200
412	E446	Glucagon	나344	C7344	165.17	10,790	83.34	5,550
413	C150	Glucose(Gestational GTT)	나371	C3711×4	81.28	5,320	75.24	5,000
414	C485	Glucose(other)	나371	C3711	20.32	1,330	18.81	1,250
415	C180	Glucose(P)	나371	C3711	20.32	1,330	18.81	1,250
416	C213	Glucose(PP2,P)	나371	C3711	20.32	1,330	18.81	1,250
417	C212	Glucose(PP2,S)	나371	C3711	20.32	1,330	18.81	1,250
418	C123	Glucose(S)	나371	C3711	20.32	1,330	18.81	1,250
419	C477	Glucose(U)	나371	C3711	20.32	1,330	18.81	1,250
420	X833	GMS Stain	나553	C5533	122.36	7,990	123.07	8,200
421	X717	GMS/ Cell block	나553 나594	C5533 C5940	267.47	17,470	256.49	17,090
422	Z973	GPⅢa stain(CD61)	나556	C5566	320.13	20,900	308.77	20,560
423	B101	Gram stain	나400	B4101	20.27	1,320	20.51	1,370
424	X250	GSD1a, G6PC Mutation	너562	CY630006×6	2500.08	163,260	2818.80	187,740
425	M101	Gy cytology	나592	C5920	90.27	5,890	89.65	5,970
426	S697	H.Pylori Ag	나415	B4157	245.38	16,020	273.75	18,230
427	D416	Haloperidol(Haldol)	나450	CX375066	542.51	35,430	570.54	38,000
428	S791	Hantaan Ab(Kor.4종)	나468	C4682476	266.76	17,420	270.11	17,990
429	S417	Hantaan virus Ab(정량)	나468	C4682476	266.76	17,420	270.11	17,990
430	S928	Hantaan virus PCR	나597	C5977006	1567.36	102,350	1593.30	106,110
431	S445	Haptoglobin	나234	C2340	116.74	7,620	118.71	7,910
432	X706	HAV Ab IgG	나486	C4861	172.26	11,250	168.34	11,210
433	S407	HAV Ab IgM	나486	C4862	253.05	16,520	245.54	16,350
434	B338	HAV RNA PCR	나596	C5969006	612.12	39,970	644.86	42,950
435	H105	Hb	나101	B1010	16.85	1,100	16.90	1,130
436	C417	Hb EP	나307	B3070006	97.47	6,360	100.27	6,680
437	C431	HbA1c	나382	C3825	102.58	6,700	103.04	6,860
438	E528	HBc Ab	나484	C4841	197.73	12,910	204.55	13,620
439	E529	HBc Ab IgM	나484	C4842	218.08	14,240	207.54	13,820
440	S404	HBc Ab IgM(RIA)	나484	C7582	216.58	14,140	204.30	13,610
441	S403	HBc Ab(RIA)	나484	C7581	168.49	11,000	196.20	13,070
442	E531	HBe Ab	나483	C4832	213.38	13,930	210.63	14,030
443	E530	HBe Ag	나482	C4822	211.55	13,810	209.20	13,930
444	E527	HBs Ab(CIA)	나481	C4812	153.07	10,000	150.84	10,050
445	E526	HBs Ag(CIA)	나480	C4802	138.76	9,060	138.51	9,220
446	S132	HBV DNA PCR	나595	C5954006	386.27	25,220	386.64	25,750
447	S606	HBV DNA real-time PCR 정량	나485	C4854006	894.88	58,440	894.88	59,600
448	S607	HBV DNA정량(bDNA)	나485	C4853006	542.7	35,440	544.09	36,240
449	M701	HBV drug r. mutation(LMV)	너562	CY637006×4	1666.84	108,840	1943.28	129,440
450	X236	HBV drug r. mutation (LMV/ADV)	너562	CY637006×4	1666.84	108,840	1943.28	129,440

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
451	X067	HBV drug r. mutation (LMV/ETV)	너562	CY637006×4	1666.84	108,840	1943.28	129,440
452	X703	HBV drug r. mutation (multi drugs)	너562	CY637006×4	1666.84	108,840	1943.28	129,440
453	S537	HBV Probe정량(Hybrid Capture)	나485	C4852006	539.81	35,250	540.25	35,980
454	H104	HCT	나102	B1020	10.71	700	10.82	720
455	Z904	HCV Ab	나487	C4872	201.29	13,140	204.22	13,600
456	S864	HCV Genotype	나596-2	C6092006	1704.75	111,320	1704.75	113,540
457	S634	HCV Immuno Blot Assay	나487	C4873006	553.5	36,140	556.05	37,030
458	H977	HCV RNA(정량)	너424	C4424006	1127.2	73,610	1127.20	75,070
459	M700	HCV RT-PCR	나596-1	C6081006	833.92	54,450	862.27	57,430
460	C120	HDL Cholesterol	나242	C2420	81.98	5,350	81.15	5,400
461	B854	HDL Cholesterol EP	나302	B3020006	142.95	9,330	132.22	8,810
462	M053	Hema 28종	나597	C5971006외	7962.24	519,940	8133.54	541,700
463	Z961	Hemochromatosis(삼성)	너562	CY627006×2	833.36	54,420	920.52	61,300
464	B887	Hemochromatosis(서울대)	너562	CY627006	416.68	27,210	460.26	30,650
465	H431	Hemosiderin	나7	B0070	27.47	1,790	27.46	1,830
466	C564	Heroin	나450	C4502390	124.57	8,130	118.13	7,870
467	S416	Herpes IgG	나468	C4682466	266.76	17,420	270.11	17,990
468	S420	Herpes IgM	나468	C4683466	259.16	16,920	259.99	17,320
469	B704	Herpesvirus culture	나416	B4160006	546.65	35,700	560.25	37,310
470	S457	Heterophil Ab	나470	C4701	81.86	5,350	81.41	5,420
471	S306	HEV IgG	너422	CY431	175.99	11,490	136.32	9,080
472	S334	HEV IgM	너422	CY432	175.99	11,490	136.32	9,080
473	B562	HEV RNA PCR	나596	C5969006	612.12	39,970	644.86	42,950
474	S567	Hg(Hair)	나452	C4527640	607.56	39,670	613.25	40,840
475	C446	Hg(Mercury)	나452	C4523640	306.17	19,990	309.81	20,630
476	E417	HGH(S)	나342	C3420	181.93	11,880	180.26	12,010
477	X169	HHV 8 PCR	나595	CY561006	384.04	25,080	390.35	26,000
478	C504	Hippuric acid(마노산)	나451	CY373030	399.4	26,080	281.02	18,720
479	M440	Histo(XL,with Lymph Node)	나550	C5505	1658.74	108,320	1658.74	110,470
480	M441	Histo(XL,without Lymph Node)	나550	C5508	1128.59	73,700	1128.59	75,160
481	M439	Histopathology(L,≤15)	나550	C5500	783.64	51,170	783.64	52,190
482	M438	Histopathology(L,≤20)	나550	C5918	1072.19	70,010	1072.19	71,410
483	M435	Histopathology(L,≥16)	나550	C5504	1096.92	71,630	1096.92	73,050
484	M434	Histopathology(L,≥21)	나550	C5919	1602.34	104,630	1602.34	106,720
485	M437	Histopathology(M,≤6)	나550	C5916	445.87	29,120	445.87	29,690
486	M433	Histopathology(M,≥7)	나550	C5917	636.85	41,590	636.85	42,410
487	M432	Histopathology(S,≥13)	나550	C5915	687.25	44,880	687.25	45,770
488	M436	Histopathology(S,1~3)	나550	C5911	282.35	18,440	282.35	18,800
489	X775	Histopathology(S,1~3) & Giemsa Stain	나550 나553	C5911 C5533	404.71	26,430	405.42	27,000
490	M431	Histopathology(S,10~12)	나550	C5914	589.09	38,470	589.09	39,230
491	X778	Histopathology(S,10~12) & Giemsa Stain	나550 나553	C5914 C5533	711.45	46,460	712.16	47,430
492	M429	Histopathology(S,4~6)	나550	C5912	380.51	24,850	380.51	25,340
493	X776	Histopathology(S,4~6) & Giemsa Stain	나550 나533	C5912 C5533	502.87	32,840	503.58	33,540
494	M430	Histopathology(S,7~9)	나550	C5913	478.66	31,260	478.66	31,880
495	X777	Histopathology(S,7~9) & Giemsa Stain	나550 나553	C5913 C5533	601.02	39,250	601.73	40,080
496	S650	HIV Ag	너394	CX394	188.85	12,330	217.82	14,510

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
497	M344	HIV RNA 정량	너396	CY396006	2310.1	150,850	2316.23	154,260
498	C641	HIV RT-PCR(GAG gene)정성	나597	C5979006	1669.92	109,050	1729.88	115,210
499	D741	HIV-1 PCR	나597	C5979006	1669.92	109,050	1729.88	115,210
500	Z015	HLA-A (High) DNA	너494	CY916006	3459.57	225,910	3806.45	253,510
501	X620	HLA-A Typing	너494	CY915006	2320.24	147,100	2131.35	141,950
502	S761	HLA-ABC	너494	CY915006×3	6960.72	454,530	6394.05	425,850
503	Z016	HLA-B (High) DNA	너494	CY916006	3459.57	225,910	3806.45	253,510
504	S501	HLA-B27	너495	CY917006	563.99	36,830	758.98	50,550
505	Z017	HLA-C (High) DNA	너494	CY916006	3459.57	225,910	3806.45	253,510
506	X170	HLA-DQA (High)	너492	CY912006	2908.15	189,900	3376.41	224,870
507	Z160	HLA-DQB (High)	너492	CY912006	2908.15	189,900	3376.41	224,870
508	Z159	HLA-DQB (Low)	너492	CY911006	1973.4	128,860	2079.25	138,480
509	Z957	HLA-DR(High) DNA	너493	CY914006	2908.15	189,900	3434.56	228,740
510	S754	HLA-DRB	너493	CY913006	1973.4	128,860	2079.28	138,480
511	S929	HLA-RA(DRB1)	너496	CX496006	1206.58	78,790	1392.44	92,740
512	Z141	hMLH1 genetic test	나599	CY711006	5911.54	386,020	7289.60	485,490
513	Z962	hMSH2	나599	CY712006	5911.54	386,020	7289.60	485,490
514	Z151	HPV DNA chip	나595-2	C5959006	698.13	45,590	698.13	46,500
515	S874	HPV PCR	나595	C5956006	403.21	26,330	409.20	27,250
516	S391	HPV Probe(HCS)	나595-3	C5960006	536.95	35,060	642.09	42,760
517	M681	HPV Probe(Low risk)	나595-3	C5960006	536.95	35,060	642.09	42,760
518	S139	HPV Type 16 PCR	나595	C5956006	403.21	26,330	409.20	27,250
519	S138	HPV Type 18 PCR	나595	C5956006	403.21	26,330	409.20	27,250
520	S747	HSV PCR	나595	C5956006	403.21	26,330	409.20	27,250
521	S862	HSV type 1 PCR	나595	C5956006	403.21	26,330	409.20	27,250
522	S863	HSV type 2 PCR	나595	C5956006	403.21	26,330	409.20	27,250
523	S589	HSV Type I IgG(S)	나468	C4682466	266.76	17,420	270.11	17,990
524	S590	HSV Type II IgG(S)	나468	C4682466	266.76	17,420	270.11	17,990
525	S704	HTLV-I,II Ab(CSF)	나468	C4682596	266.76	17,420	270.11	17,990
526	S703	HTLV-I,II Ab(S)	나468	C4682596	266.76	17,420	270.11	17,990
527	S653	Human Herpes V.type 6 PCR	너563	CY059006	497.16	32,460	575.61	38,340
528	Z150	Huntington's Disease	너573	CY531006	953.51	62,260	1150.44	76,620
529	Z036	HVA(CSF)	너225	CY251006	310.2	20,260	343.48	22,880
530	C625	HVA(P)	너225	CY251006	310.2	20,260	343.48	22,880
531	C301	HVA(U)	너225	CY251006	310.2	20,260	343.48	22,880
532	C713	Hyaluronic acid(HA)	너345	CY343	339.91	22,200	229.50	15,280
533	C422	IgA(S)	나228	C2282	135.23	8,830	137.53	9,160
534	C424	IgD	나228	C2284	132.95	8,680	134.49	8,960
535	E561	IGF-BP3(CLIA)	너231	CX231	345.13	22,540	265.33	17,670
536	R003	IGF-BP3(RIA)	너231	CX731	345.13	22,540	248.07	16,520
537	S230	IgG Index (serum + CSF)	나228외	C2281×2외	498	32,510	501.19	33,380
538	S121	IgG Subclass I	너181	BY181	183.11	11,960	145.34	9,680
539	S122	IgG Subclass II	너181	BY182	183.11	11,960	145.34	9,680
540	S123	IgG Subclass III	너181	BY183	183.11	11,960	145.34	9,680
541	S124	IgG Subclass IV	너181	BY184	183.11	11,960	145.34	9,680
542	S520	IgG(CSF)	나228	C2281	134.92	8,810	137.11	9,130
543	C421	IgG(S)	나228	C2281	134.92	8,810	137.11	9,130
544	S519	IgG(U)	나228	C2281	134.92	8,810	137.11	9,130
545	S422	IgG/Transferrin clearance	나228외	C2281×2외	480.46	31,380	487.94	32,500
546	Z132	IgH 유전자 재배열	너563	CY056006	497.26	32,470	587.11	39,100
547	C423	IgM	나228	C2283	135.26	8,830	137.57	9,160
548	D418	Imipramine(Tofranil)	나450	CX375696	542.51	35,430	570.54	38,000

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
549	C416	Immuno EP(S)	나308	B3081006	385.86	25,200	392.35	26,130
550	C848	Immuno EP(U)	나308	B3083006	439.56	28,700	448.07	29,840
551	X718	Immuno Fixation EP IgD,IgE(S)	나308	B3082006	517.2	33,770	530.84	35,350
552	X719	Immuno Fixation EP IgD,IgE(U)	나308	B3084006	584.69	38,180	599.93	39,960
553	C690	Immuno Fixation EP(S)	나308	B3082006	517.2	33,770	530.84	35,350
554	C841	Immuno Fixation EP(U)	나308	B3084006	584.69	38,180	599.93	39,960
555	M410	India ink	나401	B4010	29.12	1,900	27.19	1,810
556	C616	Indirect Bilirubin	나372	C3720 C3721	40.01	2,610	37.42	2,490
557	H412	Indirect Coombs' test	나204	B2042106	34.96	2,280	35.18	2,340
558	C709	Indocyanine green(R15)	나399	C3991006	381.69	24,920	273.00	18,180
559	C818	Indocyanine green(Rmax)	나399	C3992006	572.5	37,380	437.42	29,130
560	B135	Influenza A V.culture	나416	B4160006	546.65	35,700	560.25	37,310
561	B136	Influenza B V.culture	나416	B4160006	546.65	35,700	560.25	37,310
562	B111	Influenza V. A & B Ag	나469	C4690596	406.2	26,520	406.32	27,060
563	B157	Influenza V. A Ag	나469	C4690596	203.1	13,260	203.16	13,530
564	B158	Influenza V. B Ag	나469	C4690596	203.1	13,260	203.16	13,530
565	C156	Inhibin-A	나369	CZ211	350.82	22,910	350.82	23,360
566	C478	Inorga.phosphorus(U)	나379	C3794	17.62	1,150	16.38	1,090
567	C158	Inorganic-phosphorus	나379	C3794	17.62	1,150	16.38	1,090
568	E441	Insulin	나341	C3410	175.61	11,470	177.60	11,830
569	S958	Insulin Ab	나444	CX745	224.58	14,670	143.86	9,580
570	E412	Intact PTH	나340	C3400	284.05	18,550	289.09	19,250
571	D749	Iodide(Urine)	나234	CX234	81.41	5,320	61.89	4,120
572	C153	Ionized Calcium	나379	C3796	78.36	5,120	79.70	5,310
573	C159	Iron	나249	C2490	36.95	2,410	34.94	2,330
574	H410	Iron stain	나118	B1185006	86.53	5,650	86.96	5,790
575	Z007	Iron(tissue)	나452	C4527990	607.56	39,670	613.25	40,840
576	S968	Islet Cell Antibody	나446	CX446006	134.29	8,770	123.93	8,250
577	H924	Isoagglutinin titer	나208	B2080006	113.54	7,410	106.48	7,090
578	S795	Joint fluid Microscopy (Crystal, Bacteria)	나51	B0510	49.02	3,200	50.45	3,360
579	C112	K(Potassium)	나379	C3792	18.33	1,200	17.59	1,170
580	C481	K(U)	나379	C3792	18.33	1,200	17.59	1,170
581	C463	Ketone 정성	나386	C3860	74.94	4,890	75.42	5,020
582	M200	KOH Mount	나400	B4102	19.38	1,270	19.33	1,290
583	Z958	KOH Mount(Fungus Panel)	나400	B4102	19.38	1,270	19.33	1,290
584	B204	L/S ratio	나55	B0550006	168.65	11,010	169.31	11,280
585	C169	Lactic acid(Lactate)	나345	CY345	339.91	22,200	229.50	15,280
586	H634	LAP Score	나126	B1260006	86.77	5,670	87.29	5,810
587	S267	LAP(Leucine aminopeptidase)	나267	B2670	47.87	3,130	44.30	2,950
588	C846	LDH EP(P.fluid)	나303	B3030006	175.56	11,460	175.89	11,710
589	C414	LDH EP(S)	나303	B3030006	175.56	11,460	175.89	11,710
590	C110	LDH(Lactate dehydrogenase)	나259	B2590	36.92	2,410	33.47	2,230
591	C484	LDH(other)	나259	B2590	36.92	2,410	33.47	2,230
592	C121	LDL Cholesterol	나243	C2430	90.26	5,890	89.39	5,950
593	H405	LE cell test	나112	B1120006	56.12	3,660	55.53	3,700
594	B002	Legionella urinary Ag	나475	C4752996	293.16	19,140	300.61	20,020
595	S455	Leptospira Ab	나466	C4661020	123.13	8,040	118.09	7,860
596	S792	Leptospira Ab(MAT.Kor.4종)	나466	C4662026	203.46	13,290	203.63	13,560
597	B713	Leucine	나443	CY441	36.46	2,380	27.23	1,810
598	S681	Leukemia marker	나512외	C5120006외	7614.66	497,180	7629.63	508,070

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
599	E422	LH	나348	C3480	156.51	10,220	154.54	10,290
600	Z119	LHON	너562	CY622006×4	1666.72	108,840	1840.76	122,600
601	C447	Li	나452	C4523610	306.17	19,990	309.81	20,630
602	C115	Lipase	나262	B2621	60.41	3,940	60.09	4,000
603	C842	Lipoprotein EP(B.fluid)	나301	B3010006	138.58	9,050	130.06	8,660
604	C415	Lipoprotein EP(S)	나301	B3010006	138.58	9,050	130.06	8,660
605	C673	Lipoprotein(a)	나248	C2480	160.49	10,480	160.82	10,710
606	Z930	Lupus A.coagulant(confirm)	나171	B1712006	297.97	19,460	303.93	20,240
607	H504	Lupus A.coagulant(screen)	나171	B1711	191.56	12,510	199.40	13,280
608	M578	M.TB Identification	나405	B4054	192.4	12,560	192.40	12,810
609	S876	M.TB PCR	나595-1	C6021006	636.81	41,580	654.51	43,590
610	S962	M.tuberculosis Ab	나466	C4661190	123.13	8,040	118.09	7,860
611	H402	Malaria	나115	B1150006	45.57	2,980	46.68	3,110
612	A154	Malaria Ab	나472	C4721630	99.49	6,500	89.98	5,990
613	M696	Malaria P. falciparum	나595	C5956006	403.21	26,330	409.20	27,250
614	M698	Malaria P. malariae	나595	C5956006	403.21	26,330	409.20	27,250
615	M699	Malaria P. ovale	나595	C5956006	403.21	26,330	409.20	27,250
616	M697	Malaria P. vivax	나595	C5956006	403.21	26,330	409.20	27,250
617	M695	Malaria PCR 선별검사	나595	C5956006	403.21	26,330	409.20	27,250
618	S317	Mandelic acid	나451	CY373020	399.4	26,080	281.02	18,720
619	S715	MAST Allerge(A) inhalant	나232	C2320006	1336.58	87,280	1339.80	89,230
620	S765	MAST Allerge(B) food	나232	C2320006	1336.58	87,280	1339.80	89,230
621	S423	Measle IgG	나468	C4682486	266.76	17,420	270.11	17,990
622	S430	Measle IgM	나468	C4683486	259.16	16,920	259.99	17,320
623	C432	Met Hb(Met-Hb)	나370	C3700	156.27	10,200	158.21	10,540
624	C458	Metanephrine	너228	CY284006	310.2	20,260	328.04	21,850
625	C563	Methamphetamine	나450	C4502390	124.57	8,130	118.13	7,870
626	B712	Methionine	나443	CX342	36.46	2,380	27.23	1,810
627	S972	Methotrexate(MTX)	나450	C4504130	243.15	15,880	247.78	16,500
628	S315	Methyl Hippuric acid	나451	CY373040	399.4	26,080	281.02	18,720
629	C448	Mg	나379	C3797	25.94	1,690	24.96	1,660
630	S973	Microalbumin(24hr)	나230	C2302	202.83	13,240	203.09	13,530
631	S490	Microalbumin(RU)	나230	C2302	202.83	13,240	203.09	13,530
632	H135	Mixing test	나177	B1770006	194.23	12,680	190.62	12,700
633	M054	MLL RT PCR(Hemavision F/U)	나597	C5979006	1669.92	109,050	1729.88	115,210
634	C449	Mn	나452	C4523660	306.17	19,990	309.81	20,630
635	X618	Molybdenum	나452	C4523990	306.17	19,990	309.81	20,630
636	X707	Monoclonal Gammopathy Screening Panel	나300외	B3000006외	1073.49	70,090	1077.92	71,790
637	D421	Morphine	나450	C4502390	124.57	8,130	118.13	7,870
638	H525	M-T stain	나553	C5532	122.36	7,990	123.07	8,200
639	M672	MTHFR C677T	너562	CY628006	416.68	27,210	463.98	30,900
640	S749	Mucin clot Test	나54	B0540	11.26	740	11.41	760
641	U116	Mucopolysaccharide 정성	나444	C4441	27.1	1,770	24.85	1,660
642	S424	Mumps IgG	나468	C4682506	266.76	17,420	270.11	17,990
643	S425	Mumps IgM	나468	C4683506	259.16	16,920	259.99	17,320
644	B590	Mumps virus culture	나416	C4160006	546.65	35,700	560.25	37,310
645	S652	Mumps virus RNA PCR	나596	C5969006	612.12	39,970	644.86	42,950
646	M522	Mycobacteria 신속동정검사	나595-1	C6021006	636.81	41,580	654.51	43,590
647	C963	Mycophenolic acid	나450	CX375696	542.51	35,430	570.54	38,000
648	X716	Mycoplasma & Ureaplasma Culture	너301×2	BY301006 BY303006	726.34	47,440	810.94	54,000

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
649	S458	Mycoplasma Ab	나474	C4741820	69.03	4,510	64.49	4,300
650	M728	Mycoplasma genitalium PCR	나595	C5956006	403.21	26,330	409.20	27,250
651	Z127	Mycoplasma hominis PCR	나595	C5956006	403.21	26,330	409.20	27,250
652	C548	Mycoplasma Pneumo. IgG	나474	C4742826	205.72	13,430	206.65	13,760
653	C549	Mycoplasma Pneumo. IgM	나474	C4743826	204.59	13,360	205.15	13,660
654	S680	Mycoplasma pneumonia PCR	나595	C5956006	403.21	26,330	409.20	27,250
655	S446	Myoglobin(S)	나384	C7384	184.48	12,050	92.29	6,150
656	U115	Myoglobin(U)	나384	C7384	184.48	12,050	92.29	6,150
657	Z955	Myotonic dystrophy	나598	C5980006	1010.77	66,000	1005.93	66,990
658	S708	N.gonorrhoeae culture	나405	B4051	158.13	10,330	163.15	10,870
659	C111	Na(Sodium)	나379	C3791	17.83	1,160	16.73	1,110
660	C482	Na(U)	나379	C3791	17.83	1,160	16.73	1,110
661	S477	Neonatal Free T4	나334	C3340	171.51	11,200	172.44	11,480
662	S476	Neonatal TSH	나336	C3360	215.39	14,060	220.13	14,660
663	S522	Neuroblastoma(EIA)	나321 너225	C3213 CY250	297.16	19,400	304.81	20,300
664	S465	Neuronspecific enolase(NSE)	나431	C4310	309.76	20,230	310.19	20,660
665	X521	Nickel(Serum)	나452	C4523990	306.17	19,990	309.81	20,630
666	S771	NK cell(CD16+CD56)	나512	C5120006	447.99	29,250	449.61	29,940
667	S318	N-methylacetamide(NMAC)	나451	CY373290	399.4	26,080	281.02	18,720
668	H509	N-Methylformamide(NMF)	나451	CY373060	399.4	26,080	281.02	18,720
669	Z136	NMP22	너322	CY323	283.39	18,510	301.48	20,080
670	D748	N-myc PCR	나598	C5988006	970.13	63,350	951.81	63,390
671	M104	Non-Gy cytology	나593	C5931	104.57	6,830	101.16	6,740
672	M420	Non-Gy(Sputum) Cytology	나593	C5930	101.11	6,600	96.63	6,440
673	M106	Nonspecific esterase stain	나118	B1188006	85.01	5,550	84.94	5,660
674	B155	Nordiazepam	나450	CX375176	542.51	35,430	570.54	38,000
675	E450	Norepinephrine	너228	CY282006	310.2	20,260	328.04	21,850
676	C457	Normetanephine	너228	CY285006	310.2	20,260	328.04	21,850
677	D425	Nortriptyline	나450	CX375696	542.51	35,430	570.54	38,000
678	X560	NTM sensitivity	나406	B4064	522.61	34,130	543.31	36,180
679	S805	NT-proBNP	나368-2	CZ208	608.98	39,770	608.98	40,560
680	Z003	NTx	나393-1	C3931	199.17	13,010	189.78	12,640
681	U118	Occult Blood(정량)	나65-1	B0653	62.16	4,060	63.98	4,260
682	X451	Olanzapine	나450	CX375696	542.51	35,430	570.54	38,000
683	X420	Oligo.band(IEF&IF.암센터)	너182	BX182006	215.52	14,070	223.85	14,910
684	C170	Oligoclonal band	너182	BX182006	215.52	14,070	223.85	14,910
685	C562	Opiates(정성)	나450	C4502390	124.57	8,130	118.13	7,870
686	B121	Ordinary culture	나405	B4051	158.13	10,330	163.15	10,870
687	B141	Ordinary(Blood Culture)	나405	B4051	158.13	10,330	163.15	10,870
688	C538	Organic acid analysis	너345	CY348006	3333.25	217,660	2683.70	178,730
689	C207	Orotic acid	너345	CY349	339.91	22,200	229.50	15,280
690	U132	Osmolality(S)	나380	C3800	53.7	3,510	54.08	3,600
691	U120	Osmolality(U)	나380	C3800	53.7	3,510	54.08	3,600
692	H401	Osmotic fragility test	나113	B1131006	88.79	5,800	89.98	5,990
693	E415	Osteocalcin	나363	C7363	166.03	10,840	155.26	10,340
694	P534	Other blood (LeA)	나203	B2030006	77.45	5,060	73.81	4,920
695	P537	Other blood (LeB)	나203	B2030006	77.45	5,060	73.81	4,920
696	H001	Other blood(Fya,Duffy a)	나203	B2030006	77.45	5,060	73.81	4,920
697	H002	Other blood(Fyb,Duffy b)	나203	B2030006	77.45	5,060	73.81	4,920
698	H005	Other blood(Jka,Kidd a)	나203	B2030006	77.45	5,060	73.81	4,920
699	H006	Other blood(Jkb,Kidd b)	나203	B2030006	77.45	5,060	73.81	4,920

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
700	H180	Other blood(lectin A1)	나203	B2030006	77.45	5,060	73.81	4,920
701	H186	Other blood(lectin H)	나203	B2030006	77.45	5,060	73.81	4,920
702	H014	Other blood(M)	나203	B2030006	77.45	5,060	73.81	4,920
703	H015	Other blood(N)	나203	B2030006	77.45	5,060	73.81	4,920
704	H009	Other blood(s)	나203	B2030006	77.45	5,060	73.81	4,920
705	H008	Other blood(S)	나203	B2030006	77.45	5,060	73.81	4,920
706	U506	Oxcarbazepine(Trileptal)	나450	CX374690	262.87	17,170	313.25	20,860
707	S810	PAI-1	너80	BY802	170.91	11,160	179.54	11,960
708	M427	Pap smear(STD-HPV)	나592	C5920	90.27	5,890	89.65	5,970
709	C551	PAP(환부 swab)	나429	C4290	178.88	11,680	159.45	10,620
710	C168	PAP(Prostatic acid Phos.)	나429	C4290	178.88	11,680	159.45	10,620
711	X882	Paragonimus westermani Ab IgG	나472	C4722796	271.19	17,710	270.18	17,990
712	B110	Parainfluenza V. Ag	나469	C4690596	203.1	13,260	203.16	13,530
713	B120	Parainfluenza V. culture	나416	B4160006	546.65	35,700	560.25	37,310
714	D706	Paraquat(Gramoxone)	나450	CX374040	262.87	17,170	313.25	20,860
715	S726	Parasite spe. Ab(CSF)	나472	C4722796	271.19	17,710	270.18	17,990
716	S644	Parasite specific Ab IgG	나472	C4722796×4	1084.76	70,840	1080.72	71,960
717	S221	Parvovirus B19 IgG	나468	C4682596	266.76	17,420	270.11	17,990
718	S783	Parvovirus B19 IgM	나468	C4683596	259.16	16,920	259.99	17,320
719	S642	Parvovirus B19 PCR	나595	C5952006	389.38	25,430	390.79	26,030
720	H409	PAS stain(Blood)	나118	B1187006	85.9	5,610	86.13	5,740
721	H528	PAS stain(Tissue)	나553	C5533	122.36	7,990	123.07	8,200
722	X851	PAX3/PAX7-FKHR 재배열	나597	C5979006	1669.92	109,050	1729.88	115,210
723	H124	PB morphology	나110	B1100006	68.66	4,480	72.09	4,800
724	S566	Pb(Hair)	나452	C4527630	607.56	39,670	613.25	40,840
725	C451	Pb(Lead)	나452	C4523630	306.17	19,990	309.81	20,630
726	U123	PBG(정량)	나389	C3893	175.41	11,450	177.74	11,840
727	C698	PBG(정성)	나389	C3891	11.03	720	10.45	700
728	M555	PCR of Major bcr/abl	나597	C5971006	1570.83	102,580	1597.93	106,420
729	M556	PCR of Minor bcr/abl	나597	C5972006	1573.83	102,770	1601.91	106,690
730	H133	PDW	나123	B1230	5.8	380	5.79	390
731	E502	Pepsinogen II	나362	C3620	256.1	16,720	226.41	15,080
732	E501	Pepsinogen I	나362	C3620	256.1	16,720	226.41	15,080
733	H408	Peroxidase stain	나118	B1186006	83.92	5,480	83.48	5,560
734	Z128	Phencyclidine	나450	C4502390	124.57	8,130	118.13	7,870
735	D405	Phenobarbital(Luminal)	나450	C4504020	243.15	15,880	247.78	16,500
736	C300	Phenol	나451	CY373290	399.4	26,080	281.02	18,720
737	B710	Phenylalanine	나443	C4411	29.56	1,930	27.24	1,810
738	D407	Phenytoin(Dilantin)	나450	C4504050	243.15	15,880	247.78	16,500
739	C163	Phospholipid	나244	C2442	37.92	2,480	33.79	2,250
740	E525	PIVKA-II	너78	BX078	170.91	11,160	186.20	12,400
741	C429	Plasma hemoglobin	나383	C3830	49.62	3,240	50.02	3,330
742	B591	Plasminogen	나188	B1881	154.95	10,120	159.22	10,600
743	H121	Platelet	나106	B1060	12.81	840	12.90	860
744	Z105	Platelet aggregation test	나164	B1641006외	706.88	46,170	713.83	47,540
745	S475	Platelet associated Ab	나502	C5022006	242.4	15,830	246.92	16,440
746	H188	PML/RARA Bone Marrow	나597	C5973006	1573.83	102,770	1601.91	106,690
747	S884	PML/RARA Whole blood	나597	C5973006	1573.83	102,770	1601.91	106,690
748	M407	Pneumocystis carinii 염색	나475	C4752996	293.16	19,140	300.61	20,020
749	P001	Pneumocystis carinii PCR	나595	C5956006	403.21	26,330	409.20	27,250
750	B001	Pneumonia urinary Ag	나475	C4752996	293.16	19,140	300.61	20,020

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
751	H170	Polyoma virus culture	나416	B4160006	546.65	35,700	560.25	37,310
752	U125	Porphyryn(정성)	나389	C3891	11.03	720	10.45	700
753	M678	Post-BMT	너571	CY575006	2596.64	169,560	2723.42	181,380
754	M742	PRA 동정(Class I)	나522	C5222006	1299.13	84,830	1303.16	86,790
755	M743	PRA 동정(Class II)	나522	C5222006	1299.13	84,830	1303.16	86,790
756	A030	PRA 선별(Class I)	나522	C5221006	735.02	48,000	743.64	49,530
757	M741	PRA 선별(Class II)	나522	C5221006	735.02	48,000	743.64	49,530
758	B592	Prealbumin	나221-1	C2215	144.6	9,440	147.64	9,830
759	M677	Pre-BMT	너571	CY573006	3739.19	244,170	3918.12	260,950
760	D412	Primidone(Mysoline)	나450	CX374690	262.87	17,170	313.25	20,860
761	E428	Progesterone	나346	C3460	155.72	10,170	153.03	10,190
762	E423	Prolactin	나351	C3510	168.16	10,980	167.09	11,130
763	S485	Protein C activity	나183	B1831	190.07	12,410	198.83	13,240
764	S716	Protein C Ag	나183	B1832	176.05	11,500	179.26	11,940
765	C128	Protein EP(CSF)	나300	B3001006	134.46	8,780	138.33	9,210
766	C411	Protein EP(S)	나300	B3000006	125.13	8,170	129.56	8,630
767	S236	Protein S activity	나184	B1841	185.97	12,140	193.49	12,890
768	S998	Protein S Ag total	나184	B1842	173.9	11,360	176.40	11,750
769	S669	Protein S Free	나184	B1842	173.9	11,360	176.40	11,750
770	C640	Protein,total(24hr U)	나220	C2200	20.14	1,320	18.91	1,260
771	C185	Protein,total(RU,CSF)	나220	C2200	20.14	1,320	18.91	1,260
772	C101	Protein,total(S)	나220	C2200	20.14	1,320	18.91	1,260
773	H130	Prothrombin time	나154	B1540	26.62	1,740	27.16	1,810
774	H651	Protozoa	나63	B0630	23.91	1,560	23.92	1,590
775	S468	PSA	나428	C4280	241.13	15,750	241.01	16,050
776	H127	PTT	나153	B1530	42.77	2,790	43.76	2,910
777	S673	Pyrimidine 5-nucleotidase	너185	BX185	258.57	16,880	176.16	11,730
778	S651	Pyrogen(Endotoxin)	너303	BY032006	140.99	9,210	128.96	8,590
779	C506	Pyruvic acid(Pyruvate)	너345	CY341	339.91	22,200	229.50	15,280
780	X291	Quetiapine	나450	CX375696	542.51	35,430	570.54	38,000
781	S794	R.tsutsugamu(scrup ty.Kor4	나474	C4742836	205.72	13,430	206.65	13,760
782	S706	R.tsutsugamushi Ab(IFA)	나474	C4742836	205.72	13,430	206.65	13,760
783	S793	R.typhi(Murine ty.Kor.4종)	나474	C4742836	205.72	13,430	206.65	13,760
784	S112	RA Factor(정량)	나490	C4903	104.08	6,800	104.49	6,960
785	S111	RA Factor(정성)	나490	C4901	24.63	1,610	22.41	1,490
786	H102	RBC(B)	나104	B1040	10.72	700	10.84	720
787	H132	RDW	나122	B1220	5.8	380	5.79	390
788	E437	Renin Activity	나360	C7360	168.36	10,990	165.22	11,000
789	B107	Respi. V. Ag 동정(5종)	나469	C4690536×5	1015.5	66,300	1015.80	67,650
790	B106	Respi.V. Ag Screening 5종	나469	C4690536	203.1	13,260	203.16	13,530
791	D713	RET Mutation	나599	CY571006	2955.94	193,020	3875.61	258,120
792	H139	RET-He	나108	B1081	20.39	1,330	20.29	1,350
793	M520	Reticulin stain	나118	B1189006	84.36	5,510	84.07	5,600
794	H123	Reticulocyte	나108	B1081	20.39	1,330	20.29	1,350
795	H112	Rh Ab titer	나208	B2080006	113.54	7,410	106.48	7,090
796	H126	Rh typing	나202	B2021	12.53	820	13.17	880
797	H173	Rh-Hr subgroup	나202	B2022006	111.64	7,290	104.83	6,980
798	B137	Rhino virus culture	나416	B4160006	546.65	35,700	560.25	37,310
799	S161	Rhino virus PCR	나596	C5969006	612.12	39,970	644.86	42,950
800	X029	Risperidone	나450	CX375696	542.51	35,430	570.54	38,000
801	S513	RNP-Ab	너443	CY444006	407.02	26,580	401.82	26,760
802	S415	Rota virus Ag	나469	C4690526	203.1	13,260	203.16	13,530

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
803	S019	RPR(정밀)	나460-1	C4602	25.73	1,680	25.73	1,710
804	B109	RSV Ag	나469	C4690536	203.1	13,260	203.16	13,530
805	B134	RSV culture	나416	B4160006	546.65	35,700	560.25	37,310
806	B140	RSV culture(5종)	나416	B4160006×5	2733.25	178,500	2801.25	186,550
807	B138	RSV culture(6종)	나416	B4160006×6	3279.87	214,200	3361.50	223,860
808	S816	RSV IgG	나468	C4682536	266.76	17,420	270.11	17,990
809	S817	RSV IgM	나468	C4683536	259.16	16,920	259.99	17,320
810	S413	Rubella IgG	나468	C4682416	266.76	17,420	270.11	17,990
811	S414	Rubella IgM	나468	C4683416	259.16	16,920	259.99	17,320
812	S739	Rubella PCR	나596	C5969006	612.12	39,970	644.86	42,950
813	Z912	Salmonella PCR	나595	C5956006	403.21	26,330	409.20	27,250
814	S902	SBMA (spinobulbar muscular atrophy)	너573	CY532006	953.51	62,260	1150.44	76,620
815	Z906	SCA study 1	너573	CY535006	953.51	62,260	1150.44	76,620
816	Z907	SCA study 2	너573	CY536006	953.51	62,260	1150.44	76,620
817	Z908	SCA study 3	너573	CY537006	953.51	62,260	1150.44	76,620
818	Z909	SCA study 6	너573	CY538006	953.51	62,260	1150.44	76,620
819	Z910	SCA study 7	너573	CY540006	953.51	62,260	1150.44	76,620
820	S467	SCC(TA-4)	나430	C7430	320.24	20,910	315.55	21,020
821	X347	Schistosome Ab	나472	C4722796	271.19	17,710	270.18	17,990
822	C427	Selectivity index	나392	C3920	277.32	18,110	283.63	18,890
823	H189	Selenium(S)	나452	C4523990	306.17	19,990	309.81	20,630
824	S553	Selenium(WB)	나452	C4523990	306.17	19,990	309.81	20,630
825	E447	Serotonin	나367	C3670	147.35	9,620	136.99	9,120
826	C509	Sirolimus	나450	CX375696	542.51	35,430	570.54	38,000
827	S516	Sm-Ab	너443	CY443006	407.02	26,580	410.82	27,360
828	S439	Smooth muscle Ab	나497	C4972	130.35	8,510	130.71	8,710
829	S350	Solid Tissue Culture	나600-1	CX568006	2969.23	193,890	3416.69	227,550
830	E455	Somatomedin-C(IGF-1)	너230	CX230	322.92	21,090	223.84	14,910
831	X884	Sparganum Ab IgG	나472	C4722796	271.19	17,710	270.18	17,990
832	S160	SRY gene	나595	C5956006	403.21	26,330	409.20	27,250
833	S514	SS-A/Ro Ab	너443	CY445006	407.02	26,580	410.83	27,360
834	S515	SS-B/La Ab	너443	CY446006	407.02	26,580	410.85	27,360
835	B407	STD Chlamydia Ag	나475	C4752816	293.16	19,140	300.61	20,020
836	B406	STD N.gono culture	나405	B4051	158.13	10,330	163.15	10,870
837	C200	Stone analysis	나391	C3910006	82.64	5,400	81.27	5,410
838	Z018	Stone Analysis(physical)	너274	CX274006	451.18	29,460	418.14	27,850
839	M103	Stool parasite	나61	B0613	20.99	1,370	21.40	1,430
840	B416	Stool WBC	나67-1	B0675	10.11	660	9.93	660
841	C539	Succinylacetone	너345	CY349	339.91	22,200	229.50	15,280
842	H505	Sudan black B stain	나118	B1183006	84.38	5,510	84.11	5,600
843	C439	SYPHILIS SEROLOGY PANEL	나460-1	C4602외	305.31	19,940	306.54	20,410
844	S510	T cell(CD3)	나512	C5120006	447.99	29,250	449.61	29,940
845	S528	T helper(CD4)	나512	C5120006	447.99	29,250	449.61	29,940
846	S529	T suppressor(CD8)	나512	C5120006	447.99	29,250	449.61	29,940
847	S679	T.pallidum PCR	나595	C5956006	403.21	26,330	409.20	27,250
848	E401	T3	나329	C3290	169.41	11,060	171.02	11,390
849	E405	T3 uptake	나331	C7331	161.93	10,570	143.30	9,540
850	E402	T4	나333	C3330	164.39	10,730	164.15	10,930
851	B568	Tacrolimus(FK506)	나450	C4504390	243.15	15,880	247.78	16,500
852	X290	TB drug 정량	나450	CX375696	542.51	35,430	570.54	38,000
853	S204	Tbc PCR	너563	CY051006	497.16	32,460	575.61	38,340

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
854	C700	TBPE	나450	C4501390	77.12	5,040	73.25	4,880
855	P004	TCR γ gene(Block)	나598	C5986006	971.66	63,450	953.84	63,530
856	S512	TdT	나513	C5130006	679.24	44,350	671.99	44,750
857	S893	TEL/AML1 유전자 재배열	나597	C5979006	1669.92	109,050	1729.88	115,210
858	E434	Testosterone(RIA)	나353	C7353	161.43	10,540	170.38	11,350
859	B341	Thalassemia mutation	나599	C5992006	1986.42	129,710	1992.19	132,680
860	D406	Theophylline(Aminophylline)	나450	C4504110	243.15	15,880	247.78	16,500
861	H128	Thrombin time	나156	B1560	25.2	1,650	25.19	1,680
862	S768	Thrombomodulin	나76	BX076	170.91	11,160	199.17	13,260
863	S431	Thyroglobulin	나335	C7335	172.97	11,290	186.78	12,440
864	S432	Thyroglobulin Ab	나494	C7494	236.02	15,410	196.66	13,100
865	E407	Thyroxine Binding Globulin	나338	C7338	220.5	14,400	187.11	12,460
866	C160	TIBC	나250	C2500	40.76	2,660	39.03	2,600
867	H535	Tissue AFB stain	나553	C5533	122.36	7,990	123.07	8,200
868	E512	Tissue polypeptide Ag	나432	C7432	279.76	18,270	309.37	20,600
869	D424	Tobramycin	나450	C4504390	243.15	15,880	247.78	16,500
870	H544	Toluidine Blue O Stain	나553	C5533	122.36	7,990	123.07	8,200
871	B866	Topiramate	나450	CX375696	542.51	35,430	570.54	38,000
872	C528	Total CO2	나381	C3812	45.04	2,940	45.02	3,000
873	B707	Total Galactose	나341	CY411	26.86	1,750	18.42	1,230
874	S409	Total HAV Ab	나486	C4861	172.26	11,250	168.34	11,210
875	E865	Total HCG(CLIA)	나352	C3520	206.95	13,510	209.75	13,970
876	C425	Total IgE	나229	C2290	232.23	15,160	234.98	15,650
877	C164	Total lipid	나244	C2441	39.6	2,590	36.17	2,410
878	E452	Total Metanephrine	나228	CY284006	310.2	20,260	328.04	21,850
879	S625	Toxocariosis	나472	C4722796	271.19	17,710	270.18	17,990
880	S454	Toxoplasma IgG	나472	C4722616	271.19	17,710	270.18	17,990
881	S471	Toxoplasma IgM	나472	C4723616	271.19	17,710	270.18	17,990
882	S776	t-PA	나83	BX083	170.9	11,160	183.63	12,230
883	S020	TPLA(정밀)	나461-1	C4612	123.74	8,080	123.74	8,240
884	C400	Transferrin(S)	나233	C2330	105.31	6,880	106.86	7,120
885	S523	Transferrin(U)	나233	C2330	105.31	6,880	106.86	7,120
886	H637	TRAP stain	나118	B1189006	84.36	5,510	84.07	5,600
887	H138	Trematodes Examination	나64	B0641	51.62	3,370	51.32	3,420
888	S700	Trichinella Ab	나472	C4722796	271.19	17,710	270.18	17,990
889	S674	Trichloroacetic acid(TCA)	나451	C4513590	162.26	10,600	158.38	10,550
890	B414	Trichomonas vaginalis	나553	C5533	122.36	7,990	123.07	8,200
891	X579	Trichomonas vaginalis PCR	나595	C5956006	403.21	26,330	409.20	27,250
892	C122	Triglyceride	나244	C2443	47.74	3,120	47.30	3,150
893	E301	Troponin-I	나394	C3942	168.82	11,020	166.51	11,090
894	S757	Troponin-T	나394	C3941	167.9	10,960	165.26	11,010
895	E403	TSH	나336	C3360	215.39	14,060	220.13	14,660
896	E413	TSH-R Ab	나339	C7339	221.32	14,450	214.32	14,270
897	E409	TSH-receptor Ab(정량)	나339	C7339	221.32	14,450	214.32	14,270
898	H406	Tzank smear	나718	E7180	36.77	2,400	27.83	1,850
899	C161	UIBC	나251	C2510	41.05	2,680	39.37	2,620
900	I086	UniCAP C1(Penicilloyl G)	나231	C2310	205.85	13,440	214.74	14,300
901	I087	UniCAP C2(Penicilloyl V)	나231	C2310	205.85	13,440	214.74	14,300
902	I093	UniCAP C209(Chymopapain)	나231	C2310	205.85	13,440	214.74	14,300
903	I088	UniCAP C5(Ampicilloyl)	나231	C2310	205.85	13,440	214.74	14,300
904	I089	UniCAP C6(Amoxycilloyl)	나231	C2310	205.85	13,440	214.74	14,300
905	I090	UniCAP C7(Cefaclor)	나231	C2310	205.85	13,440	214.74	14,300

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
906	I092	UniCAP C74(Gelatin bovine)	나231	C2310	205.85	13,440	214.74	14,300
907	I002	UniCAP D1(D.pteronysinus)	나231	C2310	205.85	13,440	214.74	14,300
908	I001	UniCAP D2(D.farinae)	나231	C2310	205.85	13,440	214.74	14,300
909	I101	UniCAP D3(D.microceras)	나231	C2310	205.85	13,440	214.74	14,300
910	I003	UniCAP D70(Acarus siro)	나231	C2310	205.85	13,440	214.74	14,300
911	I004	UniCAP D72(Tyrophagus putr	나231	C2310	205.85	13,440	214.74	14,300
912	I005	UniCAP E1(Cat dander)	나231	C2310	205.85	13,440	214.74	14,300
913	U618	UniCAP E3(Horse dander)	나231	C2310	205.85	13,440	214.74	14,300
914	U619	UniCAP E4(Cow dander)	나231	C2310	205.85	13,440	214.74	14,300
915	I006	UniCAP E5(Dog dander)	나231	C2310	205.85	13,440	214.74	14,300
916	I008	UniCAP E6(Guinea pig epi)	나231	C2310	205.85	13,440	214.74	14,300
917	U620	UniCAP E7(Peigeon dropping	나231	C2310	205.85	13,440	214.74	14,300
918	I162	UniCAP E81(Sheep epithelium)	나231	C2310	205.85	13,440	214.74	14,300
919	I011	UniCAP E85(Chicken Feathers)	나231	C2310	205.85	13,440	214.74	14,300
920	I171	UniCAP EX1(AnimalEpi&Protein	나231	C2310	205.85	13,440	214.74	14,300
921	I021	UniCAP F1(Egg white)	나231	C2310	205.85	13,440	214.74	14,300
922	I015	UniCAP F11(Buckwheat)	나231	C2310	205.85	13,440	214.74	14,300
923	U657	UniCAP F12(Pea)	나231	C2310	205.85	13,440	214.74	14,300
924	I028	UniCAP F13(Peanut)	나231	C2310	205.85	13,440	214.74	14,300
925	I034	UniCAP F14(Soybean)	나231	C2310	205.85	13,440	214.74	14,300
926	I578	UniCAP F17(Hazel nut)	나231	C2310	205.85	13,440	214.74	14,300
927	I025	UniCAP F2(Cow's Milk)	나231	C2310	205.85	13,440	214.74	14,300
928	I046	UniCAP F20(Almond)	나231	C2310	205.85	13,440	214.74	14,300
929	U645	UniCAP F205(Herring)	나231	C2310	205.85	13,440	214.74	14,300
930	I040	UniCAP F207(Clam)	나231	C2310	205.85	13,440	214.74	14,300
931	I113	UniCAP F214(Spinach)	나231	C2310	205.85	13,440	214.74	14,300
932	Z175	UniCAP F225(Pumpkin)	나231	C2310	205.85	13,440	214.74	14,300
933	I020	UniCAP F23(Crab)	나231	C2310	205.85	13,440	214.74	14,300
934	I033	UniCAP F24(Shrimp)	나231	C2310	205.85	13,440	214.74	14,300
935	I042	UniCAP F245(Egg)	나231	C2310	205.85	13,440	214.74	14,300
936	I036	UniCAP F25(Tomato)	나231	C2310	205.85	13,440	214.74	14,300
937	I029	UniCAP F253(Pine nuts)	나231	C2310	205.85	13,440	214.74	14,300
938	I043	UniCAP F256(Walnut)	나231	C2310	205.85	13,440	214.74	14,300
939	I030	UniCAP F26(Pork)	나231	C2310	205.85	13,440	214.74	14,300
940	I144	UniCAP F260(Broccoli)	나231	C2310	205.85	13,440	214.74	14,300
941	I014	UniCAP F27(Beef)	나231	C2310	205.85	13,440	214.74	14,300
942	I044	UniCAP F290(Oyster)	나231	C2310	205.85	13,440	214.74	14,300
943	I022	UniCAP F3(Codfish)	나231	C2310	205.85	13,440	214.74	14,300
944	I047	UniCAP F31(Carrot)	나231	C2310	205.85	13,440	214.74	14,300
945	I026	UniCAP F33(Orange)	나231	C2310	205.85	13,440	214.74	14,300
946	I048	UniCAP F35(Potato)	나231	C2310	205.85	13,440	214.74	14,300
947	I131	UniCAP F37(Blue Mussel)	나231	C2310	205.85	13,440	214.74	14,300
948	I038	UniCAP F4(Wheat)	나231	C2310	205.85	13,440	214.74	14,300
949	I037	UniCAP F40(Tuna)	나231	C2310	205.85	13,440	214.74	14,300
950	I032	UniCAP F41(Salmon)	나231	C2310	205.85	13,440	214.74	14,300
951	X572	UniCAP F416(Omega-5-gliadin)	나231	C2310	205.85	13,440	214.74	14,300
952	I035	UniCAP F44(Strawberry)	나231	C2310	205.85	13,440	214.74	14,300
953	I039	UniCAP F45(Yeast/Baker's)	나231	C2310	205.85	13,440	214.74	14,300
954	I596	UniCAP F47(Garlic)	나231	C2310	205.85	13,440	214.74	14,300
955	I049	UniCAP F48(Onion)	나231	C2310	205.85	13,440	214.74	14,300
956	I012	UniCAP F49(Apple)	나231	C2310	205.85	13,440	214.74	14,300
957	X155	UniCAP F5(Rye)	나231	C2310	205.85	13,440	214.74	14,300

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
958	I018	UniCAP F50(Chub mackerel)	나231	C2310	205.85	13,440	214.74	14,300
959	I050	UniCAP F51(Bamboo shoot)	나231	C2310	205.85	13,440	214.74	14,300
960	I102	UniCAP F6(Barley)	나231	C2310	205.85	13,440	214.74	14,300
961	U606	UniCAP F75(Egg yolk)	나231	C2310	205.85	13,440	214.74	14,300
962	U608	UniCAP F76(a-lactoalbumin)	나231	C2310	205.85	13,440	214.74	14,300
963	U607	UniCAP F77(b-lactoglobuli)	나231	C2310	205.85	13,440	214.74	14,300
964	I016	UniCAP F78(Casein)	나231	C2310	205.85	13,440	214.74	14,300
965	I024	UniCAP F79(Gluten)	나231	C2310	205.85	13,440	214.74	14,300
966	I045	UniCAP F8(Corn (Maize))	나231	C2310	205.85	13,440	214.74	14,300
967	U664	UniCAP F80(Lobster)	나231	C2310	205.85	13,440	214.74	14,300
968	I110	UniCAP F81(치즈, cheddar)	나231	C2310	205.85	13,440	214.74	14,300
969	I111	UniCAP F82(치즈, mold)	나231	C2310	205.85	13,440	214.74	14,300
970	I017	UniCAP F83(Chicken meat)	나231	C2310	205.85	13,440	214.74	14,300
971	U611	UniCAP F84(Kiwi fruit)	나231	C2310	205.85	13,440	214.74	14,300
972	I051	UniCAP F85(Celery)	나231	C2310	205.85	13,440	214.74	14,300
973	I031	UniCAP F9(Rice)	나231	C2310	205.85	13,440	214.74	14,300
974	I013	UniCAP F92(Banana)	나231	C2310	205.85	13,440	214.74	14,300
975	I027	UniCAP F95(Peach)	나231	C2310	205.85	13,440	214.74	14,300
976	S821	UniCAP FX5e(food mix)	나231	C2310	205.85	13,440	214.74	14,300
977	I052	UniCAP G1(Sweet vernal)	나231	C2310	205.85	13,440	214.74	14,300
978	I584	UniCAP G2(Bermuda Grass)	나231	C2310	205.85	13,440	214.74	14,300
979	U622	UniCAP G3(Cocksfoot)	나231	C2310	205.85	13,440	214.74	14,300
980	I054	UniCAP G5(Perennial rye)	나231	C2310	205.85	13,440	214.74	14,300
981	U623	UniCAP G6(Timothy)	나231	C2310	205.85	13,440	214.74	14,300
982	I053	UniCAP GX2(mix grass polle	나231	C2310	205.85	13,440	214.74	14,300
983	I055	UniCAP H1(House dust)	나231	C2310	205.85	13,440	214.74	14,300
984	I163	UniCAP H2(House dust)	나231	C2310	205.85	13,440	214.74	14,300
985	I056	UniCAP Hx2(mix house dust	나231	C2310	205.85	13,440	214.74	14,300
986	I057	UniCAP I6(Cockroach)	나231	C2310	205.85	13,440	214.74	14,300
987	U624	UniCAP K75(TDI)	나231	C2310	205.85	13,440	214.74	14,300
988	U625	UniCAP K76(MDI)	나231	C2310	205.85	13,440	214.74	14,300
989	U626	UniCAP K77(HDI)	나231	C2310	205.85	13,440	214.74	14,300
990	I122	UniCAP K80(Formaldehyde)	나231	C2310	205.85	13,440	214.74	14,300
991	I065	UniCAP K82(Latex(Brazilian	나231	C2310	205.85	13,440	214.74	14,300
992	I072	UniCAP M1(Penicillium nota	나231	C2310	205.85	13,440	214.74	14,300
993	U631	UniCAP M15(Trichoderma vir	나231	C2310	205.85	13,440	214.74	14,300
994	I069	UniCAP M2(Cladosporium her	나231	C2310	205.85	13,440	214.74	14,300
995	U634	UniCAP M205(Trichophyton	나231	C2310	205.85	13,440	214.74	14,300
996	I185	UniCAP M223(S.Enterotoxin C)	나231	C2310	205.85	13,440	214.74	14,300
997	I067	UniCAP M3 (Aspergillus fumigatus)	나231	C2310	205.85	13,440	214.74	14,300
998	I071	UniCAP M4(Mucor racemosus)	나231	C2310	205.85	13,440	214.74	14,300
999	I068	UniCAP M5(Candida albicans)	나231	C2310	205.85	13,440	214.74	14,300
1000	I066	UniCAP M6(Alternaria tenu	나231	C2310	205.85	13,440	214.74	14,300
1001	U632	UniCAP M70(Pityrosporum Or	나231	C2310	205.85	13,440	214.74	14,300
1002	I098	UniCAP M80(S.Enterotoxin A)	나231	C2310	205.85	13,440	214.74	14,300
1003	U633	UniCAP M81(Staphylococcal	나231	C2310	205.85	13,440	214.74	14,300
1004	I070	UniCAP Mx1(Mold mix)	나231	C2310	205.85	13,440	214.74	14,300
1005	U644	UniCAP P4(Anisakis)	나231	C2310	205.85	13,440	214.74	14,300
1006	I094	UniCAP RC208(Tetanus toxoid)	나231	C2310	205.85	13,440	214.74	14,300
1007	U636	UniCAP T1(Box-elder)	나231	C2310	205.85	13,440	214.74	14,300

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
1008	I178	UniCAP T11 (Maple Leaf Sycamore)	나231	C2310	205.85	13,440	214.74	14,300
1009	I078	UniCAP T12(Willow)	나231	C2310	205.85	13,440	214.74	14,300
1010	I182	UniCAP T14(Cottonwood)	나231	C2310	205.85	13,440	214.74	14,300
1011	I183	UniCAP T15(White ash)	나231	C2310	205.85	13,440	214.74	14,300
1012	I079	UniCAP T17(Japanese Cedar)	나231	C2310	205.85	13,440	214.74	14,300
1013	I179	UniCAP T18(Eucalyptus)	나231	C2310	205.85	13,440	214.74	14,300
1014	U637	UniCAP T2(Grey alder)	나231	C2310	205.85	13,440	214.74	14,300
1015	I142	UniCAP T3(C.silver birch)	나231	C2310	205.85	13,440	214.74	14,300
1016	U638	UniCAP T4(Hazel)	나231	C2310	205.85	13,440	214.74	14,300
1017	U639	UniCAP T5(American beech)	나231	C2310	205.85	13,440	214.74	14,300
1018	I074	UniCAP T7(Oak)	나231	C2310	205.85	13,440	214.74	14,300
1019	I077	UniCAP Tx5(mix tree pollen)	나231	C2310	205.85	13,440	214.74	14,300
1020	I076	UniCAP Tx9(Tree mixture)	나231	C2310	205.85	13,440	214.74	14,300
1021	I080	UniCAP W1(Short(common)rag)	나231	C2310	205.85	13,440	214.74	14,300
1022	I181	UniCAP W12(Goldenrod)	나231	C2310	205.85	13,440	214.74	14,300
1023	I085	UniCAP W2(Western ragweed)	나231	C2310	205.85	13,440	214.74	14,300
1024	I165	UniCAP W20(Nettle)	나231	C2310	205.85	13,440	214.74	14,300
1025	X053	UniCAP W22 (humulus japonicus)	나231	C2310	205.85	13,440	214.74	14,300
1026	I082	UniCAP W3(Giant ragweed)	나231	C2310	205.85	13,440	214.74	14,300
1027	I164	UniCAP W5(Wormwood)	나231	C2310	205.85	13,440	214.74	14,300
1028	I084	UniCAP W6(Mugwort(sage))	나231	C2310	205.85	13,440	214.74	14,300
1029	I083	UniCAP W7(Ox-eye daisy)	나231	C2310	205.85	13,440	214.74	14,300
1030	U641	UniCAP W8(Dandelion)	나231	C2310	205.85	13,440	214.74	14,300
1031	I576	UniCAP Wx5(Weed Mix)	나231	C2310	205.85	13,440	214.74	14,300
1032	E404	Urea Brea.Test(Helifinder)	나415	B4156	595.96	38,920	481.83	32,090
1033	S934	Ureaplasma urea PCR	나595	C5956006	403.21	26,330	409.20	27,250
1034	C118	Uric acid	나378	C3780	20.27	1,320	19.07	1,270
1035	C479	Uric acid(U)	나378	C3780	20.27	1,320	19.07	1,270
1036	U604	Urine Dopamine	너228	CY283006	310.2	20,260	328.04	21,850
1037	U449	Urine Epinephrine	너228	CY281006	310.2	20,260	328.04	21,850
1038	U450	Urine Norepinephrine	너228	CY282006	310.2	20,260	328.04	21,850
1039	C884	Urine Protein SDS-PAGE	나300	B3001006	134.46	8,780	138.33	9,210
1040	U130	Uroporphyrin(정량)	나389	C3892	54.26	3,540	49.33	3,290
1041	U122	Uroporphyrin(정성)	나389	C3891	11.03	720	10.45	700
1042	C658	V.L chain Fatty acid	나445	C4450	1120.18	73,150	1124.06	74,860
1043	D409	Valproic acid(Orfil)	나450	C4504060	243.15	15,880	247.78	16,500
1044	C714	Vancomycin	나450	C4504160	243.15	15,880	247.78	16,500
1045	S952	VDRL(정량)	나460	C4601	33.57	2,190	33.30	2,220
1046	S951	VDRL(정성)	나460	C4600	17.88	1,170	18.11	1,210
1047	S612	Vi-IFAT	나466	C4662066	203.46	13,290	203.63	13,560
1048	C405	Vit.A(Retinol)	너153	CY169006	439.34	28,690	441.06	29,370
1049	C612	Vit.B1(Thiamine)	너153	CY160006	439.34	28,690	441.06	29,370
1050	C402	Vit.B12(Cyanocobalamin)	나253	C2532	231.61	15,120	238.41	15,880
1051	C614	Vit.B2(Riboflavin)	너153	CY161006	439.34	28,690	441.06	29,370
1052	C693	Vit.C(Ascorbic acid)	너153	CY169006	439.34	28,690	441.06	29,370
1053	C533	Vit.E(Tocopherol)	너153	CY166006	439.34	28,690	441.06	29,370
1054	C610	Vitamin B6	너153	CY162006	439.34	28,690	441.06	29,370
1055	C433	VMA(정성)	나321	C3211	14.96	980	13.68	910
1056	C434	VMA(U,정량)	나321	CX223006	310.2	20,260	335.52	22,350
1057	B500	VRE Culture	나405	B4051	158.13	10,330	163.15	10,870

No	검사 코드	검 사 명	보험번호	보험코드	변경전(2010년)		변경후(2011년)	
					상대점수	검사수가	상대점수	검사수가
1058	H515	VWF multimer	너88	BX088006	497.07	32,460	484.97	32,300
1059	S956	VWF(VIII Related Ag)	나187	B1871	176.96	11,560	175.55	11,690
1060	S955	VWF(Ristocetin Cofactor)	나187	B1872	204.66	13,360	206.49	13,750
1061	B335	VZV Culture	나416	B4160006	546.65	35,700	560.25	37,310
1062	S429	VZV IgG	나468	C4682496	266.76	17,420	270.11	17,990
1063	S506	VZV IgG(CSF)	나468	C4682496	266.76	17,420	270.11	17,990
1064	S959	VZV IgM	나468	C4683496	259.16	16,920	259.99	17,320
1065	S507	VZV IgM(CSF)	나468	C4683496	259.16	16,920	259.99	17,320
1066	X564	Warfarin	나450	CX375696	542.51	35,430	570.54	38,000
1067	H103	WBC(B)	나105	B1050	10.73	700	10.86	720
1068	B104	Wet smear	나4	B0042	9.82	640	9.48	630
1069	S115	Widal test	나464	C4640	39.41	2,570	40.83	2,720
1070	M408	Yersinia culture	너301	BY309006	363.17	23,720	403.18	26,850
1071	S977	Yersinia Enterocolitica	나466	C4661030	123.13	8,040	118.09	7,860
1072	S136	Yersinia pseudotubercu Ab	나466	C4661030	123.13	8,040	118.09	7,860
1073	C637	Zn protoporphyrin	너43	BX043	29.3	1,910	28.47	1,900
1074	C452	Zn(S)	나452	C4523670	306.17	19,990	309.81	20,630
1075	C459	Zn(U)	나452	C4523670	306.17	19,990	309.81	20,630
1076	D705	Zonisamide(Excegran)	나450	CX374690	262.87	17,170	313.25	20,860
1077	S450	α 1-Antitrypsin	나222	C2220	119.12	7,780	121.47	8,090
1078	E300	α 1-Antitrypsin clearance	나222	C2220×2	238.24	15,560	242.94	16,180
1079	S448	β 2-microglobulin(S)	나223	C2230	172.2	11,240	174.01	11,590
1080	C617	β 2-microglobulin(U)	나223	C2230	172.2	11,240	174.01	11,590
1081	E424	β -HCG (CLIA)	나352	C3520	206.95	13,510	209.75	13,970
1082	C162	β -Lipoprotein	나247	C2470	107.52	7,020	108.60	7,230
1083	C107	γ -GT	나271	B2710	43.93	2,870	43.42	2,890
1084	C460	δ -ALA(Aminolevulinic acid)	나450	C4503390	144.47	9,430	134.68	8,970