

2013년 녹십자의료재단 검사수가 변경 안내(급여)

별첨2

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
1	U108	Bilirubin(RU)	나3	B0030	28.27	1,940	28.27	1,980
2	U109	Blood(RU)						
3	U113	Color(RU)						
4	U105	Glucose(RU)						
5	U106	Ketone(RU)						
6	U101	Nitrite(RU)						
7	U103	pH(RU)						
8	U104	Protein(RU)						
9	U110	Specific Gravity(RU)						
10	U107	Urobilinogen(RU)						
11	U102	WBC(RU)						
12	S602	Cell Count(diff)	나51	B0510	51.91	3,560	51.91	3,640
13	S601	Cell Count(fluid)						
14	U119	Color(fluid)						
15	C601	PH(fluid)						
16	C962	Specific Gravity(fluid)						
17	X101	Band Neutrophil	나109	B1091	25.35	1,740	25.35	1,780
18	X106	Basophil						
19	X108	Blast						
20	X105	Eosinophil						
21	X103	Lymphocyte						
22	X114	Metamyelocyte						
23	X104	Monocyte						
24	X109	Myelocyte						
25	X102	Neutrophil Seg.						
26	X107	N-RBC						
27	X115	Promyelocyte	너271	CX271006	158.71	10,870	158.71	11,130
28	C621	Acetoacetate						
29	C619	Total ketone						
30	C622	β-Hydroxy butyric acid	너153	CY705	158.79	10,880	158.79	11,130
31	C615	1,25-(OH) ₂ vitamin D ₃						
32	X949	1,5-Anhydroglucitol	너273	CX273	173.93	11,910	173.93	12,190
33	B714	17a-OHP(hydroxypro.neona)	나347	C3470	152.06	10,420	152.06	10,660
34	C435	17-KS	나324	C3242	58.49	4,010	58.49	4,100
35	C436	17-OHCS	나324	C3241	62.06	4,250	62.06	4,350
36	E453	17α-OH progesterone	나347	C7347	147.75	10,120	147.75	10,360
37	Z156	2,5-Hexanedione	나451	CY373290	251.42	17,220	251.42	17,620
38	C404	25-(OH) Vitamin D	너153	CY155	84.70	5,800	84.70	5,940
39	K209	25-OH Vitamin D ₂ & D ₃ by HPLC/MS/MS	너153	CY165006	441.49	30,240	441.49	30,950
40	Z107	5-HIAA 정성	나322	C3221	15.93	1,090	15.93	1,120
41	C801	5-HIAA(P,정량)	나322	CX224006	337.43	23,110	337.43	23,650
42	C438	5-HIAA(U,정량)	나322	CX224006	337.43	23,110	337.43	23,650

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
43	M724	결핵균 특이항원자극 IFN- γ	나477	CZ393006	1162.62	79,640	1162.62	81,500
44	M578	결핵균 PCR	나595	C5953006	407.06	27,880	407.06	28,530
45	H455	골수검사(도말&생검조직절편)	나111	B1113 B1117	936.47	64,140	936.47	65,640
46	H403	골수검사(도말검사)	나111	B1113	513.19	35,150	513.19	35,970
47	K491	면역세포화학염색(Calretinin)	나557	C5575006	460.81	31,570	460.81	32,300
48	K492	면역세포화학염색(CD45/LCA)	나557	C5575006	460.81	31,570	460.81	32,300
49	K493	면역세포화학염색(CD68)	나557	C5575006	460.81	31,570	460.81	32,300
50	K490	면역세포화학염색(CK(AE1/AE3))	나557	C5575006	460.81	31,570	460.81	32,300
51	K494	면역세포화학염색(D2-40)	나557	C5575006	460.81	31,570	460.81	32,300
52	K410	면역조직화학염색(ALK)	나557	C5575006	460.81	31,570	460.81	32,300
53	K550	면역조직화학염색(Bcl-2)	나557	C5575006	460.81	31,570	460.81	32,300
54	K551	면역조직화학염색(Bcl-6)	나557	C5575006	460.81	31,570	460.81	32,300
55	K191	면역조직화학염색(Calponin)	나557	C5575006	460.81	31,570	460.81	32,300
56	K192	면역조직화학염색(Calretinin)	나557	C5575006	460.81	31,570	460.81	32,300
57	K553	면역조직화학염색(CD10)	나557	C5575006	460.81	31,570	460.81	32,300
58	K559	면역조직화학염색(CD138)	나557	C5575006	460.81	31,570	460.81	32,300
59	K413	면역조직화학염색(CD15)	나557	C5575006	460.81	31,570	460.81	32,300
60	K552	면역조직화학염색(CD1a)	나557	C5575006	460.81	31,570	460.81	32,300
61	K554	면역조직화학염색(CD20)	나557	C5575006	460.81	31,570	460.81	32,300
62	K555	면역조직화학염색(CD23)	나557	C5575006	460.81	31,570	460.81	32,300
63	K411	면역조직화학염색(CD3)	나557	C5575006	460.81	31,570	460.81	32,300
64	K414	면역조직화학염색(CD30)	나557	C5575006	460.81	31,570	460.81	32,300
65	K556	면역조직화학염색(CD31)	나557	C5575006	460.81	31,570	460.81	32,300
66	H707	면역조직화학염색(CD34)	나557	C5575006	460.81	31,570	460.81	32,300
67	K557	면역조직화학염색(CD43)	나557	C5575006	460.81	31,570	460.81	32,300
68	X906	면역조직화학염색(CD45/LCA)	나557	C5575006	460.81	31,570	460.81	32,300
69	K412	면역조직화학염색(CD5)	나557	C5575006	460.81	31,570	460.81	32,300
70	X753	면역조직화학염색(CD56)	나557	C5575006	460.81	31,570	460.81	32,300
71	K630	면역조직화학염색(CD61)	나557	C5575006	460.81	31,570	460.81	32,300
72	H542	면역조직화학염색(CD68)	나557	C5575006	460.81	31,570	460.81	32,300
73	K558	면역조직화학염색(CD79a)	나557	C5575006	460.81	31,570	460.81	32,300
74	X842	면역조직화학염색(CEA)	나557	C5575006	460.81	31,570	460.81	32,300
75	X751	면역조직화학염색(Chromogranin A)	나557	C5575006	460.81	31,570	460.81	32,300
76	H533	면역조직화학염색(CK(AE1/AE3))	나557	C5575006	460.81	31,570	460.81	32,300
77	X748	면역조직화학염색(CK19)	나557	C5575006	460.81	31,570	460.81	32,300
78	X844	면역조직화학염색(CK20)	나557	C5575006	460.81	31,570	460.81	32,300
79	X840	면역조직화학염색(CK5/6)	나557	C5575006	460.81	31,570	460.81	32,300
80	X841	면역조직화학염색(CK7)	나557	C5575006	460.81	31,570	460.81	32,300
81	X747	면역조직화학염색(C-Kit(CD117))	나557	C5575006	460.81	31,570	460.81	32,300
82	X943	면역조직화학염색(CMV)	나557	C5575006	460.81	31,570	460.81	32,300
83	K560	면역조직화학염색(CyclinD1)	나557	C5575006	460.81	31,570	460.81	32,300
84	K415	면역조직화학염색(D2-40)	나557	C5575006	460.81	31,570	460.81	32,300
85	H538	면역조직화학염색(Desmin)	나557	C5575006	460.81	31,570	460.81	32,300
86	X746	면역조직화학염색(E-cadherin)	나557	C5575006	460.81	31,570	460.81	32,300

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
87	X743	면역조직화학염색(EGFR)	나557	C5575006	460.81	31,570	460.81	32,300
88	S419	면역조직화학염색(EMA)	나557	C5575006	460.81	31,570	460.81	32,300
89	S134	면역조직화학염색(ER)	나559	C5590	429.88	29,450	429.88	30,130
90	K057	면역조직화학염색(Galectin 3)	나557	C5575006	460.81	31,570	460.81	32,300
91	K055	면역조직화학염색(GFAP)	나557	C5575006	460.81	31,570	460.81	32,300
92	K631	면역조직화학염색(Glycophorin A)	나557	C5575006	460.81	31,570	460.81	32,300
93	K561	면역조직화학염색(GranzymeB)	나557	C5575006	460.81	31,570	460.81	32,300
94	X749	면역조직화학염색(HBME-1)	나557	C5575006	460.81	31,570	460.81	32,300
95	X745	면역조직화학염색(HER-2(C-erb B2))	나557	C5575006	460.81	31,570	460.81	32,300
96	X932	면역조직화학염색(HMB45)	나557	C5575006	460.81	31,570	460.81	32,300
97	X750	면역조직화학염색(HMW-CK)	나557	C5575006	460.81	31,570	460.81	32,300
98	K562	면역조직화학염색(HSV)	나557	C5575006	460.81	31,570	460.81	32,300
99	K563	면역조직화학염색(Kappa)	나557	C5575006	460.81	31,570	460.81	32,300
100	X754	면역조직화학염색(Ki-67)	나557	C5575006	460.81	31,570	460.81	32,300
101	K564	면역조직화학염색(Lambda)	나557	C5575006	460.81	31,570	460.81	32,300
102	K416	면역조직화학염색(Melan A)	나557	C5575006	460.81	31,570	460.81	32,300
103	K417	면역조직화학염색(MLH1)	나557	C5575006	460.81	31,570	460.81	32,300
104	K565	면역조직화학염색(MPO)	나557	C5575006	460.81	31,570	460.81	32,300
105	K418	면역조직화학염색(MSH2)	나557	C5575006	460.81	31,570	460.81	32,300
106	K419	면역조직화학염색(MSH6)	나557	C5575006	460.81	31,570	460.81	32,300
107	K566	면역조직화학염색(MUM1)	나557	C5575006	460.81	31,570	460.81	32,300
108	X755	면역조직화학염색(p16)	나557	C5575006	460.81	31,570	460.81	32,300
109	K568	면역조직화학염색(P504S)	나557	C5575006	460.81	31,570	460.81	32,300
110	X744	면역조직화학염색(p53)	나557	C5575006	460.81	31,570	460.81	32,300
111	K567	면역조직화학염색(p57)	나557	C5575006	460.81	31,570	460.81	32,300
112	X843	면역조직화학염색(p63)	나557	C5575006	460.81	31,570	460.81	32,300
113	K569	면역조직화학염색(Perforin)	나557	C5575006	460.81	31,570	460.81	32,300
114	S133	면역조직화학염색(PR)	나559	C5590	429.88	29,450	429.88	30,130
115	H530	면역조직화학염색(S-100)	나557	C5575006	460.81	31,570	460.81	32,300
116	H537	면역조직화학염색(SMA)	나557	C5575006	460.81	31,570	460.81	32,300
117	X752	면역조직화학염색(Synaptophysin)	나557	C5575006	460.81	31,570	460.81	32,300
118	K570	면역조직화학염색(TDT)	나557	C5575006	460.81	31,570	460.81	32,300
119	K056	면역조직화학염색(TTF-1)	나557	C5575006	460.81	31,570	460.81	32,300
120	H113	면역조직화학염색(Vimentin)	나557	C5575006	460.81	31,570	460.81	32,300
121	X864	액상세포진 검사(CellPrep)	너541	CX541	368.48	25,240	368.48	25,830
122	S870	액상세포진 검사(ThinPrep)	너541	CX541	368.48	25,240	368.48	25,830
123	M428	액상체액세포병리검사	나593-1	CZ521	372.72	25,530	372.72	26,130
124	X705	액상흡인세포병리검사	나594-3	C5943	392.25	26,870	392.25	27,500
125	B103	요충란검사(스카치테이프법)	나62	B0620	16.73	1,150	16.73	1,170
126	U111	요침사(Flow cytometry)	나4-1	B0043	16.74	1,150	16.74	1,170
127	B154	항결핵약제신속내성검사(INH)	나595-1	CY752006	638.23	43,720	638.23	44,740
128	B153	항결핵약제신속내성검사(RFP)	나595-1	CY751006	638.23	43,720	638.23	44,740
129	B405	항균제 최소억제농도 검사	나406	B4062	181.87	12,460	181.87	12,750
130	B105	환경배양검사	나405	B4051	168.28	11,530	168.28	11,800

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
131	X111	A/G ratio	나221 나220	C2210 C2200	40.16	2,750	40.16	2,810
132	H638	Ab elution test	나211	B2110006	50.37	3,450	50.37	3,530
133	H415	Ab identification test	나206	B2062006	243.24	16,660	243.24	17,050
134	H414	Ab screening test	나206	B2061006	103.62	7,100	103.62	7,260
135	B867	Ab screening test(ID Set)	나206	B2061006	103.62	7,100	103.62	7,260
136	K075	ABO, Cell & Serum typing	나201	B2000 B2010	29.22	2,000	29.22	2,050
137	H125	ABO, Cell typing	나201	B2000	14.72	1,010	14.72	1,030
138	H885	ABO, Serum typing	나201	B2010	14.50	990	14.50	1,020
139	C511	ACE (Angiotensin converting enzyme)	나273	B2731	223.09	15,280	223.09	15,640
140	D704	Acetaminophen(Tylenol)	나450	C4503390	124.99	8,560	124.99	8,760
141	S707	Acetylcholine receptor Ab	나450	CX747	138.33	9,480	138.33	9,700
142	B706	Acid Phosphatase Stain	나118	B1182006	83.27	5,700	83.27	5,840
143	C550	ACP(환부 swab)	나260	B2601	18.28	1,250	18.28	1,280
144	C151	ACP(Acid Phosphatase)	나260	B2601	18.28	1,250	18.28	1,280
145	E416	ACTH(RIA)	나359	C7359	170.68	11,690	170.68	11,960
146	B108	Adeno V. Ag	나469	C4690516	203.37	13,930	203.37	14,260
147	B658	Adeno virus culture	나416	B4160006	574.26	39,340	574.26	40,260
148	S950	Adeno virus IgG	나468	C4682516	273.64	18,740	273.64	19,180
149	S492	Adeno virus IgM	나468	C4683516	261.00	17,880	261.00	18,300
150	C512	Adenosine deaminase	나272	B2721	164.41	11,260	164.41	11,530
151	E418	ADH	나365	C7365	108.83	7,450	108.83	7,630
152	B167	AFB culture(고체&액체배지)	나405	B4054 B4055	384.80	26,360	384.80	26,980
153	B126	AFB culture(고체배지)	나405	B4054	192.40	13,180	192.40	13,490
154	B124	AFB sensitivity	나406	B4064	564.43	38,660	564.43	39,570
155	B102	AFB stain	나304	BX304	75.33	5,160	75.33	5,280
156	C409	AFP	나421	C4212	171.76	11,770	171.76	12,040
157	E545	AFP (Do II)	나421	C4212	171.76	11,770	171.76	12,040
158	E550	AFP(양수)	나421	C4212	171.76	11,770	171.76	12,040
159	C215	AFP(Integrated)	나421	C4212	171.76	11,770	171.76	12,040
160	Z960	AFP(NT Screen)	나421	C4212	171.76	11,770	171.76	12,040
161	E952	AFP(other)	나421	C4212	171.76	11,770	171.76	12,040
162	S163	AFP(Quad)	나421	C4212	171.76	11,770	171.76	12,040
163	C221	AFP(Sequential test)	나421	C4212	171.76	11,770	171.76	12,040
164	S418	AIDS Ag/Ab(Combo)	나471	C4713	142.99	9,790	142.99	10,020
165	C102	Albumin	나221	C2210	22.45	1,540	22.45	1,570
166	S524	Albumin(CSF)	나230	C2302	203.50	13,940	203.50	14,270
167	S525	Albumin(U)	나230	C2302	203.50	13,940	203.50	14,270
168	C471	Aldolase	나269	B2690	52.89	3,620	52.89	3,710
169	E467	Aldosterone(24hU)	나358	C7358	133.98	9,180	133.98	9,390
170	E436	Aldosterone(RIA)	나358	C7358	133.98	9,180	133.98	9,390
171	C412	ALP EP	나305	B3050006	178.33	12,220	178.33	12,500

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
172	C104	ALP(Alkaline phosphatase)	나260	B2602	20.09	1,380	20.09	1,410
173	C106	ALT(SGPT)	나258	B2580	23.01	1,580	23.01	1,610
174	D422	Amikacin(Amikin)	나450	C4504390	252.59	17,300	252.59	17,710
175	C167	Amino acid	나443	C4433006외	1751.45	119,970	1751.45	122,770
176	Z129	Amiodarone	나450	CX375116	577.54	39,560	577.54	40,490
177	D417	Amitriptyline	나450	CX375696	577.54	39,560	577.54	40,490
178	Z020	AML1/ETO 유전자 재배열	나597	C5975006	1631.15	111,730	1631.15	114,340
179	C165	Ammonia	나387	C3870	62.85	4,310	62.85	4,410
180	S453	Amoeba Ab IgG	나472	C4722626	269.38	18,450	269.38	18,880
181	C605	Amylase creatinine clear	나261외	B2611×2외	115.36	7,900	115.36	8,080
182	C608	Amylase EP(S)	나306	B3060006	136.74	9,370	136.74	9,590
183	C699	Amylase EP(U)	나306	B3060006	136.74	9,370	136.74	9,590
184	C486	Amylase(other)	나261	B2611	40.93	2,800	40.93	2,870
185	C114	Amylase(S)	나261	B2611	40.93	2,800	40.93	2,870
186	C472	Amylase(U)	나261	B2611	40.93	2,800	40.93	2,870
187	M406	ANAE	나118	B1188006	84.92	5,820	84.92	5,950
188	S231	ANCA(Quan) (IFA)	나499	C4992006	329.57	22,580	329.57	23,100
189	B152	ANCA정량(MPO Ab)	나447	CY472006	212.38	14,550	212.38	14,890
190	B151	ANCA정량(Pr III Ab)	나447	CY471006	212.38	14,550	212.38	14,890
191	C391	Anion GAP	나379 나381	C3791~3 C3812	92.23	6,330	92.23	6,470
192	S332	Anti Cardio IgA	나503	C5034	262.41	17,980	262.41	18,390
193	S494	Anti Cardio IgG	나503	C5032	262.41	17,980	262.41	18,390
194	S495	Anti Cardio IgM	나503	C5033	262.41	17,980	262.41	18,390
195	S981	Anti Centromere Ab	나443	CY449006	530.48	36,340	530.48	37,190
196	S408	Anti delta Ab(HDV Ab)	나421	CX421	166.37	11,400	166.37	11,660
197	S451	Anti ds-DNA Ab IgG	나492	C4922	254.88	17,460	254.88	17,870
198	E685	Anti ds-DNA Ab IgM	나492	C4922	254.88	17,460	254.88	17,870
199	S626	Anti GAD Ab	나441	CX744	498.79	34,170	498.79	34,970
200	S518	Anti gastric parietal Ab	나504	C5040	78.08	5,350	78.08	5,470
201	S719	Anti GBM Ab	나451	CX451	125.99	8,630	125.99	8,830
202	S474	Anti H.Pylori IgM	나465	C4650	202.97	13,900	202.97	14,230
203	S488	Anti Histone Ab	나443	CY450006	532.44	36,470	532.44	37,320
204	S807	Anti intrinsic factor Ab	나452	CX452	120.96	8,290	120.96	8,480
205	S125	Anti Jo-1 Ab	나443	CY448006	558.84	38,280	558.84	39,170
206	S804	Anti LKM-1 Ab	나455	CX455	336.36	23,040	336.36	23,580
207	S433	Anti Microsome Ab(TPO Ab)	나495	C7495	230.25	15,770	230.25	16,140
208	S435	Anti Mitochondria Ab	나496	C4962	132.55	9,080	132.55	9,290
209	S924	Anti neutr.C-Ab(ANCA)	나499	C4991006	163.44	11,200	163.44	11,460
210	S732	Anti Phospholipid IgG (EIA)	나498	C4982006	274.51	18,800	274.51	19,240
211	S784	Anti Phospholipid IgM (EIA)	나498	C4983006	275.25	18,850	275.25	19,300
212	H420	Anti platelet Ab	나501	C5012006	251.60	17,230	251.60	17,640
213	S953	Anti SCL 70 Ab	나443	CY447006	589.20	40,360	589.20	41,300
214	Z014	Anti Xa LMWH(Heparin)	나163-1	B1634	186.95	12,810	186.95	13,110
215	S094	Anti β2-GPI IgG	나506	C5061	262.41	17,980	262.41	18,390

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
216	S095	Anti β 2-GPI IgM	나506	C5062	262.41	17,980	262.41	18,390
217	B122	Antibiotic sensitivity	나406	B4061	115.73	7,930	115.73	8,110
218	B337	Antifungal sensitivity	나406	B4062	181.87	12,460	181.87	12,750
219	H421	Antithrombin III	나158	B1580	111.80	7,660	111.80	7,840
220	H635	APCR(Activated protein C)	너89	BX089	343.29	23,520	343.29	24,060
221	S875	Apo E genotype	너572	CX572006	924.73	63,340	924.73	64,820
222	S505	Apolipoprotein A I	나246	C2461	102.63	7,030	102.63	7,190
223	S744	Apolipoprotein A II	나246	C2461	102.63	7,030	102.63	7,190
224	S504	Apolipoprotein B	나246	C2462	106.50	7,300	106.50	7,470
225	S745	Apolipoprotein C II	나246	C2463	109.49	7,500	109.49	7,680
226	S743	Apolipoprotein C III	나246	C2463	109.49	7,500	109.49	7,680
227	S818	Apolipoprotein E	나246	C2464	108.48	7,430	108.48	7,600
228	S101	ASO(Qual)	나463	C4631	28.79	1,970	28.79	2,020
229	S831	ASO(Quan)	나463	C4633	107.52	7,370	107.52	7,540
230	X149	Aspergillus Ab IgG	나467	C4672236	190.48	13,050	190.48	13,350
231	Z004	Aspergillus Ag	나475	C4752996	308.29	21,120	308.29	21,610
232	M421	Aspiration cytology	나594-1	C5941	180.66	12,380	180.66	12,660
233	C850	Aspirin(Salicylic acid)	나450	C4503390	124.99	8,560	124.99	8,760
234	C105	AST(SGOT)	나257	B2570	23.58	1,620	23.58	1,650
235	S511	B cell(CD19)	나512	C5120006	451.56	30,930	451.56	31,650
236	B415	Bacterial vaginosis	나400	B4101	20.76	1,420	20.76	1,460
237	D413	Barbiturate	나450	C4502070	111.78	7,660	111.78	7,840
238	U112	BenceJones protein	나227	C2271	13.33	910	13.33	930
239	C885	Benzodiazepines	나450	C4502080	111.78	7,660	111.78	7,840
240	C171	Bile acid	너272	CX272	161.06	11,030	161.06	11,290
241	C103	Bilirubin, total	나372	C3720	17.31	1,190	17.31	1,210
242	K084	BK virus PCR	나595	C5956006	415.49	28,460	415.49	29,130
243	E569	BNP	나368	CZ204	605.25	41,460	605.25	42,430
244	C547	Bone ALP	나398	C3980	91.46	6,270	91.46	6,410
245	H529	Bone section	나552	C5520	346.62	23,740	346.62	24,300
246	K083	Bordetella pertussis PCR	나595	C5956006	415.49	28,460	415.49	29,130
247	M734	Borrelia burgdorferi PCR	나595	C5956006	415.49	28,460	415.49	29,130
248	Z137	BRCA 1 genetic test	나599	CY713006	7624.85	522,300	7624.85	534,500
249	Z138	BRCA 2 genetic Test	나599	CY714006	7624.85	522,300	7624.85	534,500
250	S930	Breakage Ch(Fanco. set)	나600	C6001006	1286.79	88,150	1286.79	90,200
251	S931	Breakage study(Fanco.set)	너569	CY692006	1890.64	129,510	1890.64	132,530
252	C117	BUN	나373	C3730	21.52	1,470	21.52	1,510
253	C474	BUN(U)	나373	C3730	21.52	1,470	21.52	1,510
254	B164	C.difficile Toxin A,B	너302	BY022	133.91	9,170	133.91	9,390
255	S442	C3	나226	C2261	108.17	7,410	108.17	7,580
256	S443	C4	나226	C2262	106.47	7,290	106.47	7,460
257	S463	CA125	나424	C4240	253.63	17,370	253.63	17,780
258	S469	CA15-3	나433	C4330	251.58	17,230	251.58	17,640
259	S464	CA19-9	나423	C4230	263.56	18,050	263.56	18,480
260	E514	CA72-4	나426	C4260	280.19	19,190	280.19	19,640

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
261	E411	Calcitonin	나356	C3560	156.46	10,720	156.46	10,970
262	C154	Calcium	나379	C3795	15.94	1,090	15.94	1,120
263	C475	Calcium(U)	나379	C3795	15.94	1,090	15.94	1,120
264	C960	Calculate LDL Cholesterol	나243	C2430	88.58	6,070	88.58	6,210
265	M674	Campylobactor Culture	나407	B4142	175.34	12,010	175.34	12,290
266	B701	Candida Ag	나408	B4080	79.57	5,450	79.57	5,580
267	B413	Candida spp. 배양	나405	B4051	168.28	11,530	168.28	11,800
268	D401	Carbamazepine(Tegretol)	나450	C4504030	252.59	17,300	252.59	17,710
269	H111	Carboxy Hb(Co-Hb)	나370	C3700	160.26	10,980	160.26	11,230
270	C715	Carotene,total	나255	C2550	51.11	3,500	51.11	3,580
271	C201	Ccr(Creatinine clearance)	나376	C3760	44.35	3,040	44.35	3,110
272	C442	Cd	나452	C4523650	313.68	21,490	313.68	21,990
273	X940	CD24 Granulocyte	너42	BY422006	443.38	30,370	443.38	31,080
274	Z911	CD55(DAF)RBC	너42	BY422006	443.38	30,370	443.38	31,080
275	S256	CD59(MIRL)RBC	너42	BY422006	443.38	30,370	443.38	31,080
276	C408	CEA	나422	C4220	230.59	15,800	230.59	16,160
277	E953	CEA(other)	나422	C4220	230.59	15,800	230.59	16,160
278	S873	Cell Block(체액)	나594	C5940	121.73	8,340	121.73	8,530
279	M102	Cell Block(흡인)	나594-1	C5942	240.08	16,450	240.08	16,830
280	X064	Cell Culture(Amniotic Fluid)	너498	CX498	499.57	34,220	499.57	35,020
281	C461	Ceruloplasmin	나235	C2350	113.91	7,800	113.91	7,990
282	S351	Ch(Hematologic BM)	나600-1	C6005006	1658.71	113,620	1658.71	116,280
283	S460	Ch(Hematologic PB)	나600-1	C6005006	1658.71	113,620	1658.71	116,280
284	S456	Ch(PB)	나600-2	C6006006	1590.33	108,940	1590.33	111,480
285	S444	CH50	나225	C2250	104.79	7,180	104.79	7,350
286	S954	Chlamydia Ag	나475	C4752816	308.29	21,120	308.29	21,610
287	S789	Chlamydia P.IgG	나474	C4742816	207.72	14,230	207.72	14,560
288	S790	Chlamydia P.IgM	나474	C4743816	205.84	14,100	205.84	14,430
289	S678	Chlamydia pneumoniae PCR	나595	C5956006	415.49	28,460	415.49	29,130
290	S881	Chlamydia T. Ab IgG	나474	C4742816	207.72	14,230	207.72	14,560
291	S882	Chlamydia T. Ab IgM	나474	C4743816	205.84	14,100	205.84	14,430
292	S676	Chlamydia trachomatis PCR	나595-1	C6029006	725.71	49,710	725.71	50,870
293	C672	Cholesterol,ester	나241	C2412	16.94	1,160	16.94	1,190
294	C119	Cholesterol,total	나241	C2411	22.02	1,510	22.02	1,540
295	C155	Cholinesterase(pseudo)	나270	B2700	39.92	2,730	39.92	2,800
296	C602	Cholinesterase(RBC act.)	나270	B2700	39.92	2,730	39.92	2,800
297	C639	Citric acid(Citrate,S)	너345	CY342	201.90	13,830	201.90	14,150
298	C505	Citric acid(Citrate,U)	너345	CY342	201.90	13,830	201.90	14,150
299	C413	CK(CPK) EP(S)	나304	B3040006	163.72	11,210	163.72	11,480
300	C108	CK(Creatine Kinase, CPK)	나263	B2630	55.99	3,840	55.99	3,920
301	C483	CK(other)	나263	B2630	55.99	3,840	55.99	3,920
302	C678	CK-BB(S)	나304	B3040006	163.72	11,210	163.72	11,480
303	C109	CK-MB(S)	나264	B2640	153.12	10,490	153.12	10,730
304	C674	CK-MM(S)	나304	B3040006	163.72	11,210	163.72	11,480
305	C113	Cl	나379	C3793	14.68	1,010	14.68	1,030

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
306	C480	Cl(U)	나379	C3793	14.68	1,010	14.68	1,030
307	D702	Clonazepam(Rivotril)	나450	CX375696	577.54	39,560	577.54	40,490
308	X881	Clonorchis sinensis Ab IgG	나472	C4722616	269.38	18,450	269.38	18,880
309	B133	Clostridium culture	너302	BY021	181.51	12,430	181.51	12,720
310	S808	Clozapine	나450	CX375696	577.54	39,560	577.54	40,490
311	Z995	CMV Antigenemia	나469	C4690426	203.37	13,930	203.37	14,260
312	B705	CMV Culture	나416	B4160006	574.26	39,340	574.26	40,260
313	S411	CMV IgG	나468	C4682426	273.64	18,740	273.64	19,180
314	S412	CMV IgM	나468	C4683426	261.00	17,880	261.00	18,300
315	K058	CMV in situ hybridization	너567	CY672006	560.05	38,360	560.05	39,260
316	S137	CMV PCR	나595	C5951006	426.21	29,200	426.21	29,880
317	H416	Cold hemagglutination	나209	B2090006	53.63	3,670	53.63	3,760
318	U131	Coproporphyrin(정량)	나389	C3892	44.42	3,040	44.42	3,110
319	U121	Coproporphyrin(정성)	나389	C3891	9.88	680	9.88	690
320	E435	Cortisol	나324	C7322	110.33	7,560	110.33	7,730
321	E439	Cortisol,free	나324	C7323	84.70	5,800	84.70	5,940
322	S434	C-peptide	나343	C3430	202.69	13,880	202.69	14,210
323	C125	Creatine(S)	나377	C3770	19.17	1,310	19.17	1,340
324	E605	Creatine(U)	나377	C3770	19.17	1,310	19.17	1,340
325	C116	Creatinine	나375	C3750	16.75	1,150	16.75	1,170
326	K090	Creatinine(RU,P/C ratio)	나375	C3750	16.75	1,150	16.75	1,170
327	C476	Creatinine(U)	나375	C3750	16.75	1,150	16.75	1,170
328	C696	CRF	나241 나242	C2411 C2420	102.39	7,020	102.39	7,170
329	S102	CRP(정량)	나224	C2243	106.53	7,300	106.53	7,470
330	S189	CRP(정성)	나224	C2241	19.43	1,330	19.43	1,360
331	Z977	CRP(high sensitivity)	나224	C2243	106.53	7,300	106.53	7,470
332	H417	Cryoglobulin	나500	C5001	31.27	2,140	31.27	2,190
333	S304	Cryptococcal Ag	나408	B4080	79.57	5,450	79.57	5,580
334	S641	CTx	나393-2	C3932	181.32	12,420	181.32	12,710
335	C445	Cu(S)	나452	C4523620	313.68	21,490	313.68	21,990
336	E534	Cu(tissue)	나452	C4527620	619.40	42,430	619.40	43,420
337	C450	Cu(U)	나452	C4523620	313.68	21,490	313.68	21,990
338	E511	Cyclosporine	나450	C7451150	212.51	14,560	212.51	14,900
339	Z883	Cystatin-C	너131	CX131	112.18	7,680	112.18	7,860
340	X883	Cysticercosis Ab IgG	나472	C4722616	269.38	18,450	269.38	18,880
341	H512	D-dimer(정량)	나172	B1723	176.33	12,080	176.33	12,360
342	S735	Deoxyypyridinoline	나393	C3930	182.85	12,530	182.85	12,820
343	E431	DHEA-S	나364	C7364	224.71	15,390	224.71	15,750
344	C695	Diazepam(Valium)	나450	CX375016	577.54	39,560	577.54	40,490
345	D402	Digoxin(Lanovin, Dinoxin)	나450	C4504090	252.59	17,300	252.59	17,710
346	C130	Direct Bilirubin	나372	C3721	17.55	1,200	17.55	1,230
347	H411	Direct Coombs' test	나204	B2047006	64.93	4,450	64.93	4,550
348	H172	Direct,coombs' Anti-C3d	나204	B2047406	64.93	4,450	64.93	4,550
349	H555	Direct,coombs' Anti-IgG	나204	B2047106	64.93	4,450	64.93	4,550

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
350	H413	Donath Landsteiner test	나210	B2100006	39.88	2,730	39.88	2,800
351	C604	Dopamine(P)	너228	CY283006	332.51	22,780	332.51	23,310
352	Z201	DRPLA Dx.	너573	CY533006	1199.67	82,180	1199.67	84,100
353	C718	Drug test(Qualitative) [2종이상]	나450	CX372690 CX372400	548.18	37,560	548.18	38,420
354	H419	Du test(weak D)	나202	B2023	42.47	2,910	42.47	2,980
355	H140	Dysmorphic RBC	너1	BX001006	30.16	2,070	30.16	2,110
356	Z966	DYT 1	너562	CY635006	471.06	32,270	471.06	33,020
357	S620	E.coli O157 culture	나405	B4051	168.28	11,530	168.28	11,800
358	B339	E.coli O157 PCR	나595	C5956006	415.49	28,460	415.49	29,130
359	X031	E2A-PBX1 유전자 재배열	나597	C5974006	1631.15	111,730	1631.15	114,340
360	S628	EBV DNA PCR	나595	C5955006	386.82	26,500	386.82	27,120
361	S966	EBV EA-DR IgG	나468	C4682446	273.64	18,740	273.64	19,180
362	S721	EBV EA-DR IgM	나468	C4683446	261.00	17,880	261.00	18,300
363	S963	EBV EBNA IgG	나468	C4682456	273.64	18,740	273.64	19,180
364	S970	EBV EBNA IgM	나468	C4683456	261.00	17,880	261.00	18,300
365	H706	EBV In situ	너567	CY673006	560.05	38,360	560.05	39,260
366	X522	EBV In situ(삼성병리과)	너567	CY673006	560.05	38,360	560.05	39,260
367	S427	EBV VCA IgG(EIA)	나468	C4682436	273.64	18,740	273.64	19,180
368	S428	EBV VCA IgM(EIA)	나468	C4683436	261.00	17,880	261.00	18,300
369	K007	eGFR(MDRD)	나375	C3750	16.75	1,150	16.75	1,170
370	H652	Egg Count	나68	B0680	29.10	1,990	29.10	2,040
371	M419	Endometrium cytology	나592	C5920	89.02	6,100	89.02	6,240
372	S588	Enterovirus PCR	나596	C5962006	616.46	42,230	616.46	43,210
373	B410	Enterococcus spp. Culture	나405	B4051	168.28	11,530	168.28	11,800
374	B852	Enterovirus culture	나416	B4160006	574.26	39,340	574.26	40,260
375	H122	Eosinophil Count	나107	B1070	12.41	850	12.41	870
376	E449	Epinephrine(P)	너228	CY281006	332.51	22,780	332.51	23,310
377	S502	Erythropoietin	나357	C7357	85.80	5,880	85.80	6,010
378	H110	ESR	나103	B1033	10.28	700	10.28	720
379	E427	Estradiol(E2)	나326	C3260	191.10	13,090	191.10	13,400
380	D403	Ethosuximide	나450	CX374690	325.85	22,320	325.85	22,840
381	K053	Everolimus	나450	CX375696	577.54	39,560	577.54	40,490
382	X615	EWS/FLI 재배열	나597	C5979006	1791.12	122,690	1791.12	125,560
383	H129	Factor I (fibrinogen)	나160	B1601	39.78	2,720	39.78	2,790
384	H422	Factor II(2)	나169	B1691006	173.34	11,870	173.34	12,150
385	H423	Factor V (5)	나169	B1692006	171.22	11,730	171.22	12,000
386	H427	Factor VII(7)	나169	B1693006	180.51	12,360	180.51	12,650
387	H424	Factor VIII(8)	나169	B1694006	186.59	12,780	186.59	13,080
388	H503	Factor VIII(8) Ab(Inhibitor)	나178	B1780006	209.53	14,350	209.53	14,690
389	H425	Factor IX(9)	나169	B1695006	184.73	12,650	184.73	12,950
390	H516	Factor IX(9) Ab(Inhibitor)	나178	B1781006	214.80	14,710	214.80	15,060
391	H426	Factor X (10)	나169	B1696006	168.84	11,570	168.84	11,840
392	H428	Factor X I (11)	나169	B1697006	169.58	11,620	169.58	11,890
393	H429	Factor X II(12)	나169	B1698006	158.83	10,880	158.83	11,130

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
394	H432	Factor XⅢ(13)	나169	B1699006	169.62	11,620	169.62	11,890
395	M683	Factor V Leiden mutation	나562	CY633006	462.55	31,680	462.55	32,420
396	S452	FANA	나491	C4912006	157.37	10,780	157.37	11,030
397	S449	FANA(정량)	나491	C4913006	282.46	19,350	282.46	19,800
398	S777	Fat(정성)	나67	B0670	13.93	950	13.93	980
399	H117	FDP 정량	나161	B1613	140.82	9,650	140.82	9,870
400	C401	Ferritin	나252	C2520	177.83	12,180	177.83	12,470
401	C878	Fetal Hb	나382	C3824	66.78	4,570	66.78	4,680
402	X941	FLAER(GPI-LP) Granulocyte	나42	BY422006	443.38	30,370	443.38	31,080
403	C403	Folate	나254	C2540	222.95	15,270	222.95	15,630
404	E430	Folate(RBC)	나254	C2540	222.95	15,270	222.95	15,630
405	B129	For anaerobic culture	나405	B4051	168.28	11,530	168.28	11,800
406	S685	Fragile X PCR(Southern)	나598 나573	C5987006 CY539006	2136.38	146,340	2136.38	149,760
407	E539	Free E3	나327	C3270	227.39	15,580	227.39	15,940
408	E547	Free E3 (Do II)	나327	C3270	227.39	15,580	227.39	15,940
409	C217	Free E3(Integrated)	나327	C3270	227.39	15,580	227.39	15,940
410	S162	Free E3(Quad)	나327	C3270	227.39	15,580	227.39	15,940
411	C223	Free E3(Sequential test)	나327	C3270	227.39	15,580	227.39	15,940
412	C166	Free fatty acid	나245	C2450	34.32	2,350	34.32	2,410
413	S774	Free PSA	나321	CX321	179.68	12,310	179.68	12,600
414	E408	Free T3	나330	C3300	148.14	10,150	148.14	10,380
415	E406	Free T4	나334	C3340	173.49	11,880	173.49	12,160
416	E587	Free Testosterone	나232	CX232	169.62	11,620	169.62	11,890
417	Z983	Free klight chain(S)	나237	C2371006	474.18	32,480	474.18	33,240
418	X710	Free klight chain(S, MGSP)	나237	C2371006	474.18	32,480	474.18	33,240
419	C181	Free klight chain(U)	나237	C2381006	474.18	32,480	474.18	33,240
420	Z982	Free λlight chain(S)	나237	C2372006	474.18	32,480	474.18	33,240
421	X709	Free λlight chain(S, MGSP)	나237	C2372006	474.18	32,480	474.18	33,240
422	C182	Free λlight chain(U)	나237	C2382006	474.18	32,480	474.18	33,240
423	S203	Friedreich's Ataxia	나598	C5980006	1001.80	68,620	1001.80	70,230
424	C406	Fructosamine	나397	C3970	87.52	6,000	87.52	6,140
425	E421	FSH	나350	C3500	159.41	10,920	159.41	11,170
426	S440	FTA-ABS IgG	나462	C4620006	158.40	10,850	158.40	11,100
427	S472	FTA-ABS IgM	나462	C4620006	158.40	10,850	158.40	11,100
428	B003	Fungus culture	나405	B4051	168.28	11,530	168.28	11,800
429	M052	G.vaginalis PCR	나595	C5956006	415.49	28,460	415.49	29,130
430	X198	G6PC gene common Mutation (GSD1a)	나562	CY630006×4	1932.32	132,360	1932.32	135,440
431	C203	G-6-PDH	나274	B2741	88.42	6,060	88.42	6,200
432	E442	Gastrin	나345	C7345	50.86	3,480	50.86	3,570
433	E869	Gastro Panel(Gastrin-17)	나345	C3450	136.13	9,320	136.13	9,540
434	E867	GastroPanel(PepsinogenⅡ)	나362	C3620	209.54	14,350	209.54	14,690
435	E866	GastroPanel(PepsinogenⅠ)	나362	C3620	209.54	14,350	209.54	14,690
436	M722	GBS culture	나405	B4051	168.28	11,530	168.28	11,800

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
437	D404	Gentamicin	나450	C4504120	252.59	17,300	252.59	17,710
438	E446	Glucagon	나344	C7344	57.07	3,910	57.07	4,000
439	C150	Glucose(Gestational GTT)	나371	C3711	17.32	1,190	17.32	1,210
440	C485	Glucose(other)	나371	C3711	17.32	1,190	17.32	1,210
441	C180	Glucose(P)	나371	C3711	17.32	1,190	17.32	1,210
442	C213	Glucose(PP2,P)	나371	C3711	17.32	1,190	17.32	1,210
443	C212	Glucose(PP2,S)	나371	C3711	17.32	1,190	17.32	1,210
444	C123	Glucose(S)	나371	C3711	17.32	1,190	17.32	1,210
445	C477	Glucose(U)	나371	C3711	17.32	1,190	17.32	1,210
446	X717	GMS/Cell Block	나594 외	C5940 외	121.73	16,770	121.73	17,530
447	B101	Gram stain	나400	B4101	20.76	1,420	20.76	1,460
448	X250	GSD1a, G6PC Mutation	나562	CY630006×6	2898.48	198,540	2898.48	203,160
449	M101	Gy cytology	나592	C5920	89.02	6,100	89.02	6,240
450	M105	Gy cytology(검진)	나592	C5920	89.02	6,100	89.02	6,240
451	S697	H.Pylori Ag	나415	B4157	280.84	19,240	280.84	19,690
452	S731	H.Pylori IgG	나465	C4650	202.97	13,900	202.97	14,230
453	M727	Haemophilus ducreyi PCR	나595	C5956006	415.49	28,460	415.49	29,130
454	D416	Haloperidol(Haldol)	나450	CX375066	577.54	39,560	577.54	40,490
455	S791	Hantaan Ab(Kor.4종)	나468	C4682476	273.64	18,740	273.64	19,180
456	S417	Hantaan virus Ab(정량)	나468	C4682476	273.64	18,740	273.64	19,180
457	S928	Hantaan virus PCR	나597	C5977006	1620.39	111,000	1620.39	113,590
458	S445	Haptoglobin	나234	C2340	120.77	8,270	120.77	8,470
459	X706	HAV Ab IgG	나486	C4861	164.56	11,270	164.56	11,540
460	S407	HAV Ab IgM	나486	C4862	238.23	16,320	238.23	16,700
461	H105	Hb	나101	B1010	16.96	1,160	16.96	1,190
462	C417	Hb EP	나307	B3070006	103.13	7,060	103.13	7,230
463	C431	HbA1c	나382	C3825	103.57	7,090	103.57	7,260
464	E528	HBc Ab	나484	C4841	211.54	14,490	211.54	14,830
465	E529	HBc Ab IgM	나484	C4842	197.17	13,510	197.17	13,820
466	S404	HBc Ab IgM(RIA)	나484	C7582	195.99	13,430	195.99	13,740
467	S403	HBc Ab(RIA)	나484	C7581	203.33	13,930	203.33	14,250
468	E531	HBe Ab	나483	C4832	208.04	14,250	208.04	14,580
469	E530	HBe Ag	나482	C4822	207.02	14,180	207.02	14,510
470	E527	HBs Ab(CIA)	나481	C4812	148.74	10,190	148.74	10,430
471	E526	HBs Ag(CIA)	나480	C4802	138.37	9,480	138.37	9,700
472	K599	HBV 약제내성돌연변이 24종 (sequencing)	나599-1	C5993006	1666.46	114,150	1666.46	116,820
473	S132	HBV DNA PCR	나595	C5954006	387.28	26,530	387.28	27,150
474	S606	HBV DNA real-time PCR 정량	나485	C4854006	894.88	61,300	894.88	62,730
475	S607	HBV DNA정량(bDNA)	나485	C4853006	545.89	37,390	545.89	38,270
476	M701	HBV drug r. mutation(LMV)	나562	CY637006×4	2012.36	137,840	2012.36	141,080
477	X236	HBV drug r. mutation(LMV/ADV)	나562	CY637006×4	2012.36	137,840	2012.36	141,080
478	X067	HBV drug r. mutation(LMV/ETV)	나562	CY637006×4	2012.36	137,840	2012.36	141,080
479	X703	HBV drug r. mutation(multi drugs)	나562	CY637006×4	2012.36	137,840	2012.36	141,080
480	E546	hCG (Do II)	나352	C3520	212.70	14,570	212.70	14,910

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
481	C216	hCG(Integrated)	나352	C3520	212.70	14,570	212.70	14,910
482	S164	hCG(Quad)	나352	C3520	212.70	14,570	212.70	14,910
483	C222	hCG(Sequential test)	나352	C3520	212.70	14,570	212.70	14,910
484	H104	Hct	나102	B1020	10.94	750	10.94	770
485	Z904	HCV Ab	나487	C4872	207.31	14,200	207.31	14,530
486	S864	HCV Genotype	나596-2	C6092006	1704.75	116,780	1704.75	119,500
487	S634	HCV Immuno Blot Assay	나487	C4873006	559.00	38,290	559.00	39,190
488	H977	HCV RNA(정량)	나424	C4424006	1127.20	77,210	1127.20	79,020
489	M700	HCV RT-PCR	나596-1	C6081006	891.24	61,050	891.24	62,480
490	C120	HDL Cholesterol	나242	C2420	80.37	5,510	80.37	5,630
491	B854	HDL Cholesterol EP	나302	B3020006	121.57	8,330	121.57	8,520
492	M053	Hemavision 28종	나597	C5971006외	8150.76	558,310	8150.76	571,350
493	B887	Hemochromatosis(서울대)	나562	CY627006	471.16	32,270	471.16	33,030
494	H431	Hemosiderin	나7	B0070	27.46	1,880	27.46	1,920
495	S416	Herpes IgG	나468	C4682466	273.64	18,740	273.64	19,180
496	S420	Herpes IgM	나468	C4683466	261.00	17,880	261.00	18,300
497	S457	Heterophil Ab	나470	C4701	81.03	5,550	81.03	5,680
498	S306	HEV IgG	나422	CY431	126.40	8,660	126.40	8,860
499	S334	HEV IgM	나422	CY432	126.40	8,660	126.40	8,860
500	B562	HEV RNA PCR	나596	C5969006	678.10	46,450	678.10	47,530
501	C446	Hg(Mercury)	나452	C4523640	313.68	21,490	313.68	21,990
502	E417	HGH(S)	나342	C3420	178.72	12,240	178.72	12,530
503	X169	HHV 8 PCR	나595	CY561006	391.93	26,850	391.93	27,470
504	C504	Hippuric acid(마뇨산)	나451	CY373030	251.42	17,220	251.42	17,620
505	M439	Histopathology(L,≤15)	나550	C5500	783.64	53,680	783.64	54,930
506	M438	Histopathology(L,≤20)	나550	C5918	1072.19	73,450	1072.19	75,160
507	M435	Histopathology(L,≥16)	나550	C5504	1096.92	75,140	1096.92	76,890
508	M434	Histopathology(L,≥21)	나550	C5919	1602.34	109,760	1602.34	112,320
509	M437	Histopathology(M,≤6)	나550	C5916	445.87	30,540	445.87	31,260
510	M433	Histopathology(M,≥7)	나550	C5917	636.85	43,620	636.85	44,640
511	M432	Histopathology(S,≥13)	나550	C5915	687.25	47,080	687.25	48,180
512	M436	Histopathology(S,1~3)	나550	C5911	282.35	19,340	282.35	19,790
513	X775	Histopathology(S,1~3) & Giemsa Stain	나550 외	C5911 외	282.35	27,770	282.35	28,790
514	M431	Histopathology(S,10~12)	나550	C5914	589.09	40,350	589.09	41,300
515	X778	Histopathology(S,10~12) & Giemsa Stain	나550 외	C5914 외	589.09	48,780	589.09	50,300
516	M429	Histopathology(S,4~6)	나550	C5912	380.51	26,060	380.51	26,670
517	X776	Histopathology(S,4~6) & Giemsa Stain	나550 외	C5912 외	380.51	34,490	380.51	35,670
518	M430	Histopathology(S,7~9)	나550	C5913	478.66	32,790	478.66	33,550
519	X777	Histopathology(S,7~9) & Giemsa Stain	나550 외	C5913 외	478.66	41,220	478.66	42,550
520	M440	Histopathology (XL,With lymph Node)	나550	C5505	1658.74	113,620	1658.74	116,280

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
521	M441	Histopathology (XL,Without lymph Node)	나550	C5508	1128.59	77,310	1128.59	79,110
522	S650	HIV Ag	너394	CX394	222.82	15,260	222.82	15,620
523	M344	HIV RNA 정량	너396	CY396006	2317.76	158,770	2317.76	162,470
524	Z015	HLA-A (High) DNA	나518	CY916006	3893.18	266,680	3893.18	272,910
525	X620	HLA-A Typing	나518	CY915006	2084.13	142,760	2084.13	146,100
526	S761	HLA-ABC	나518	CY915006×3	6252.39	428,280	6252.39	438,300
527	Z016	HLA-B (High) DNA	나518	CY916006	3893.18	266,680	3893.18	272,910
528	X567	HLA-B Typing	나518	CY915006	2084.13	142,760	2084.13	146,100
529	S501	HLA-B27	나524	CY917006	807.73	55,330	807.73	56,620
530	Z017	HLA-C (High) DNA	나518	CY916006	3893.18	266,680	3893.18	272,910
531	K061	HLA-C Typing	나518	CY915006	2084.13	142,760	2084.13	146,100
532	X170	HLA-DQA (High)	나523	CY912006	3493.47	239,300	3493.47	244,890
533	Z160	HLA-DQB (High)	나523	CY912006	3493.47	239,300	3493.47	244,890
534	Z159	HLA-DQB (Low)	나523	CY911006	2105.72	144,240	2105.72	147,610
535	Z957	HLA-DR(High) DNA	나523	CY914006	3566.18	244,280	3566.18	249,990
536	S754	HLA-DRB	나523	CY913006	2105.74	144,240	2105.74	147,610
537	S929	HLA-RA(DRB1)	나523	CX496006	1438.90	98,560	1438.90	100,870
538	Z141	hMLH1 genetic test	나599	CY711006	7634.12	522,940	7634.12	535,150
539	Z962	hMSH2	나599	CY712006	7634.12	522,940	7634.12	535,150
540	Z151	HPV DNA chip	나595-2	C5959006	698.13	47,820	698.13	48,940
541	D126	HPV genotype(Mass Spectro)	나595-2	C6094006	698.13	47,820	698.13	48,940
542	S874	HPV PCR	나595	C5956006	415.49	28,460	415.49	29,130
543	S391	HPV Probe(HCS)	나595-3	C5960006	668.38	45,780	668.38	46,850
544	S139	HPV Type 16 PCR	나595	C5956006	415.49	28,460	415.49	29,130
545	S138	HPV Type 18 PCR	나595	C5956006	415.49	28,460	415.49	29,130
546	B704	HSV culture	나416	B4160006	574.26	39,340	574.26	40,260
547	S747	HSV PCR	나595	C5956006	415.49	28,460	415.49	29,130
548	S862	HSV type 1 PCR	나595	C5956006	415.49	28,460	415.49	29,130
549	S863	HSV type 2 PCR	나595	C5956006	415.49	28,460	415.49	29,130
550	S589	HSV Type I IgG(S)	나468	C4682466	273.64	18,740	273.64	19,180
551	S590	HSV Type II IgG(S)	나468	C4682466	273.64	18,740	273.64	19,180
552	Z019	HTLV 1 DNA	나595	C5956006	415.49	28,460	415.49	29,130
553	S704	HTLV-I,II Ab(CSF)	나468	C4682596	273.64	18,740	273.64	19,180
554	S703	HTLV-I,II Ab(S)	나468	C4682596	273.64	18,740	273.64	19,180
555	S653	Human Herpes V.type 6 PCR	나595	C5956006	415.49	28,460	415.49	29,130
556	Z150	Huntington's Disease	너573	CY531006	1199.67	82,180	1199.67	84,100
557	C625	HVA(P)	너225	CY251006	351.79	24,100	351.79	24,660
558	C301	HVA(U)	너225	CY251006	351.79	24,100	351.79	24,660
559	C713	Hyaluronic acid(HA)	너345	CY343	201.90	13,830	201.90	14,150
560	C422	IgA(S)	나228	C2282	139.93	9,590	139.93	9,810
561	C424	IgD	나228	C2284	136.12	9,320	136.12	9,540
562	E561	IGF-BP3(CLIA)	너231	CX231	245.38	16,810	245.38	17,200
563	R003	IGF-BP3(RIA)	너231	CX731	223.81	15,330	223.81	15,690
564	S230	IgG Index (serum + CSF)	나228외	C2281×2외	504.75	34,580	504.75	35,380

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
565	S121	IgG Subclass I	너181	BY181	135.90	9,310	135.90	9,530
566	S122	IgG Subclass II	너181	BY182	135.90	9,310	135.90	9,530
567	S123	IgG Subclass III	너181	BY183	135.90	9,310	135.90	9,530
568	S124	IgG Subclass IV	너181	BY184	135.90	9,310	135.90	9,530
569	S520	IgG(CSF)	나228	C2281	139.40	9,550	139.40	9,770
570	C421	IgG(S)	나228	C2281	139.40	9,550	139.40	9,770
571	S519	IgG(U)	나228	C2281	139.40	9,550	139.40	9,770
572	X249	IgH 유전자 재배열(삼성)	너563	CY056006	609.58	41,760	609.58	42,730
573	C423	IgM	나228	C2283	139.97	9,590	139.97	9,810
574	D418	Imipramine(Tofranil)	나450	CX375696	577.54	39,560	577.54	40,490
575	C416	Immuno EP(S)	나308	B3081006	399.11	27,340	399.11	27,980
576	C848	Immuno EP(U)	나308	B3083006	456.92	31,300	456.92	32,030
577	X718	Immuno Fixation EP IgD,IgE(S)	나308	B3082006	544.86	37,320	544.86	38,190
578	X719	Immuno Fixation EP IgD,IgE(U)	나308	B3084006	615.60	42,170	615.60	43,150
579	C690	Immuno Fixation EP(S)	나308	B3082006	544.86	37,320	544.86	38,190
580	C841	Immuno Fixation EP(U)	나308	B3084006	615.60	42,170	615.60	43,150
581	M410	India ink	나401	B4010	25.28	1,730	25.28	1,770
582	C616	Indirect Bilirubin	나372	C3720 C3721	34.86	2,390	34.86	2,440
583	H412	Indirect Coombs' test	나204	B2048006	75.71	5,190	75.71	5,310
584	C709	Indocyanine green(R15)	나399	C3991006	245.82	16,840	245.82	17,230
585	C818	Indocyanine green(Rmax)	나399	C3992006	403.65	27,650	403.65	28,300
586	B135	Influenza A V.culture	나416	B4160006	574.26	39,340	574.26	40,260
587	B136	Influenza B V.culture	나416	B4160006	574.26	39,340	574.26	40,260
588	C218	Inhibin A(Integrated)	나369	CZ211	350.82	24,030	350.82	24,590
589	S883	Inhibin A(Quad)	나369	CZ211	350.82	24,030	350.82	24,590
590	C224	Inhibin A(Sequential test)	나369	CZ211	350.82	24,030	350.82	24,590
591	C156	Inhibin-A	나369	CZ211	350.82	24,030	350.82	24,590
592	C478	Inorga.phosphorus(U)	나379	C3794	15.15	1,040	15.15	1,060
593	C158	Inorganic-phosphorus	나379	C3794	15.15	1,040	15.15	1,060
594	E441	Insulin	나341	C3410	179.71	12,310	179.71	12,600
595	S958	Insulin Ab	너444	CX745	123.67	8,470	123.67	8,670
596	E412	Intact PTH	나340	C3400	294.34	20,160	294.34	20,630
597	D749	Iodide(Urine)	너234	CX234	57.01	3,910	57.01	4,000
598	C153	Ionized Calcium	나379	C3796	81.11	5,560	81.11	5,690
599	C159	Iron	나249	C2490	32.95	2,260	32.95	2,310
600	H410	Iron stain	나118	B1185006	87.45	5,990	87.45	6,130
601	Z007	Iron(tissue)	나452	C4527990	619.40	42,430	619.40	43,420
602	S968	Islet Cell Antibody	너446	CX446006	121.34	8,310	121.34	8,510
603	H924	Isoagglutinin titer	나208	B2080006	99.47	6,810	99.47	6,970
604	K085	JC virus PCR	나595	C5956006	415.49	28,460	415.49	29,130
605	S795	Joint fluid Microscopy (Crystal, Bacteria)	나558	C5580	52.55	3,600	52.55	3,680
606	C112	K(Potassium)	나379	C3792	16.87	1,160	16.87	1,180
607	C481	K(U)	나379	C3792	16.87	1,160	16.87	1,180

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
608	C463	Ketone 정성	나386	C3860	75.95	5,200	75.95	5,320
609	M200	KOH Mount	나400	B4102	19.29	1,320	19.29	1,350
610	Z958	KOH Mount(Fungus Panel)	나400	B4102	19.29	1,320	19.29	1,350
611	C169	Lactic acid(Lactate)	너345	CY345	201.90	13,830	201.90	14,150
612	H634	LAP Score	나126	B1260006	87.86	6,020	87.86	6,160
613	S267	LAP(Leucine aminopeptidase)	나267	B2670	40.76	2,790	40.76	2,860
614	C846	LDH EP(P.fluid)	나303	B3030006	176.33	12,080	176.33	12,360
615	C414	LDH EP(S)	나303	B3030006	176.33	12,080	176.33	12,360
616	C110	LDH(Lactate dehydrogenase)	나259	B2590	30.05	2,060	30.05	2,110
617	C121	LDL Cholesterol	나243	C2430	88.58	6,070	88.58	6,210
618	B002	Legionella urinary Ag	나531	C5310	100.26	6,870	100.26	7,030
619	S455	Leptospira Ab	나466	C4661020	113.14	7,750	113.14	7,930
620	S792	Leptospira Ab(MAT.Kor.4종)	나462	C4620006	158.40	10,850	158.40	11,100
621	B713	Leucine	나443	C4432006	277.94	19,040	277.94	19,480
622	S681	Leukemia marker	나512외	C5120006외	7650.19	524,010	7650.19	536,210
623	E422	LH	나348	C3480	152.68	10,460	152.68	10,700
624	Z119	LHON	너562	CY622006×4	1884.24	129,080	1884.24	132,080
625	C447	Li	나452	C4523610	313.68	21,490	313.68	21,990
626	C115	Lipase	나262	B2621	59.82	4,100	59.82	4,190
627	C842	Lipoprotein EP(B.fluid)	나301	B3010006	121.64	8,330	121.64	8,530
628	C415	Lipoprotein EP(S)	나301	B3010006	121.64	8,330	121.64	8,530
629	C673	Lipoprotein(a)	나248	C2480	161.26	11,050	161.26	11,300
630	Z930	Lupus A.coagulant(confirm)	나171	B1712006	310.12	21,240	310.12	21,740
631	H504	Lupus A.coagulant(screen)	나171	B1711	207.39	14,210	207.39	14,540
632	S876	M.TB PCR Hybridization	나595-1	C6021006	672.67	46,080	672.67	47,150
633	S962	M.tuberculosis Ab	나466	C4661190	113.14	7,750	113.14	7,930
634	H402	Malaria	나115	B1150006	47.83	3,280	47.83	3,350
635	M696	Malaria P. falciparum	나595	C5956006	415.49	28,460	415.49	29,130
636	M698	Malaria P. malariae	나595	C5956006	415.49	28,460	415.49	29,130
637	M699	Malaria P. ovale	나595	C5956006	415.49	28,460	415.49	29,130
638	M697	Malaria P. vivax	나595	C5956006	415.49	28,460	415.49	29,130
639	M695	Malaria PCR 선별검사	나595	C5956006	415.49	28,460	415.49	29,130
640	S317	Mandelic acid	나451	CY373020	251.42	17,220	251.42	17,620
641	H525	Masson's trichrome stain	나553	C5532	123.77	8,480	123.77	8,680
642	S765	MAST Allergy (Food)	나232	C2320006	1343.99	92,060	1343.99	94,210
643	S715	MAST Allergy (Inhalant)	나232	C2320006	1343.99	92,060	1343.99	94,210
644	S423	Measle IgG	나468	C4682486	273.64	18,740	273.64	19,180
645	S430	Measle IgM	나468	C4683486	261.00	17,880	261.00	18,300
646	C432	Met Hb(Met-Hb)	나370	C3700	160.26	10,980	160.26	11,230
647	C458	Metanephrine	너228	CY284006	332.51	22,780	332.51	23,310
648	S660	Metanephrines, plasma	너228	CY284006 CY285006	665.02	45,560	665.02	46,620
649	B712	Methionine	나443	C4432006	277.94	19,040	277.94	19,480
650	S972	Methotrexate(MTX)	나450	C4504130	252.59	17,300	252.59	17,710
651	S315	Methyl Hippuric acid	나451	CY373040	251.42	17,220	251.42	17,620

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
652	C448	Mg	나379	C3797	23.99	1,640	23.99	1,680
653	S973	Microalbumin(24hr)	나230	C2302	203.50	13,940	203.50	14,270
654	S490	Microalbumin(RU)	나230	C2302	203.50	13,940	203.50	14,270
655	H135	Mixing test	나177	B1770006	187.15	12,820	187.15	13,120
656	C449	Mn	나452	C4523660	313.68	21,490	313.68	21,990
657	K470	MSI(Microsatellite Instability)	너574	CX574006	3117.41	213,540	3117.41	218,530
658	K598	MTHFR 1298A>C	너562	CY628006	475.79	32,590	475.79	33,350
659	M672	MTHFR C677T	너562	CY628006	475.79	32,590	475.79	33,350
660	S749	Mucin clot Test	나54	B0540	11.58	790	11.58	810
661	K597	Mucopolysaccharide 선별	나444	C4442	59.36	4,070	59.36	4,160
662	S424	Mumps IgG	나468	C4682506	273.64	18,740	273.64	19,180
663	S425	Mumps IgM	나468	C4683506	261.00	17,880	261.00	18,300
664	S652	Mumps virus RNA PCR	나596	C5969006	678.10	46,450	678.10	47,530
665	M522	Mycobacteria 신속동정검사	나595-1	C6029006	725.71	49,710	725.71	50,870
666	C963	Mycophenolic acid	나450	CX375696	577.54	39,560	577.54	40,490
667	S458	Mycoplasma Ab	나474	C4741820	59.99	4,110	59.99	4,210
668	M728	Mycoplasma genitalium PCR	나595	C5956006	415.49	28,460	415.49	29,130
669	M413	Mycoplasma homini.culture	너301	BY301006	416.05	28,500	416.05	29,170
670	Z127	Mycoplasma hominis PCR	나595	C5956006	415.49	28,460	415.49	29,130
671	C548	Mycoplasma Pneumo. IgG	나474	C4742826	207.72	14,230	207.72	14,560
672	C549	Mycoplasma pneumoniae IgM	나474	C4743826	205.84	14,100	205.84	14,430
673	S680	Mycoplasma pneumoniae PCR	나595	C5956006	415.49	28,460	415.49	29,130
674	S446	Myoglobin(S)	나384	C3842	234.10	16,040	234.10	16,410
675	U115	Myoglobin(U)	나384	C3842	234.10	16,040	234.10	16,410
676	Z955	Myotonic dystrophy	나598	C5980006	1001.80	68,620	1001.80	70,230
677	S708	N.gonorrhoeae culture	나405	B4051	168.28	11,530	168.28	11,800
678	C111	Na(Sodium)	나379	C3791	15.64	1,070	15.64	1,100
679	C482	Na(U)	나379	C3791	15.64	1,070	15.64	1,100
680	S683	Neisseria Gonorrhoeae PCR	나595	C5956006	415.49	28,460	415.49	29,130
681	S477	Neonatal Free T4	나334	C3340	173.49	11,880	173.49	12,160
682	S476	Neonatal TSH	나336	C3360	225.02	15,410	225.02	15,770
683	S465	Neuronspecific enolase(NSE)	나431	C4310	310.84	21,290	310.84	21,790
684	S771	NK cell(CD16+CD56)	나512	C5120006	451.56	30,930	451.56	31,650
685	S318	N-methylacetamide(NMAC)	나451	CY373290	251.42	17,220	251.42	17,620
686	H509	N-Methylformamide(NMF)	나451	CY373060	251.42	17,220	251.42	17,620
687	Z136	NMP22	너322	CY323	305.35	20,920	305.35	21,410
688	D748	N-myc PCR	나598	C5988006	934.15	63,990	934.15	65,480
689	M104	Non-Gy cytology	나593	C5931	97.75	6,700	97.75	6,850
690	M420	Non-Gy(Sputum) Cytology	나593	C5930	92.75	6,350	92.75	6,500
691	M106	Nonspecific esterase stain	나118	B1188006	84.92	5,820	84.92	5,950
692	B155	Nordiazepam	나450	CX375176	577.54	39,560	577.54	40,490
693	E450	Norepinephrine	너228	CY282006	332.51	22,780	332.51	23,310
694	C457	Normetanephine	너228	CY285006	332.51	22,780	332.51	23,310
695	K495	Norovirus Ag	나469	C4690596	203.37	13,930	203.37	14,260
696	D425	Nortriptyline	나450	CX375696	577.54	39,560	577.54	40,490

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
697	X560	NTM sensitivity	나406	B4064	564.43	38,660	564.43	39,570
698	S805	NT-proBNP	나368-2	CZ208	608.98	41,720	608.98	42,690
699	Z003	NTx	나393-1	C3931	180.54	12,370	180.54	12,660
700	S706	O. tsutsugamushi Ab(IFA)	나474	C4742836	207.72	14,230	207.72	14,560
701	S794	O. tsutsugamushi (scrub typhus Korea 4종)	나474	C4742836	207.72	14,230	207.72	14,560
702	U118	Occult Blood(정량)	나65-1	B0653	65.85	4,510	65.85	4,620
703	X451	Olanzapine	나450	CX375696	577.54	39,560	577.54	40,490
704	X420	Oligo.band(IEF&IF.암센터)	너182	BX182006	225.94	15,480	225.94	15,840
705	C170	Oligoclonal band	너182	BX182006	225.94	15,480	225.94	15,840
706	B121	Ordinary culture	나405	B4051	168.28	11,530	168.28	11,800
707	B141	Ordinary(Blood Culture)	나405	B4051	168.28	11,530	168.28	11,800
708	C538	Organic acid analysis	너345	CY348006	2521.31	172,710	2521.31	176,740
709	U132	Osmolality(S)	나380	C3800	54.50	3,730	54.50	3,820
710	U120	Osmolality(U)	나380	C3800	54.50	3,730	54.50	3,820
711	H401	Osmotic fragility test	나113	B1131006	91.22	6,250	91.22	6,390
712	E415	Osteocalcin	나363	C7363	151.79	10,400	151.79	10,640
713	H001	Other blood(Fya,Duffy a)	나203	B2030006	70.22	4,810	70.22	4,920
714	H002	Other blood(Fyb,Duffy b)	나203	B2030006	70.22	4,810	70.22	4,920
715	H005	Other blood(Jka,Kidd a)	나203	B2030006	70.22	4,810	70.22	4,920
716	H006	Other blood(Jkb,Kidd b)	나203	B2030006	70.22	4,810	70.22	4,920
717	H180	Other blood(lectin A1)	나203	B2030006	70.22	4,810	70.22	4,920
718	H186	Other blood(lectin H)	나203	B2030006	70.22	4,810	70.22	4,920
719	H014	Other blood(M)	나203	B2030006	70.22	4,810	70.22	4,920
720	H015	Other blood(N)	나203	B2030006	70.22	4,810	70.22	4,920
721	H009	Other blood(s)	나203	B2030006	70.22	4,810	70.22	4,920
722	H008	Other blood(S)	나203	B2030006	70.22	4,810	70.22	4,920
723	U506	Oxcarbazepine(Trileptal)	나450	CX374690	325.85	22,320	325.85	22,840
724	S810	PAI-1	너80	BY802	181.70	12,450	181.70	12,740
725	C551	PAP(환부 swab)	나429	C4290	140.11	9,600	140.11	9,820
726	C168	PAP(Prostatic acid phosphatase)	나429	C4290	140.11	9,600	140.11	9,820
727	X882	Paragonimus westermani Ab IgG	나472	C4722616	269.38	18,450	269.38	18,880
728	B120	Parainfluenza V. culture	나416	B4160006	574.26	39,340	574.26	40,260
729	D706	Paraquat(Gramoxone)	나450	CX374040	325.85	22,320	325.85	22,840
730	S644	Parasite specific Ab IgG	나472	C4722616×4	1077.52	73,800	1077.52	75,520
731	S221	Parvovirus B19 IgG	나468	C4682596	273.64	18,740	273.64	19,180
732	S783	Parvovirus B19 IgM	나468	C4683596	261.00	17,880	261.00	18,300
733	S642	Parvovirus B19 PCR	나595	C5952006	392.46	26,880	392.46	27,510
734	H409	PAS stain(Blood)	나118	B1187006	86.41	5,920	86.41	6,060
735	H124	PB morphology	나110	B1100006	75.56	5,180	75.56	5,300
736	C451	Pb(Lead)	나452	C4523630	313.68	21,490	313.68	21,990
737	U123	PBG(정량)	나389	C3892	44.42	3,040	44.42	3,110
738	C698	PBG(정성)	나389	C3891	9.88	680	9.88	690
739	M555	PCR of Major bcr/abl	나597	C5971006	1626.16	111,390	1626.16	113,990
740	M556	PCR of Minor bcr/abl	나597	C5972006	1631.15	111,730	1631.15	114,340

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
741	H133	PDW	나123	B1230	5.80	400	5.80	410
742	E502	Pepsinogen II	나362	C3620	209.54	14,350	209.54	14,690
743	E501	Pepsinogen I	나362	C3620	209.54	14,350	209.54	14,690
744	H408	Peroxidase stain	나118	B1186006	83.11	5,690	83.11	5,830
745	D405	Phenobarbital(Luminal)	나450	C4504020	252.59	17,300	252.59	17,710
746	B710	Phenylalanine	나443	C4432006	277.94	19,040	277.94	19,480
747	D407	Phenytoin(Dilantin)	나450	C4504050	252.59	17,300	252.59	17,710
748	C163	Phospholipid	나244	C2442	29.69	2,030	29.69	2,080
749	E525	PIVKA-II	너78	BX078	190.03	13,020	190.03	13,320
750	C429	Plasma hemoglobin	나383	C3830	50.45	3,460	50.45	3,540
751	B591	Plasminogen	나188	B1881	163.60	11,210	163.60	11,470
752	H121	Platelet	나106	B1060	12.99	890	12.99	910
753	Z105	Platelet aggregation test	나164	B1641006외	721.25	49,410	721.25	50,550
754	S475	Platelet associated Ab	나502	C5022006	251.60	17,230	251.60	17,640
755	H188	PML/RARA Bone Marrow	나597	C5973006	1631.15	111,730	1631.15	114,340
756	S884	PML/RARA Whole blood	나597	C5973006	1631.15	111,730	1631.15	114,340
757	P001	Pneumocystis jirovecii(carinii) PCR	나595	C5956006	415.49	28,460	415.49	29,130
758	H171	Polyoma virus PCR	나595	C5956006×2	830.98	56,920	830.98	58,260
759	U125	Porphyrin(정성)	나389	C3891	9.88	680	9.88	690
760	M678	Post-BMT	너571	CY575006	2755.12	188,730	2755.12	193,130
761	M742	PRA 동정(Class I)	나522	C5222006	1308.12	89,610	1308.12	91,700
762	M743	PRA 동정(Class II)	나522	C5222006	1308.12	89,610	1308.12	91,700
763	A030	PRA 선별(Class I)	나522	C5221006	752.81	51,570	752.81	52,770
764	M741	PRA 선별(Class II)	나522	C5221006	752.81	51,570	752.81	52,770
765	B592	Prealbumin	나221-1	C2215	150.79	10,330	150.79	10,570
766	M677	Pre-BMT	너571	CY573006	3962.86	271,460	3962.86	277,800
767	D412	Primidone(Mysoline)	나450	CX374690	325.85	22,320	325.85	22,840
768	E428	Progesterone	나346	C3460	150.45	10,310	150.45	10,550
769	E423	Prolactin	나351	C3510	166.15	11,380	166.15	11,650
770	S485	Protein C activity	나183	B1831	207.74	14,230	207.74	14,560
771	S716	Protein C Ag	나183	B1832	182.60	12,510	182.60	12,800
772	C128	Protein EP(CSF)	나300	B3001006	142.26	9,740	142.26	9,970
773	C411	Protein EP(S)	나300	B3000006	134.09	9,190	134.09	9,400
774	X708	Protein EP(S, MGSP)	나300	B3000006	134.09	9,190	134.09	9,400
775	S236	Protein S activity	나184	B1841	201.16	13,780	201.16	14,100
776	S998	Protein S Ag total	나184	B1842	179.03	12,260	179.03	12,550
777	S669	Protein S Free	나184	B1842	179.03	12,260	179.03	12,550
778	K089	Protein(RU,P/C ratio)	나220	C2200	17.71	1,210	17.71	1,240
779	C101	Protein,total	나220	C2200	17.71	1,210	17.71	1,240
780	C640	Protein,total(24hr U)	나220	C2200	17.71	1,210	17.71	1,240
781	C185	Protein,total(RU,CSF)	나220	C2200	17.71	1,210	17.71	1,240
782	H130	Prothrombin time	나154	B1540	27.73	1,900	27.73	1,940
783	H651	Protozoa	나63	B0630	23.95	1,640	23.95	1,680
784	S468	PSA	나428	C4280	241.06	16,510	241.06	16,900
785	H127	PTT	나153	B1530	44.78	3,070	44.78	3,140

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
786	S651	Pyrogen(Endotoxin)	너303	BY032006	125.96	8,630	125.96	8,830
787	C506	Pyruvic acid(Pyruvate)	너345	CY341	201.90	13,830	201.90	14,150
788	X291	Quetiapine	나450	CX375696	577.54	39,560	577.54	40,490
789	S793	R.typhi(Murine ty.Kor.4종)	나474	C4742836	207.72	14,230	207.72	14,560
790	S112	RA Factor(정량)	나490	C4903	104.97	7,190	104.97	7,360
791	S111	RA Factor(정성)	나490	C4901	20.20	1,380	20.20	1,420
792	H102	RBC(B)	나104	B1040	10.97	750	10.97	770
793	H132	RDW	나122	B1220	5.80	400	5.80	410
794	E437	Renin Activity	나360	C7360	161.49	11,060	161.49	11,320
795	B106	Respi.V. Ag Screening 5종	나469	C4690536	203.37	13,930	203.37	14,260
796	D713	RET Mutation	나599	CY571006	4105.53	281,230	4105.53	287,800
797	H139	RET-He	나108	B1081	20.21	1,380	20.21	1,420
798	M520	Reticulin stain	나118	B1189006	83.84	5,740	83.84	5,880
799	H123	Reticulocyte	나108	B1081	20.21	1,380	20.21	1,420
800	H112	Rh Ab titer	나208	B2080006	99.47	6,810	99.47	6,970
801	H126	Rh typing	나202	B2021	13.82	950	13.82	970
802	H173	Rh-Hr subgroup	나202	B2022006	98.10	6,720	98.10	6,880
803	B137	Rhino virus culture	나416	B4160006	574.26	39,340	574.26	40,260
804	B342	Ribosomal P Ab	너443	CY451006	532.44	36,470	532.44	37,320
805	X029	Risperidone	나450	CX375696	577.54	39,560	577.54	40,490
806	S513	RNP-Ab	너443	CY444006	400.52	27,440	400.52	28,080
807	S415	Rota virus Ag	나469	C4690526	203.37	13,930	203.37	14,260
808	S019	RPR(정밀)	나460-1	C4602	25.73	1,760	25.73	1,800
809	B109	RSV Ag	나469	C4690536	203.37	13,930	203.37	14,260
810	B134	RSV culture	나416	B4160006	574.26	39,340	574.26	40,260
811	S816	RSV IgG	나468	C4682536	273.64	18,740	273.64	19,180
812	S817	RSV IgM	나468	C4683536	261.00	17,880	261.00	18,300
813	S413	Rubella IgG	나468	C4682416	273.64	18,740	273.64	19,180
814	S414	Rubella IgM	나468	C4683416	261.00	17,880	261.00	18,300
815	S739	Rubella PCR	나596	C5969006	678.10	46,450	678.10	47,530
816	Z912	Salmonella PCR	나595	C5956006	415.49	28,460	415.49	29,130
817	S902	SBMA (spinobulbar muscular atrophy)	너573	CY532006	1199.67	82,180	1199.67	84,100
818	Z906	SCA study 1	너573	CY535006	1199.67	82,180	1199.67	84,100
819	Z907	SCA study 2	너573	CY536006	1199.67	82,180	1199.67	84,100
820	Z908	SCA study 3	너573	CY537006	1199.67	82,180	1199.67	84,100
821	Z909	SCA study 6	너573	CY538006	1199.67	82,180	1199.67	84,100
822	Z910	SCA study 7	너573	CY540006	1199.67	82,180	1199.67	84,100
823	S467	SCC(TA-4)	나430	C7430	310.79	21,290	310.79	21,790
824	C427	Selectivity index	나392	C3920	290.14	19,870	290.14	20,340
825	H189	Selenium(S)	나452	C4523990	313.68	21,490	313.68	21,990
826	S553	Selenium(WB)	나452	C4523990	313.68	21,490	313.68	21,990
827	E447	Serotonin	나367	C3670	126.73	8,680	126.73	8,880
828	C509	Sirolimus	나450	CX375696	577.54	39,560	577.54	40,490
829	S516	Sm-Ab	너443	CY443006	411.76	28,210	411.76	28,860

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
830	S439	Smooth muscle Ab	나497	C4972	131.16	8,980	131.16	9,190
831	E455	Somatomedin-C(IGF-1)	나230	CX230	199.07	13,640	199.07	13,950
832	X884	Sparganum Ab IgG	나472	C4722616	269.38	18,450	269.38	18,880
833	K621	Specific IgE F323 (nGal d 3 Conalbumin, Egg)	나231	C2310	223.79	15,330	223.79	15,690
834	K625	Specific IgE F352 (rAra h 8 (PR-10), Peanut)	나231	C2310	223.79	15,330	223.79	15,690
835	K627	Specific IgE F353 (rGly m 4 (PR-10), Soy)	나231	C2310	223.79	15,330	223.79	15,690
836	K622	Specific IgE F422 (rAra h 1, Peanut)	나231	C2310	223.79	15,330	223.79	15,690
837	K623	Specific IgE F423 (rAra h 2, Peanut)	나231	C2310	223.79	15,330	223.79	15,690
838	K624	Specific IgE F424 (rAra h 3, Peanut)	나231	C2310	223.79	15,330	223.79	15,690
839	K626	Specific IgE F427 (rAra h 9 (LTP), Peanut)	나231	C2310	223.79	15,330	223.79	15,690
840	K628	Specific IgE F431 (nGly m 5 (β -conglycinin), Soy)	나231	C2310	223.79	15,330	223.79	15,690
841	K629	Specific IgE F432 (nGly m 6 (Glycinin), Soy)	나231	C2310	223.79	15,330	223.79	15,690
842	S160	SRY gene	나595	C5956006	415.49	28,460	415.49	29,130
843	S514	SS-A/Ro Ab	나443	CY445006	411.77	28,210	411.77	28,870
844	S515	SS-B/La Ab	나443	CY446006	411.81	28,210	411.81	28,870
845	B407	STD Chlamydia Ag	나475	C4752816	308.29	21,120	308.29	21,610
846	B406	STD N.gono culture	나405	B4051	168.28	11,530	168.28	11,800
847	C200	Stone analysis	나391	C3910006	79.95	5,480	79.95	5,600
848	Z018	Stone Analysis(physical)	나274	CX274006	409.88	28,080	409.88	28,730
849	M103	Stool parasite	나61	B0613	21.83	1,500	21.83	1,530
850	B416	Stool WBC	나67-1	B0675	9.75	670	9.75	680
851	H505	Sudan black B stain	나118	B1183006	83.89	5,750	83.89	5,880
852	C439	SYPHILIS SEROLOGY PANEL	나460-1	C460202	307.87	21,090	307.87	21,570
853	X049	T cell gene rearrangement	나598	C5986006	936.71	64,160	936.71	65,660
854	S510	T cell(CD3)	나512	C5120006	451.56	30,930	451.56	31,650
855	S528	T helper(CD4)	나512	C5120006	451.56	30,930	451.56	31,650
856	S529	T suppressor(CD8)	나512	C5120006	451.56	30,930	451.56	31,650
857	S679	T.pallidum PCR	나595	C5956006	415.49	28,460	415.49	29,130
858	E401	T3	나329	C3290	172.76	11,830	172.76	12,110
859	E405	T3 uptake	나331	C7331	140.81	9,650	140.81	9,870
860	E402	T4	나333	C3330	164.03	11,240	164.03	11,500
861	B568	Tacrolimus(FK506)	나450	C4504390	252.59	17,300	252.59	17,710
862	X290	TB drug 정량	나450	CX375696	577.54	39,560	577.54	40,490
863	S204	Tbc PCR	나563	CY051006	595.22	40,770	595.22	41,720
864	S512	TdT	나513	C5130006	665.23	45,570	665.23	46,630
865	S893	TEL/AML1 유전자 재배열	나597	C5979006	1791.12	122,690	1791.12	125,560

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
866	E434	Testosterone(RIA)	나353	C7353	167.71	11,490	167.71	11,760
867	B341	Thalassemia mutation	나599	C5992006	1999.33	136,950	1999.33	140,150
868	D406	Theophylline(Aminophylline)	나450	C4504110	252.59	17,300	252.59	17,710
869	H128	Thrombin time	나156	B1560	25.19	1,730	25.19	1,770
870	S431	Thyroglobulin	나335	C7335	184.24	12,620	184.24	12,920
871	S432	Thyroglobulin Ab	나494	C7494	186.35	12,760	186.35	13,060
872	E407	Thyroxine Binding Globulin	나338	C7338	174.88	11,980	174.88	12,260
873	C160	TIBC	나250	C2500	37.32	2,560	37.32	2,620
874	E512	Tissue polypeptide Ag	나432	C7432	305.03	20,890	305.03	21,380
875	D424	Tobramycin	나450	C4504390	252.59	17,300	252.59	17,710
876	B866	Topiramate	나450	CX375696	577.54	39,560	577.54	40,490
877	C528	Total CO2	나381	C3812	45.04	3,090	45.04	3,160
878	B707	Total Galactose	나341	CY412	152.94	10,480	152.94	10,720
879	S409	Total HAV Ab	나486	C4861	164.56	11,270	164.56	11,540
880	E865	Total hCG	나352	C3520	212.70	14,570	212.70	14,910
881	C425	Total IgE	나229	C2290	237.90	16,300	237.90	16,680
882	C164	Total lipid	나244	C2441	32.77	2,240	32.77	2,300
883	E452	Total Metanephrine	나228	CY284006	332.51	22,780	332.51	23,310
884	S625	Toxocariosis	나472	C4722796	269.38	18,450	269.38	18,880
885	S892	Toxoplasma DNA PCR	나595	C5956006	415.49	28,460	415.49	29,130
886	S454	Toxoplasma IgG	나472	C4722616	269.38	18,450	269.38	18,880
887	S471	Toxoplasma IgM	나472	C4723616	269.38	18,450	269.38	18,880
888	S020	TPLA(정밀)	나461-1	C4612	123.74	8,480	123.74	8,670
889	C400	Transferrin(S)	나233	C2330	108.48	7,430	108.48	7,600
890	S523	Transferrin(U)	나233	C2330	108.48	7,430	108.48	7,600
891	H637	TRAP stain	나118	B1182006	83.27	5,700	83.27	5,840
892	H138	Trematodes Examination	나64	B0641	51.04	3,500	51.04	3,580
893	S700	Trichinella Ab	나467	C4672296	190.48	13,050	190.48	13,350
894	S674	Trichloroacetic acid(TCA)	나451	C4513590	154.60	10,590	154.60	10,840
895	X579	Trichomonas vaginalis PCR	나595	C5956006	415.49	28,460	415.49	29,130
896	C122	Triglyceride	나244	C2443	46.89	3,210	46.89	3,290
897	E301	Troponin-I	나394	C3942	164.34	11,260	164.34	11,520
898	S757	Troponin-T(high sensitive)	나394	C3941	162.75	11,150	162.75	11,410
899	E403	TSH	나336	C3360	225.02	15,410	225.02	15,770
900	E413	TSH-R Ab	나339	C7339	211.84	14,510	211.84	14,850
901	E409	TSH-receptor Ab(정량)	나339	C7339	211.84	14,510	211.84	14,850
902	X946	TSH-receptor Ab(ECLIA)	나339	C3390	230.21	15,770	230.21	16,140
903	C161	UIBC	나251	C2510	37.72	2,580	37.72	2,640
904	I086	UniCAP C1(Penicilloyl G)	나231	C2310	223.79	15,330	223.79	15,690
905	I087	UniCAP C2(Penicilloyl V)	나231	C2310	223.79	15,330	223.79	15,690
906	I088	UniCAP C5(Ampicilloyl)	나231	C2310	223.79	15,330	223.79	15,690
907	I089	UniCAP C6(Amoxycilloyl)	나231	C2310	223.79	15,330	223.79	15,690
908	I090	UniCAP C7(Cefaclor)	나231	C2310	223.79	15,330	223.79	15,690
909	I002	UniCAP D1(D. pteronyssinus)	나231	C2310	223.79	15,330	223.79	15,690
910	I001	UniCAP D2(D. farinae)	나231	C2310	223.79	15,330	223.79	15,690

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
911	I101	UniCAP D3(D.microceras)	나231	C2310	223.79	15,330	223.79	15,690
912	I005	UniCAP E1(Cat dander)	나231	C2310	223.79	15,330	223.79	15,690
913	I006	UniCAP E5(Dog dander)	나231	C2310	223.79	15,330	223.79	15,690
914	I171	UniCAP EX1(Animal Epidermals & Protein Mix IgE)	나231	C2310	223.79	15,330	223.79	15,690
915	I021	UniCAP F1(Egg white)	나231	C2310	223.79	15,330	223.79	15,690
916	I015	UniCAP F11(Buckwheat)	나231	C2310	223.79	15,330	223.79	15,690
917	I028	UniCAP F13(Peanut)	나231	C2310	223.79	15,330	223.79	15,690
918	I034	UniCAP F14(Soybean)	나231	C2310	223.79	15,330	223.79	15,690
919	I578	UniCAP F17(Hazel nut)	나231	C2310	223.79	15,330	223.79	15,690
920	I025	UniCAP F2(Cow's Milk)	나231	C2310	223.79	15,330	223.79	15,690
921	I046	UniCAP F20(Almond)	나231	C2310	223.79	15,330	223.79	15,690
922	I040	UniCAP F207(Clam)	나231	C2310	223.79	15,330	223.79	15,690
923	I113	UniCAP F214(Spinach)	나231	C2310	223.79	15,330	223.79	15,690
924	Z175	UniCAP F225(Pumpkin)	나231	C2310	223.79	15,330	223.79	15,690
925	I020	UniCAP F23(Crab)	나231	C2310	223.79	15,330	223.79	15,690
926	I033	UniCAP F24(Shrimp)	나231	C2310	223.79	15,330	223.79	15,690
927	I042	UniCAP F245(Egg)	나231	C2310	223.79	15,330	223.79	15,690
928	I036	UniCAP F25(Tomato)	나231	C2310	223.79	15,330	223.79	15,690
929	I029	UniCAP F253(Pine nuts)	나231	C2310	223.79	15,330	223.79	15,690
930	I043	UniCAP F256(Walnut)	나231	C2310	223.79	15,330	223.79	15,690
931	I030	UniCAP F26(Pork)	나231	C2310	223.79	15,330	223.79	15,690
932	I144	UniCAP F260(Broccoli)	나231	C2310	223.79	15,330	223.79	15,690
933	I014	UniCAP F27(Beef)	나231	C2310	223.79	15,330	223.79	15,690
934	I044	UniCAP F290(Oyster)	나231	C2310	223.79	15,330	223.79	15,690
935	I022	UniCAP F3(Codfish)	나231	C2310	223.79	15,330	223.79	15,690
936	I047	UniCAP F31(Carrot)	나231	C2310	223.79	15,330	223.79	15,690
937	I026	UniCAP F33(Orange)	나231	C2310	223.79	15,330	223.79	15,690
938	K392	UniCAP F346(Abalone)	나231	C2310	223.79	15,330	223.79	15,690
939	I048	UniCAP F35(Potato)	나231	C2310	223.79	15,330	223.79	15,690
940	I131	UniCAP F37(Blue Mussel)	나231	C2310	223.79	15,330	223.79	15,690
941	I038	UniCAP F4(Wheat)	나231	C2310	223.79	15,330	223.79	15,690
942	I037	UniCAP F40(Tuna)	나231	C2310	223.79	15,330	223.79	15,690
943	I032	UniCAP F41(Salmon)	나231	C2310	223.79	15,330	223.79	15,690
944	X572	UniCAP F416(Omega-5-gliadin)	나231	C2310	223.79	15,330	223.79	15,690
945	I035	UniCAP F44(Strawberry)	나231	C2310	223.79	15,330	223.79	15,690
946	I039	UniCAP F45(Yeast/Baker's)	나231	C2310	223.79	15,330	223.79	15,690
947	I596	UniCAP F47(Garlic)	나231	C2310	223.79	15,330	223.79	15,690
948	I049	UniCAP F48(Onion)	나231	C2310	223.79	15,330	223.79	15,690
949	I012	UniCAP F49(Apple)	나231	C2310	223.79	15,330	223.79	15,690
950	X155	UniCAP F5(Rye)	나231	C2310	223.79	15,330	223.79	15,690
951	I018	UniCAP F50(Chub mackerel)	나231	C2310	223.79	15,330	223.79	15,690
952	I102	UniCAP F6(Barley)	나231	C2310	223.79	15,330	223.79	15,690
953	U606	UniCAP F75(Egg yolk)	나231	C2310	223.79	15,330	223.79	15,690
954	U608	UniCAP F76(a-lactoalbumin)	나231	C2310	223.79	15,330	223.79	15,690

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
955	U607	UniCAP F77(b-lactoglobuli)	나231	C2310	223.79	15,330	223.79	15,690
956	I016	UniCAP F78(Casein)	나231	C2310	223.79	15,330	223.79	15,690
957	I024	UniCAP F79(Gluten)	나231	C2310	223.79	15,330	223.79	15,690
958	I045	UniCAP F8(Corn (Maize))	나231	C2310	223.79	15,330	223.79	15,690
959	U664	UniCAP F80(Lobster)	나231	C2310	223.79	15,330	223.79	15,690
960	I110	UniCAP F81(Cheese, cheddar)	나231	C2310	223.79	15,330	223.79	15,690
961	I111	UniCAP F82(Cheese mold)	나231	C2310	223.79	15,330	223.79	15,690
962	I017	UniCAP F83(Chicken meat)	나231	C2310	223.79	15,330	223.79	15,690
963	U611	UniCAP F84(Kiwi fruit)	나231	C2310	223.79	15,330	223.79	15,690
964	I031	UniCAP F9(Rice)	나231	C2310	223.79	15,330	223.79	15,690
965	I013	UniCAP F92(Banana)	나231	C2310	223.79	15,330	223.79	15,690
966	I027	UniCAP F95(Peach)	나231	C2310	223.79	15,330	223.79	15,690
967	S821	UniCAP FX5e(food mix)	나231	C2310	223.79	15,330	223.79	15,690
968	I052	UniCAP G1(Sweet vernal)	나231	C2310	223.79	15,330	223.79	15,690
969	I584	UniCAP G2(Bermuda Grass)	나231	C2310	223.79	15,330	223.79	15,690
970	U622	UniCAP G3(Cocksfoot)	나231	C2310	223.79	15,330	223.79	15,690
971	I054	UniCAP G5(Perennial rye)	나231	C2310	223.79	15,330	223.79	15,690
972	U623	UniCAP G6(Timothy)	나231	C2310	223.79	15,330	223.79	15,690
973	I053	UniCAP GX2(mix grass pollen)	나231	C2310	223.79	15,330	223.79	15,690
974	I055	UniCAP H1(House dust)	나231	C2310	223.79	15,330	223.79	15,690
975	I163	UniCAP H2(House dust)	나231	C2310	223.79	15,330	223.79	15,690
976	I056	UniCAP Hx2(mix house dust)	나231	C2310	223.79	15,330	223.79	15,690
977	I059	UniCAP I1(Honeybee venom)	나231	C2310	223.79	15,330	223.79	15,690
978	I057	UniCAP I6(Cockroach)	나231	C2310	223.79	15,330	223.79	15,690
979	I122	UniCAP K80(Formaldehyde)	나231	C2310	223.79	15,330	223.79	15,690
980	I065	UniCAP K82 (Latex(Brazilian rubber tree))	나231	C2310	223.79	15,330	223.79	15,690
981	I072	UniCAP M1(Penicillium notatum)	나231	C2310	223.79	15,330	223.79	15,690
982	I069	UniCAP M2 (Cladosporium herbarum)	나231	C2310	223.79	15,330	223.79	15,690
983	U634	UniCAP M205 (Trichophyton rubrum)	나231	C2310	223.79	15,330	223.79	15,690
984	I067	UniCAP M3(Aspergillus fumigatus)	나231	C2310	223.79	15,330	223.79	15,690
985	I068	UniCAP M5(Candida albicans)	나231	C2310	223.79	15,330	223.79	15,690
986	I066	UniCAP M6 (Alternaria tenuis/alternata)	나231	C2310	223.79	15,330	223.79	15,690
987	U632	UniCAP M70 (Pityrosporum Orbiculare)	나231	C2310	223.79	15,330	223.79	15,690
988	I098	UniCAP M80(S.Enterotoxin A)	나231	C2310	223.79	15,330	223.79	15,690
989	U633	UniCAP M81(S.Enterotoxin B)	나231	C2310	223.79	15,330	223.79	15,690
990	I070	UniCAP Mx1(Mold mix)	나231	C2310	223.79	15,330	223.79	15,690
991	U644	UniCAP P4(Anisakis)	나231	C2310	223.79	15,330	223.79	15,690
992	I078	UniCAP T12(Willow)	나231	C2310	223.79	15,330	223.79	15,690
993	I183	UniCAP T15(White ash)	나231	C2310	223.79	15,330	223.79	15,690
994	I079	UniCAP T17(Japanese Cedar)	나231	C2310	223.79	15,330	223.79	15,690

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
995	U637	UniCAP T2(Grey alder)	나231	C2310	223.79	15,330	223.79	15,690
996	I142	UniCAP T3(C.silver birch)	나231	C2310	223.79	15,330	223.79	15,690
997	U638	UniCAP T4(Hazel)	나231	C2310	223.79	15,330	223.79	15,690
998	U639	UniCAP T5(American beech)	나231	C2310	223.79	15,330	223.79	15,690
999	I074	UniCAP T7(Oak)	나231	C2310	223.79	15,330	223.79	15,690
1000	I077	UniCAP Tx5(Tree pollen mix 5)	나231	C2310	223.79	15,330	223.79	15,690
1001	I076	UniCAP Tx9(Tree mixture)	나231	C2310	223.79	15,330	223.79	15,690
1002	I080	UniCAP W1(Short(common)rag	나231	C2310	223.79	15,330	223.79	15,690
1003	X053	UniCAP W22(humulus japonicus)	나231	C2310	223.79	15,330	223.79	15,690
1004	I084	UniCAP W6(Mugwort(sage))	나231	C2310	223.79	15,330	223.79	15,690
1005	I083	UniCAP W7(Ox-eye daisy)	나231	C2310	223.79	15,330	223.79	15,690
1006	U641	UniCAP W8(Dandelion)	나231	C2310	223.79	15,330	223.79	15,690
1007	I576	UniCAP Wx5(Weed Mix)	나231	C2310	223.79	15,330	223.79	15,690
1008	K403	Unmatured Reticulocyte Fractionation	나108-1	B1085	17.29	1,180	17.29	1,210
1009	E404	Urea Brea.Test(Helifinder)	나415	B4156	453.64	31,070	453.64	31,800
1010	S934	Ureaplasma urea PCR	나595	C5956006	415.49	28,460	415.49	29,130
1011	M412	Ureaplasma urea. culture	나301	BY303006	416.05	28,500	416.05	29,170
1012	C118	Uric acid	나378	C3780	17.89	1,230	17.89	1,250
1013	C479	Uric acid(U)	나378	C3780	17.89	1,230	17.89	1,250
1014	U604	Urine Dopamine	나228	CY283006	332.51	22,780	332.51	23,310
1015	U449	Urine Epinephrine	나228	CY281006	332.51	22,780	332.51	23,310
1016	U450	Urine Norepinephrine	나228	CY282006	332.51	22,780	332.51	23,310
1017	C884	Urine Protein SDS-PAGE	나300	B3001006	142.26	9,740	142.26	9,970
1018	U130	Uroporphyrin(정량)	나389	C3892	44.42	3,040	44.42	3,110
1019	U122	Uroporphyrin(정성)	나389	C3891	9.88	680	9.88	690
1020	C658	V.L chain Fatty acid	나445	C4450	1128.77	77,320	1128.77	79,130
1021	D409	Valproic acid(Orfil)	나450	C4504060	252.59	17,300	252.59	17,710
1022	C714	Vancomycin	나450	C4504160	252.59	17,300	252.59	17,710
1023	S952	VDRL(정량)	나460	C4601	33.05	2,260	33.05	2,320
1024	S951	VDRL(정성)	나460	C4600	18.35	1,260	18.35	1,290
1025	S612	Vi-IFAT	나466	C4662066	203.95	13,970	203.95	14,300
1026	C612	Vit.B1(Thiamine)	나153	CY160006	441.49	30,240	441.49	30,950
1027	C402	Vit.B12(Cyanocobalamin)	나253	C2532	245.40	16,810	245.40	17,200
1028	C614	Vit.B2(Riboflavin)	나153	CY161006	441.49	30,240	441.49	30,950
1029	C703	Vit.BT(Carnitine)	나154	CY544	296.45	20,310	296.45	20,780
1030	C533	Vit.E(Tocopherol)	나153	CY166006	441.49	30,240	441.49	30,950
1031	C610	Vitamin B6	나153	CY162006	441.49	30,240	441.49	30,950
1032	C433	VMA(정성)	나321	C3211	12.41	850	12.41	870
1033	C434	VMA(U,정량)	나321	CX223006	341.86	23,420	341.86	23,960
1034	K030	Voriconazole	나450	CX375696	577.54	39,560	577.54	40,490
1035	B500	VRE Culture	나405	B4051	168.28	11,530	168.28	11,800
1036	H515	VWF multimer	나88	BX088006	481.94	33,010	481.94	33,780
1037	S956	VWF(VIII Related Ag)	나187	B1871	174.26	11,940	174.26	12,220
1038	S955	VWF(Ristocetin Cofactor)	나187	B1872	208.47	14,280	208.47	14,610

No	코드	검사명	보험 번호	보험 코드	2012년		2013년	
					상대가치 점수	검사수가	상대가치 점수	검사수가
1039	B335	VZV Culture	나416	B4160006	574.26	39,340	574.26	40,260
1040	Z006	VZV DNA PCR	나595	C5956006	415.49	28,460	415.49	29,130
1041	S429	VZV IgG	나468	C4682496	273.64	18,740	273.64	19,180
1042	S506	VZV IgG(CSF)	나468	C4682496	273.64	18,740	273.64	19,180
1043	S959	VZV IgM	나468	C4683496	261.00	17,880	261.00	18,300
1044	S507	VZV IgM(CSF)	나468	C4683496	261.00	17,880	261.00	18,300
1045	X564	Warfarin	나450	CX375696	577.54	39,560	577.54	40,490
1046	H103	WBC(B)	나105	B1050	10.99	750	10.99	770
1047	B104	Wet smear	나4	B0042	9.14	630	9.14	640
1048	S115	Widal test	나464	C4640	42.28	2,900	42.28	2,960
1049	M408	Yersinia culture	나407	B4142	175.34	12,010	175.34	12,290
1050	C637	Zn protoporphyrin	나43	BX043	28.26	1,940	28.26	1,980
1051	C452	Zn(S)	나452	C4523670	313.68	21,490	313.68	21,990
1052	C459	Zn(U)	나452	C4523670	313.68	21,490	313.68	21,990
1053	D705	Zonisamide(Excegran)	나450	CX374690	325.85	22,320	325.85	22,840
1054	S450	α 1-Antitrypsin	나222	C2220	123.91	8,490	123.91	8,690
1055	E300	α 1-Antitrypsin clearance	나222	C2220 \times 2	247.82	16,980	247.82	17,380
1056	S448	β 2-microglobulin(S)	나223	C2230	175.95	12,050	175.95	12,330
1057	C617	β 2-microglobulin(U)	나223	C2230	175.95	12,050	175.95	12,330
1058	E424	β -hCG	나352	C3520	212.70	14,570	212.70	14,910
1059	C162	β -Lipoprotein	나247	C2470	109.76	7,520	109.76	7,690
1060	C107	γ -GT	나271	B2710	42.95	2,940	42.95	3,010
1061	C460	δ -ALA(Aminolevulinic acid)	나450	C4503390	124.99	8,560	124.99	8,760