

2015년 급여 항목 변경 내역

별첨2

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
1	U108	Bilirubin(RU)	나3	B0030	28.27	2,040	2,100
2	U109	Blood(RU)					
3	U113	Color(RU)					
4	U105	Glucose(RU)					
5	U106	Ketone(RU)					
6	U101	Nitrite(RU)					
7	U103	pH(RU)					
8	U104	Protein(RU)					
9	U110	Specific Gravity(RU)					
10	U107	Urobilinogen(RU)					
11	U102	WBC(RU)					
12	S601	Cell Count(fluid)	나51	B0510	51.91	3,750	3,860
13	S602	Cell Count(diff)					
14	U119	Color(fluid)					
15	C601	PH(fluid)					
16	C962	Specific Gravity(fluid)					
17	X101	Band Neutrophil	나109	B1091	25.35	1,830	1,890
18	X106	Basophil					
19	X108	Blast					
20	X105	Eosinophil					
21	X103	Lymphocyte					
22	X114	Metamyelocyte					
23	X104	Monocyte					
24	X109	Myelocyte					
25	X102	Neutrophil Segment					
26	X107	N-RBC					
27	X115	Promyelocyte	너271	CX271006	158.71	11,460	11,810
28	C621	Acetoacetate					
29	C619	Total ketone					
30	C622	β-Hydroxy butyric acid	나4	B0042	9.14	660	680
31	B104	Wet smear					
32	U111	요침사(Flow cytometry)	나4-1	B0043	16.74	1,210	1,250
33	H431	Hemosiderin	나7	B0070	27.46	1,980	2,040
34	S749	Mucin clot test	나54	B0540	11.58	840	860
35	M103	Stool parasite	나61	B0613	21.83	1,580	1,620
36	B103	요충란검사(스카치테이프법)	나62	B0620	16.73	1,210	1,240
37	H651	Protozoa	나63	B0630	23.95	1,730	1,780
38	H138	Trematodes Examination	나64	B0641	51.04	3,690	3,800
39	U118	Occult Blood(정량)	나65-1	B0653	65.85	4,750	4,900
40	S777	Fat(정성)	나67	B0670	13.93	1,010	1,040
41	B416	Stool WBC	나67-1	B0675	9.75	700	730

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
42	H652	Egg Count	나68	B0680	29.10	2,100	2,170
43	H105	Hb	나101	B1010	16.96	1,220	1,260
44	H104	Hct	나102	B1020	10.94	790	810
45	H110	ESR	나103	B1033	10.28	740	760
46	H102	RBC(B)	나104	B1040	10.97	790	820
47	H103	WBC(B)	나105	B1050	10.99	790	820
48	H121	Platelet	나106	B1060	12.99	940	970
49	H122	Eosinophil Count	나107	B1070	12.41	900	920
50	H123	Reticulocyte	나108	B1081	20.21	1,460	1,500
51	K403	Unmatured Reticulocyte Fractionation	나108-1	B1085	17.29	1,250	1,290
52	H124	PB morphology	나110	B1100006	75.56	5,460	5,620
53	H403	골수검사(도말검사)	나111	B1113	577.75	41,710	42,980
54	H401	Osmotic fragility test	나113	B1131006	91.22	6,590	6,790
55	H402	Malaria	나115	B1150006	47.83	3,450	3,560
56	B706	Acid Phosphatase Stain	나118	B1182006	83.27	6,010	6,200
57	H637	TRAP stain	나118	B1182006	83.27	6,010	6,200
58	H505	Sudan black B stain	나118	B1183006	83.89	6,060	6,240
59	H410	Iron stain	나118	B1185006	87.45	6,310	6,510
60	H408	Peroxidase stain	나118	B1186006	83.11	6,000	6,180
61	H409	PAS stain(Blood)	나118	B1187006	86.41	6,240	6,430
62	M406	ANAE	나118	B1188006	84.92	6,130	6,320
63	M106	Nonspecific esterase stain	나118	B1188006	84.92	6,130	6,320
64	M520	Reticulin stain	나118	B1189006	83.84	6,050	6,240
65	H132	RDW	나122	B1220	5.80	420	430
66	H133	PDW	나123	B1230	5.80	420	430
67	H634	LAP Score	나126	B1260006	87.86	6,340	6,540
68	H127	PTT	나153	B1530	44.78	3,230	3,330
69	H130	Prothrombin time	나154	B1540	27.73	2,000	2,060
70	H128	Thrombin time	나156	B1560	25.19	1,820	1,870
71	H421	Antithrombin III	나158	B1580	111.80	8,070	8,320
72	H129	Factor I (fibrinogen)	나160	B1601	39.78	2,870	2,960
73	H117	FDP 정량	나161	B1613	140.82	10,170	10,480
74	Z014	Anti Xa LMWH(Heparin)	나163-1	B1634	186.95	13,500	13,910
75	H422	Factor II(2)	나169	B1691006	173.34	12,520	12,900
76	H423	Factor V(5)	나169	B1692006	171.22	12,360	12,740
77	H427	Factor VII(7)	나169	B1693006	180.51	13,030	13,430
78	H424	Factor VIII(8)	나169	B1694006	186.59	13,470	13,880
79	H425	Factor IX(9)	나169	B1695006	184.73	13,340	13,740
80	H426	Factor X(10)	나169	B1696006	168.84	12,190	12,560
81	H428	Factor X I(11)	나169	B1697006	169.58	12,240	12,620
82	H429	Factor X II(12)	나169	B1698006	158.83	11,470	11,820
83	H432	Factor X III(13)	나169	B1699006	169.62	12,250	12,620
84	H504	Lupus A.coagulant(screen)	나171	B1711	207.39	14,970	15,430
85	Z930	Lupus A.coagulant(confirm)	나171	B1712006	310.12	22,390	23,070
86	H512	D-dimer(정량)	나172	B1723	176.33	12,730	13,120

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
87	H135	Mixing test	나177	B1770006	187.15	13,510	13,920
88	H503	Factor VIII(8) Ab(Inhibitor)	나178	B1780006	209.53	15,130	15,590
89	H516	Factor IX(9) Ab(Inhibitor)	나178	B1781006	214.80	15,510	15,980
90	S485	Protein C activity	나183	B1831	207.74	15,000	15,460
91	S716	Protein C Ag	나183	B1832	182.60	13,180	13,590
92	S236	Protein S activity	나184	B1841	201.16	14,520	14,970
93	S998	Protein S Ag total	나184	B1842	179.03	12,930	13,320
94	S669	Protein S Free	나184	B1842	179.03	12,930	13,320
95	S956	VWF(VIII Related Ag)	나187	B1871	174.26	12,580	12,960
96	S955	VWF(Ristocetin Cofactor)	나187	B1872	208.47	15,050	15,510
97	B591	Plasminogen	나188	B1881	163.60	11,810	12,170
98	H125	ABO, Cell typing	나201	B2000	14.72	1,060	1,100
99	H885	ABO, Serum typing	나201	B2010	14.50	1,050	1,080
100	H126	Rh typing	나202	B2021	13.82	1,000	1,030
101	H173	Rh-Hr subgroup	나202	B2022006	98.10	7,080	7,300
102	H419	Du test(weak D)	나202	B2023	42.47	3,070	3,160
103	H001	Other blood(Fya,Duffy a)	나203	B2030006	70.22	5,070	5,220
104	H002	Other blood(Fyb,Duffy b)	나203	B2030006	70.22	5,070	5,220
105	H005	Other blood(Jka,Kidd a)	나203	B2030006	70.22	5,070	5,220
106	H006	Other blood(Jkb,Kidd b)	나203	B2030006	70.22	5,070	5,220
107	H003	Other blood(K)	나203	B2030006	70.22	5,070	5,220
108	H004	Other blood(k)	나203	B2030006	70.22	5,070	5,220
109	H180	Other blood(lectin A1)	나203	B2030006	70.22	5,070	5,220
110	H186	Other blood(lectin H)	나203	B2030006	70.22	5,070	5,220
111	H014	Other blood(M)	나203	B2030006	70.22	5,070	5,220
112	H015	Other blood(N)	나203	B2030006	70.22	5,070	5,220
113	H009	Other blood(s)	나203	B2030006	70.22	5,070	5,220
114	H008	Other blood(S)	나203	B2030006	70.22	5,070	5,220
115	H411	Direct coombs' test	나204	B2047006	64.93	4,690	4,830
116	H555	Direct,coombs' Anti-IgG	나204	B2047106	64.93	4,690	4,830
117	H172	Direct,coombs' Anti-C3d	나204	B2047406	64.93	4,690	4,830
118	H412	Indirect coombs' test	나204	B2048006	75.71	5,470	5,630
119	H414	Ab screening test	나206	B2061006	103.62	7,480	7,710
120	B867	Ab screening test(ID Set)	나206	B2061006	103.62	7,480	7,710
121	H415	Ab identification test	나206	B2062006	243.24	17,560	18,100
122	H924	Isoagglutinin titer	나208	B2080006	99.47	7,180	7,400
123	H112	Rh Ab titer	나208	B2080006	99.47	7,180	7,400
124	H416	Cold hemagglutination	나209	B2090006	53.63	3,870	3,990
125	H413	Donath Landsteiner test	나210	B2100006	39.88	2,880	2,970
126	H638	Ab elution test	나211	B2110006	50.37	3,640	3,750
127	C105	AST(SGOT)	나257	B2570	23.58	1,700	1,750
128	C106	ALT(SGPT)	나258	B2580	23.01	1,660	1,710
129	C110	LDH(Lactate dehydrogenase)	나259	B2590	30.05	2,170	2,240
130	C151	ACP(Acid Phosphatase)	나260	B2601	18.28	1,320	1,360
131	C550	ACP(환부 swab)	나260	B2601	18.28	1,320	1,360

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
132	C104	ALP(Alkaline phosphatase)	나260	B2602	20.09	1,450	1,490
133	C486	Amylase(other)	나261	B2611	40.93	2,960	3,050
134	C114	Amylase(S)	나261	B2611	40.93	2,960	3,050
135	C472	Amylase(U)	나261	B2611	40.93	2,960	3,050
136	C115	Lipase	나262	B2621	59.82	4,320	4,450
137	C108	CK(Creatine Kinase, CPK)	나263	B2630	55.99	4,040	4,170
138	C483	CK(other)	나263	B2630	55.99	4,040	4,170
139	C109	CK-MB(S)	나264	B2640	153.12	11,060	11,390
140	S267	LAP(Leucine aminopeptidase)	나267	B2670	40.76	2,940	3,030
141	C471	Aldolase	나269	B2690	52.89	3,820	3,940
142	C155	Cholinesterase(pseudo)	나270	B2700	39.92	2,880	2,970
143	C602	Cholinesterase(RBC activity)	나270	B2700	39.92	2,880	2,970
144	C107	γ-GT(γ-Glutamyl transferase)	나271	B2710	42.95	3,100	3,200
145	C512	Adenosine deaminase	나272	B2721	164.41	11,870	12,230
146	C511	ACE(Angiotensin converting enzyme)	나273	B2731	223.09	16,110	16,600
147	C203	G-6-PDH	나274	B2741	88.42	6,380	6,580
148	C411	Protein EP(S)	나300	B3000006	134.09	9,680	9,980
149	X708	Protein EP(S, MGSP)	나300	B3000006	134.09	9,680	9,980
150	C128	Protein EP(CSF)	나300	B3001006	142.26	10,270	10,580
151	C884	Urine Protein SDS-PAGE	나300	B3001006	142.26	10,270	10,580
152	C842	Lipoprotein EP(B.fluid)	나301	B3010006	121.64	8,780	9,050
153	C415	Lipoprotein EP(S)	나301	B3010006	121.64	8,780	9,050
154	C846	LDH EP(P.fluid)	나303	B3030006	176.33	12,730	13,120
155	C414	LDH EP(S)	나303	B3030006	176.33	12,730	13,120
156	C413	CK(CPK) EP(S)	나304	B3040006	163.72	11,820	12,180
157	C678	CK-BB(S)	나304	B3040006	163.72	11,820	12,180
158	C674	CK-MM(S)	나304	B3040006	163.72	11,820	12,180
159	C412	ALP EP	나305	B3050006	178.33	12,880	13,270
160	C608	Amylase EP(S)	나306	B3060006	136.74	9,870	10,170
161	C699	Amylase EP(U)	나306	B3060006	136.74	9,870	10,170
162	C417	Hb EP	나307	B3070006	103.13	7,450	7,670
163	C416	Immuno EP(S)	나308	B3081006	399.11	28,820	29,690
164	X718	Immuno Fixation EP IgD,IgE(S)	나308	B3082006	544.86	39,340	40,540
165	C690	Immuno Fixation EP(S)	나308	B3082006	544.86	39,340	40,540
166	C848	Immuno EP(U)	나308	B3083006	456.92	32,990	33,990
167	X719	Immuno Fixation EP IgD,IgE(U)	나308	B3084006	615.60	44,450	45,800
168	C841	Immuno Fixation EP(U)	나308	B3084006	615.60	44,450	45,800
169	M410	India ink	나401	B4010	25.28	1,830	1,880
170	B413	Candida spp. 배양	나405	B4051	168.28	12,150	12,520
171	S620	E.coli 0157 culture	나405	B4051	168.28	12,150	12,520
172	B410	Enterococcus spp. Culture	나405	B4051	168.28	12,150	12,520
173	B129	For anaerobic culture	나405	B4051	168.28	12,150	12,520
174	B003	Fungus culture	나405	B4051	168.28	12,150	12,520
175	M722	GBS culture	나405	B4051	168.28	12,150	12,520
176	S708	Neisseria gonorrhoeae culture	나405	B4051	168.28	12,150	12,520

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
177	B121	Ordinary culture	나405	B4051	168.28	12,150	12,520
178	B141	Ordinary(Blood Culture)	나405	B4051	168.28	12,150	12,520
179	B406	STD Neisseria gonorrhoeae culture	나405	B4051	168.28	12,150	12,520
180	B500	VRE Culture	나405	B4051	168.28	12,150	12,520
181	B105	환경배양검사	나405	B4051	168.28	12,150	12,520
182	B126	AFB culture(고체배지)	나405	B4054	192.40	13,890	14,310
183	B166	AFB culture(액체배지)	나405	B4055	256.11	18,490	19,050
184	B122	Antibiotic sensitivity	나406	B4061	115.73	8,360	8,610
185	B337	Antifungal sensitivity	나406	B4062	181.87	13,130	13,530
186	B405	항균제 최소억제농도 검사	나406	B4062	181.87	13,130	13,530
187	B124	AFB sensitivity	나406	B4064	564.43	40,750	41,990
188	X560	NTM sensitivity	나406	B4064	564.43	40,750	41,990
189	B701	Candida Ag	나408	B4080	79.57	5,740	5,920
190	S304	Cryptococcal Ag	나408	B4080	79.57	5,740	5,920
191	B415	Bacterial vaginosis	나400	B4101	20.76	1,500	1,540
192	B101	Gram stain	나400	B4101	20.76	1,500	1,540
193	M200	KOH Mount	나400	B4102	19.29	1,390	1,440
194	Z958	KOH Mount(Fungus Panel)	나400	B4102	19.29	1,390	1,440
195	M674	Campylobactor Culture	나407	B4142	175.34	12,660	13,050
196	M408	Yersinia culture	나407	B4142	175.34	12,660	13,050
197	E404	Urea Breath Test(Helifinder)	나415	B4156	453.64	32,750	33,750
198	S697	H.pylori Ag	나415	B4157	280.84	20,280	20,890
199	B658	Adeno virus culture	나416	B4160006	574.26	41,460	42,720
200	B705	CMV Culture	나416	B4160006	574.26	41,460	42,720
201	B852	Enterovirus culture	나416	B4160006	574.26	41,460	42,720
202	B704	HSV culture	나416	B4160006	574.26	41,460	42,720
203	B135	Influenza A virus culture	나416	B4160006	574.26	41,460	42,720
204	B136	Influenza B virus culture	나416	B4160006	574.26	41,460	42,720
205	B120	Parainfluenza virus culture	나416	B4160006	574.26	41,460	42,720
206	B137	Rhino virus culture	나416	B4160006	574.26	41,460	42,720
207	B134	RSV culture	나416	B4160006	574.26	41,460	42,720
208	B335	VZV Culture	나416	B4160006	574.26	41,460	42,720
209	H140	Dysmorphic RBC	너1	BX001006	30.16	2,180	2,240
210	C637	Zn protoporphyrin	너43	BX043	28.26	2,040	2,100
211	E525	PIVKA-II	너78	BX078	190.03	13,720	14,140
212	H515	VWF multimer	너88	BX088006	481.94	34,800	35,860
213	H635	APCR(Activated protein C)	너89	BX089	343.29	24,790	25,540
214	C170	Oligoclonal band	너182	BX182006	225.94	16,310	16,810
215	B102	AFB stain	너304	BX304	75.33	5,440	5,600
216	B133	Clostridium culture	너302	BY021	181.51	13,110	13,500
217	B164	Clostridium difficile toxin A,B	너302	BY022	133.91	9,670	9,960
218	S651	Pyrogen(Endotoxin)	너303	BY032006	125.96	9,090	9,370
219	S121	IgG Subclass I	너181	BY181	135.90	9,810	10,110
220	S122	IgG Subclass II	너181	BY182	135.90	9,810	10,110
221	S123	IgG Subclass III	너181	BY183	135.90	9,810	10,110

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
222	S124	IgG Subclass IV	너181	BY184	135.90	9,810	10,110
223	M413	Mycoplasma hominis culture	너301	BY301006	416.05	30,040	30,950
224	G246	Chlamydia culture	너301	BY302006	393.46	28,410	29,270
225	M412	Ureaplasma urealyticum culture	너301	BY303006	416.05	30,040	30,950
226	X940	CD24 Granulocyte	너42	BY422006	443.38	32,010	32,990
227	Z911	CD55(DAF)RBC	너42	BY422006	443.38	32,010	32,990
228	S256	CD59(MIRL)RBC	너42	BY422006	443.38	32,010	32,990
229	X941	FLAER(GPI-LP) Granulocyte	너42	BY422006	443.38	32,010	32,990
230	S810	PAI-1	너80	BY802	181.70	13,120	13,520
231	K089	Protein(RU,P/C ratio)	나220	C2200	17.71	1,280	1,320
232	C101	Protein,total	나220	C2200	17.71	1,280	1,320
233	C640	Protein,total(24hr U)	나220	C2200	17.71	1,280	1,320
234	C185	Protein,total(RU,CSF)	나220	C2200	17.71	1,280	1,320
235	C102	Albumin	나221	C2210	22.45	1,620	1,670
236	B592	Prealbumin	나221-1	C2215	150.79	10,890	11,220
237	S450	α1-Antitrypsin	나222	C2220	123.91	8,950	9,220
238	S448	β2-microglobulin(S)	나223	C2230	175.95	12,700	13,090
239	C617	β2-microglobulin(U)	나223	C2230	175.95	12,700	13,090
240	S189	CRP(정성)	나224	C2241	19.43	1,400	1,450
241	Z977	CRP(high sensitivity)	나224	C2243	106.53	7,690	7,930
242	S102	CRP(정량)	나224	C2243	106.53	7,690	7,930
243	S444	CH50	나225	C2250	104.79	7,570	7,800
244	S442	C3	나226	C2261	108.17	7,810	8,050
245	S443	C4	나226	C2262	106.47	7,690	7,920
246	U112	BenceJones protein	나227	C2271	13.33	960	990
247	S520	IgG(CSF)	나228	C2281	139.40	10,060	10,370
248	C421	IgG(S)	나228	C2281	139.40	10,060	10,370
249	S519	IgG(U)	나228	C2281	139.40	10,060	10,370
250	C422	IgA(S)	나228	C2282	139.93	10,100	10,410
251	C423	IgM	나228	C2283	139.97	10,110	10,410
252	C424	IgD	나228	C2284	136.12	9,830	10,130
253	C425	Total IgE	나229	C2290	237.90	17,180	17,700
254	S524	Albumin(CSF)	나230	C2302	203.50	14,690	15,140
255	S525	Albumin(U)	나230	C2302	203.50	14,690	15,140
256	S973	Microalbumin(24hr)	나230	C2302	203.50	14,690	15,140
257	S490	Microalbumin(RU)	나230	C2302	203.50	14,690	15,140
258	I086	Specific IgE C1(Penicilloyl G)	나231	C2310	223.79	16,160	16,650
259	I087	Specific IgE C2(Penicilloyl V)	나231	C2310	223.79	16,160	16,650
260	I088	Specific IgE C5(Ampicilloyl)	나231	C2310	223.79	16,160	16,650
261	I089	Specific IgE C6(Amoxycilloyl)	나231	C2310	223.79	16,160	16,650
262	I090	Specific IgE C7(Cefaclor)	나231	C2310	223.79	16,160	16,650
263	I002	Specific IgE D1(Dermatophagoides pteronyssinus)	나231	C2310	223.79	16,160	16,650
264	I001	Specific IgE D2(Dermatophagoides farinae)	나231	C2310	223.79	16,160	16,650
265	I101	Specific IgE D3(Dermatophagoides microceras)	나231	C2310	223.79	16,160	16,650
266	I005	Specific IgE E1(Cat dander)	나231	C2310	223.79	16,160	16,650

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
267	I006	Specific IgE E5(Dog dander)	나231	C2310	223.79	16,160	16,650
268	I171	Specific IgE EX1(Animal epidermals & Protein Mix)	나231	C2310	223.79	16,160	16,650
269	I021	Specific IgE F1(Egg white)	나231	C2310	223.79	16,160	16,650
270	U610	Specific IgE F10(Sesame seed)	나231	C2310	223.79	16,160	16,650
271	I015	Specific IgE F11(Buckwheat)	나231	C2310	223.79	16,160	16,650
272	I028	Specific IgE F13(Peanut)	나231	C2310	223.79	16,160	16,650
273	I034	Specific IgE F14(Soybean)	나231	C2310	223.79	16,160	16,650
274	I578	Specific IgE F17(Hazel nut)	나231	C2310	223.79	16,160	16,650
275	I025	Specific IgE F2(Cow's milk)	나231	C2310	223.79	16,160	16,650
276	I046	Specific IgE F20(Almond)	나231	C2310	223.79	16,160	16,650
277	I040	Specific IgE F207(Clam)	나231	C2310	223.79	16,160	16,650
278	I113	Specific IgE F214(Spinach)	나231	C2310	223.79	16,160	16,650
279	Z175	Specific IgE F225(Pumpkin)	나231	C2310	223.79	16,160	16,650
280	I020	Specific IgE F23(Crab)	나231	C2310	223.79	16,160	16,650
281	I152	Specific IgE F233(Ovomucoid)	나231	C2310	223.79	16,160	16,650
282	I033	Specific IgE F24(Shrimp)	나231	C2310	223.79	16,160	16,650
283	I042	Specific IgE F245(Egg)	나231	C2310	223.79	16,160	16,650
284	I036	Specific IgE F25(Tomato)	나231	C2310	223.79	16,160	16,650
285	I029	Specific IgE F253(Pine nuts)	나231	C2310	223.79	16,160	16,650
286	I043	Specific IgE F256(Walnut)	나231	C2310	223.79	16,160	16,650
287	I030	Specific IgE F26(Pork)	나231	C2310	223.79	16,160	16,650
288	I144	Specific IgE F260(Broccoli)	나231	C2310	223.79	16,160	16,650
289	I014	Specific IgE F27(Beef)	나231	C2310	223.79	16,160	16,650
290	I044	Specific IgE F290(Oyster)	나231	C2310	223.79	16,160	16,650
291	I022	Specific IgE F3(Codfish)	나231	C2310	223.79	16,160	16,650
292	I047	Specific IgE F31(Carrot)	나231	C2310	223.79	16,160	16,650
293	K621	Specific IgE F323(nGal d 3 Conalbumin, Egg)	나231	C2310	223.79	16,160	16,650
294	I026	Specific IgE F33(Orange)	나231	C2310	223.79	16,160	16,650
295	K392	Specific IgE F346(Abalone)	나231	C2310	223.79	16,160	16,650
296	I048	Specific IgE F35(Potato)	나231	C2310	223.79	16,160	16,650
297	K625	Specific IgE F352(rAra h 8 (PR-10), Peanut)	나231	C2310	223.79	16,160	16,650
298	K627	Specific IgE F353(rGly m 4 (PR-10), Soy)	나231	C2310	223.79	16,160	16,650
299	I131	Specific IgE F37(Blue mussel)	나231	C2310	223.79	16,160	16,650
300	I038	Specific IgE F4(Wheat)	나231	C2310	223.79	16,160	16,650
301	I037	Specific IgE F40(Tuna)	나231	C2310	223.79	16,160	16,650
302	I032	Specific IgE F41(Salmon)	나231	C2310	223.79	16,160	16,650
303	X572	Specific IgE F416(Omega-5-gliadin)	나231	C2310	223.79	16,160	16,650
304	K622	Specific IgE F422(rAra h 1, Peanut)	나231	C2310	223.79	16,160	16,650
305	K623	Specific IgE F423(rAra h 2, Peanut)	나231	C2310	223.79	16,160	16,650
306	K624	Specific IgE F424(rAra h 3, Peanut)	나231	C2310	223.79	16,160	16,650
307	K626	Specific IgE F427(rAra h 9 (LTP), Peanut)	나231	C2310	223.79	16,160	16,650
308	K628	Specific IgE F431(nGly m 5 (β-conglycinin), Soy)	나231	C2310	223.79	16,160	16,650
309	K629	Specific IgE F432(nGly m 6 (Glycinin), Soy)	나231	C2310	223.79	16,160	16,650
310	I035	Specific IgE F44(Strawberry)	나231	C2310	223.79	16,160	16,650
311	I039	Specific IgE F45(Yeast/Baker's)	나231	C2310	223.79	16,160	16,650

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
312	I596	Specific IgE F47(Garlic)	나231	C2310	223.79	16,160	16,650
313	I049	Specific IgE F48(Onion)	나231	C2310	223.79	16,160	16,650
314	I012	Specific IgE F49(Apple)	나231	C2310	223.79	16,160	16,650
315	X155	Specific IgE F5(Rye)	나231	C2310	223.79	16,160	16,650
316	I018	Specific IgE F50(Chub mackerel)	나231	C2310	223.79	16,160	16,650
317	I102	Specific IgE F6(Barley)	나231	C2310	223.79	16,160	16,650
318	U606	Specific IgE F75(Egg yolk)	나231	C2310	223.79	16,160	16,650
319	U608	Specific IgE F76(α -lactoalbumin)	나231	C2310	223.79	16,160	16,650
320	U607	Specific IgE F77(β -lactoglobulin)	나231	C2310	223.79	16,160	16,650
321	I016	Specific IgE F78(Casein)	나231	C2310	223.79	16,160	16,650
322	I024	Specific IgE F79(Gluten)	나231	C2310	223.79	16,160	16,650
323	I045	Specific IgE F8(Corn (Maize))	나231	C2310	223.79	16,160	16,650
324	U664	Specific IgE F80(Lobster)	나231	C2310	223.79	16,160	16,650
325	I110	Specific IgE F81(Cheese, cheddar)	나231	C2310	223.79	16,160	16,650
326	I111	Specific IgE F82(Cheese mold)	나231	C2310	223.79	16,160	16,650
327	I017	Specific IgE F83(Chicken meat)	나231	C2310	223.79	16,160	16,650
328	U611	Specific IgE F84(Kiwi fruit)	나231	C2310	223.79	16,160	16,650
329	I031	Specific IgE F9(Rice)	나231	C2310	223.79	16,160	16,650
330	I013	Specific IgE F92(Banana)	나231	C2310	223.79	16,160	16,650
331	I027	Specific IgE F95(Peach)	나231	C2310	223.79	16,160	16,650
332	S821	Specific IgE FX5e(food mix)	나231	C2310	223.79	16,160	16,650
333	I052	Specific IgE G1(Sweet vernal)	나231	C2310	223.79	16,160	16,650
334	I584	Specific IgE G2(Bermuda grass)	나231	C2310	223.79	16,160	16,650
335	U622	Specific IgE G3(Cocksfoot)	나231	C2310	223.79	16,160	16,650
336	I054	Specific IgE G5(Perennial rye)	나231	C2310	223.79	16,160	16,650
337	U623	Specific IgE G6(Timothy)	나231	C2310	223.79	16,160	16,650
338	I053	Specific IgE GX2(Mix grass pollen)	나231	C2310	223.79	16,160	16,650
339	I055	Specific IgE H1(House dust)	나231	C2310	223.79	16,160	16,650
340	I163	Specific IgE H2(House dust)	나231	C2310	223.79	16,160	16,650
341	I056	Specific IgE Hx2(Mix house dust)	나231	C2310	223.79	16,160	16,650
342	I059	Specific IgE I1(Honeybee venom)	나231	C2310	223.79	16,160	16,650
343	I057	Specific IgE I6(Cockroach)	나231	C2310	223.79	16,160	16,650
344	I122	Specific IgE K80(Formaldehyde)	나231	C2310	223.79	16,160	16,650
345	I065	Specific IgE K82(Latex(Brazilian rubber tree))	나231	C2310	223.79	16,160	16,650
346	I072	Specific IgE M1(Penicillium notatum)	나231	C2310	223.79	16,160	16,650
347	I069	Specific IgE M2(Cladosporium herbarum)	나231	C2310	223.79	16,160	16,650
348	U634	Specific IgE M205(Trichophyton rubrum)	나231	C2310	223.79	16,160	16,650
349	I067	Specific IgE M3(Aspergillus fumigatus)	나231	C2310	223.79	16,160	16,650
350	I068	Specific IgE M5(Candida albicans)	나231	C2310	223.79	16,160	16,650
351	I066	Specific IgE M6(Alternaria tenuis/alternata)	나231	C2310	223.79	16,160	16,650
352	U632	Specific IgE M70(Pityrosporum orbiculare)	나231	C2310	223.79	16,160	16,650
353	I098	Specific IgE M80(Staphylococcal Enterotoxin A)	나231	C2310	223.79	16,160	16,650
354	U633	Specific IgE M81(Staphylococcal Enterotoxin B)	나231	C2310	223.79	16,160	16,650
355	I070	Specific IgE Mx1(Mold mix)	나231	C2310	223.79	16,160	16,650
356	U644	Specific IgE P4(Anisakis)	나231	C2310	223.79	16,160	16,650

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
357	I078	Specific IgE T12(Willow)	나231	C2310	223.79	16,160	16,650
358	I183	Specific IgE T15(White ash)	나231	C2310	223.79	16,160	16,650
359	I079	Specific IgE T17(Japanese cedar)	나231	C2310	223.79	16,160	16,650
360	U637	Specific IgE T2(Grey alder)	나231	C2310	223.79	16,160	16,650
361	I142	Specific IgE T3(Common silver birch)	나231	C2310	223.79	16,160	16,650
362	U638	Specific IgE T4(Hazel)	나231	C2310	223.79	16,160	16,650
363	U639	Specific IgE T5(American beech)	나231	C2310	223.79	16,160	16,650
364	I074	Specific IgE T7(Oak)	나231	C2310	223.79	16,160	16,650
365	I077	Specific IgE Tx5(Tree pollen mix 5)	나231	C2310	223.79	16,160	16,650
366	I076	Specific IgE Tx9(Tree mixture)	나231	C2310	223.79	16,160	16,650
367	I080	Specific IgE W1(Short(common)ragweed)	나231	C2310	223.79	16,160	16,650
368	X053	Specific IgE W22(Humulus japonicus)	나231	C2310	223.79	16,160	16,650
369	I084	Specific IgE W6(Mugwort(sage))	나231	C2310	223.79	16,160	16,650
370	I083	Specific IgE W7(Ox-eye daisy)	나231	C2310	223.79	16,160	16,650
371	U641	Specific IgE W8(Dandelion)	나231	C2310	223.79	16,160	16,650
372	I576	Specific IgE Wx5(Weed mix)	나231	C2310	223.79	16,160	16,650
373	X681	Specific IgG4 D1 (D. pteronyssinus IgG4)	나231-1	C2311	187.63	13,550	13,960
374	X682	Specific IgG4 D2 (D. farinae IgG4)	나231-1	C2311	187.63	13,550	13,960
375	S765	MAST Allergy (Food)	나232	C2320006	1343.99	97,040	99,990
376	S715	MAST Allergy (Inhalant)	나232	C2320006	1343.99	97,040	99,990
377	C400	Transferrin(S)	나233	C2330	108.48	7,830	8,070
378	S523	Transferrin(U)	나233	C2330	108.48	7,830	8,070
379	S445	Haptoglobin	나234	C2340	120.77	8,720	8,990
380	C461	Ceruloplasmin	나235	C2350	113.91	8,220	8,470
381	Z983	Free Kappa light chain (S)	나237	C2371006	474.18	34,240	35,280
382	X710	Free Kappa light chain (S, MGSP)	나237	C2371006	474.18	34,240	35,280
383	Z982	Free Lambda light chain (S)	나237	C2372006	474.18	34,240	35,280
384	X709	Free Lambda light chain (S, MGSP)	나237	C2372006	474.18	34,240	35,280
385	C181	Free Kappa light chain (U)	나237	C2381006	474.18	34,240	35,280
386	C182	Free Lambda light chain (U)	나237	C2382006	474.18	34,240	35,280
387	C119	Cholesterol,total	나241	C2411	22.02	1,590	1,640
388	C672	Cholesterol,ester	나241	C2412	16.94	1,220	1,260
389	C120	HDL Cholesterol	나242	C2420	80.37	5,800	5,980
390	C960	Calculate LDL Cholesterol	나243	C2430	88.58	6,400	6,590
391	C121	LDL Cholesterol	나243	C2430	88.58	6,400	6,590
392	C164	Total lipid	나244	C2441	32.77	2,370	2,440
393	C163	Phospholipid	나244	C2442	29.69	2,140	2,210
394	C122	Triglyceride	나244	C2443	46.89	3,390	3,490
395	C166	Free fatty acid	나245	C2450	34.32	2,480	2,550
396	S505	Apolipoprotein A I	나246	C2461	102.63	7,410	7,640
397	S744	Apolipoprotein A II	나246	C2461	102.63	7,410	7,640
398	S504	Apolipoprotein B	나246	C2462	106.50	7,690	7,920
399	S745	Apolipoprotein C II	나246	C2463	109.49	7,910	8,150
400	S743	Apolipoprotein C III	나246	C2463	109.49	7,910	8,150
401	S818	Apolipoprotein E	나246	C2464	108.48	7,830	8,070

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
402	C162	β-Lipoprotein	나247	C2470	109.76	7,920	8,170
403	C673	Lipoprotein(a)	나248	C2480	161.26	11,640	12,000
404	C159	Iron	나249	C2490	32.95	2,380	2,450
405	C160	TIBC	나250	C2500	37.32	2,690	2,780
406	C161	UIBC	나251	C2510	37.72	2,720	2,810
407	C401	Ferritin	나252	C2520	177.83	12,840	13,230
408	C402	Vitamin B12(Cyanocobalamin)	나253	C2532	245.40	17,720	18,260
409	C403	Folate	나254	C2540	222.95	16,100	16,590
410	E430	Folate(RBC)	나254	C2540	222.95	16,100	16,590
411	C715	Carotene,total	나255	C2550	51.11	3,690	3,800
412	C433	VMA(정성)	나321	C3211	12.41	900	920
413	Z107	5-HIAA 정성	나322	C3221	15.93	1,150	1,190
414	C436	17-OHCS	나324	C3241	62.06	4,480	4,620
415	C435	17-KS	나324	C3242	58.49	4,220	4,350
416	E427	Estradiol(E2)	나326	C3260	191.10	13,800	14,220
417	E539	Free E3	나327	C3270	227.39	16,420	16,920
418	E547	Free E3(Do II)	나327	C3270	227.39	16,420	16,920
419	C217	Free E3(Integrated)	나327	C3270	227.39	16,420	16,920
420	S162	Free E3(Quad)	나327	C3270	227.39	16,420	16,920
421	C223	Free E3(Sequential test)	나327	C3270	227.39	16,420	16,920
422	E401	T3	나329	C3290	172.76	12,470	12,850
423	E408	Free T3	나330	C3300	148.14	10,700	11,020
424	E402	T4	나333	C3330	164.03	11,840	12,200
425	E406	Free T4	나334	C3340	173.49	12,530	12,910
426	S477	Neonatal Free T4	나334	C3340	173.49	12,530	12,910
427	S431	Thyroglobulin	나335	C3350	195.98	14,150	14,580
428	S476	Neonatal TSH	나336	C3360	225.02	16,250	16,740
429	E403	TSH	나336	C3360	225.02	16,250	16,740
430	X946	TSH-receptor Ab(ECLIA)	나339	C3390	230.21	16,620	17,130
431	E412	Intact PTH	나340	C3400	294.34	21,250	21,900
432	E441	Insulin	나341	C3410	179.71	12,980	13,370
433	E417	HGH(S)	나342	C3420	178.72	12,900	13,300
434	S434	C-peptide	나343	C3430	202.69	14,630	15,080
435	E428	Progesterone	나346	C3460	150.45	10,860	11,190
436	B714	17a-OHP(hydroxypro.neona)	나347	C3470	152.06	10,980	11,310
437	E422	LH	나348	C3480	152.68	11,020	11,360
438	E421	FSH	나350	C3500	159.41	11,510	11,860
439	E423	Prolactin	나351	C3510	166.15	12,000	12,360
440	E544	HCG(Do I)	나352	C3520	212.70	15,360	15,820
441	E546	hCG(Do II)	나352	C3520	212.70	15,360	15,820
442	C216	hCG(Integrated)	나352	C3520	212.70	15,360	15,820
443	S164	hCG(Quad)	나352	C3520	212.70	15,360	15,820
444	C222	hCG(Sequential test)	나352	C3520	212.70	15,360	15,820
445	E865	Total hCG	나352	C3520	212.70	15,360	15,820
446	E424	β-hCG	나352	C3520	212.70	15,360	15,820

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
447	E411	Calcitonin	나356	C3560	156.46	11,300	11,640
448	S502	Erythropoietin	나357	C3570	241.49	17,440	17,970
449	E502	Pepsinogen II	나362	C3620	209.54	15,130	15,590
450	E501	Pepsinogen I	나362	C3620	209.54	15,130	15,590
451	G059	CO-Oximeter(Met & Carboxy Hb)	나370	C3700	160.26	11,570	11,920
452	C150	Glucose(Gestational GTT)	나371	C3711	17.32	1,250	1,290
453	C485	Glucose(other)	나371	C3711	17.32	1,250	1,290
454	C180	Glucose(P)	나371	C3711	17.32	1,250	1,290
455	C213	Glucose(PP2,P)	나371	C3711	17.32	1,250	1,290
456	C212	Glucose(PP2,S)	나371	C3711	17.32	1,250	1,290
457	C123	Glucose(S)	나371	C3711	17.32	1,250	1,290
458	C477	Glucose(U)	나371	C3711	17.32	1,250	1,290
459	C103	Bilirubin, total	나372	C3720	17.31	1,250	1,290
460	C130	Direct Bilirubin	나372	C3721	17.55	1,270	1,310
461	C117	BUN	나373	C3730	21.52	1,550	1,600
462	C474	BUN(U)	나373	C3730	21.52	1,550	1,600
463	C116	Creatinine	나375	C3750	16.75	1,210	1,250
464	K090	Creatinine(RU,P/C ratio)	나375	C3750	16.75	1,210	1,250
465	C476	Creatinine(U)	나375	C3750	16.75	1,210	1,250
466	K007	eGFR(MDRD)	나375	C3750	16.75	1,210	1,250
467	C201	Ccr(Creatinine clearance)	나376	C3760	44.35	3,200	3,300
468	C118	Uric acid	나378	C3780	17.89	1,290	1,330
469	C479	Uric acid(U)	나378	C3780	17.89	1,290	1,330
470	C111	Na(Sodium)	나379	C3791	15.64	1,130	1,160
471	C482	Na(Sodium, U)	나379	C3791	15.64	1,130	1,160
472	C112	K(Potassium)	나379	C3792	16.87	1,220	1,260
473	C481	K(Potassium, U)	나379	C3792	16.87	1,220	1,260
474	C113	Cl(Chloride)	나379	C3793	14.68	1,060	1,090
475	C480	Cl(Chloride, U)	나379	C3793	14.68	1,060	1,090
476	C478	Inorganic-phosphorus(U)	나379	C3794	15.15	1,090	1,130
477	C158	Inorganic-phosphorus	나379	C3794	15.15	1,090	1,130
478	C154	Calcium	나379	C3795	15.94	1,150	1,190
479	C475	Calcium(U)	나379	C3795	15.94	1,150	1,190
480	C153	Ionized Calcium	나379	C3796	81.11	5,860	6,030
481	C448	Mg (Magnesium)	나379	C3797	23.99	1,730	1,780
482	U132	Osmolality(S)	나380	C3800	54.50	3,930	4,050
483	U120	Osmolality(U)	나380	C3800	54.50	3,930	4,050
484	C528	Total CO2	나381	C3812	45.04	3,250	3,350
485	C878	Fetal Hb	나382	C3824	66.78	4,820	4,970
486	C431	HbA1c	나382	C3825	103.57	7,480	7,710
487	C429	Plasma hemoglobin	나383	C3830	50.45	3,640	3,750
488	S446	Myoglobin(S)	나384	C3842	234.10	16,900	17,420
489	U115	Myoglobin(U)	나384	C3842	234.10	16,900	17,420
490	C463	Ketone 정성	나386	C3860	75.95	5,480	5,650
491	C165	Ammonia	나387	C3870	62.85	4,540	4,680

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
492	U121	Coproporphyrin(정성)	나389	C3891	9.88	710	740
493	C698	PBG(정성)	나389	C3891	9.88	710	740
494	U125	Porphyrin(정성)	나389	C3891	9.88	710	740
495	U122	Uroporphyrin(정성)	나389	C3891	9.88	710	740
496	U131	Coproporphyrin(정량)	나389	C3892	44.42	3,210	3,300
497	U123	PBG(정량)	나389	C3892	44.42	3,210	3,300
498	U130	Uroporphyrin(정량)	나389	C3892	44.42	3,210	3,300
499	C200	Stone analysis	나391	C3910006	79.95	5,770	5,950
500	C427	Selectivity index	나392	C3920	290.14	20,950	21,590
501	S735	Deoxypyridinoline	나393	C3930	182.85	13,200	13,600
502	Z003	NTx	나393-1	C3931	180.54	13,030	13,430
503	S641	CTx	나393-2	C3932	181.32	13,090	13,490
504	S757	Troponin-T(high sensitive)	나394	C3941	162.75	11,750	12,110
505	E301	Troponin-I	나394	C3942	164.34	11,870	12,230
506	C406	Fructosamine	나397	C3970	87.52	6,320	6,510
507	C547	Bone ALP	나398	C3980	91.46	6,600	6,800
508	C709	Indocyanine green(R15)	나399	C3991006	245.82	17,750	18,290
509	C818	Indocyanine green(Rmax)	나399	C3992006	403.65	29,140	30,030
510	C409	AFP	나421	C4212	171.76	12,400	12,780
511	E543	AFP(Do I)	나421	C4212	171.76	12,400	12,780
512	E545	AFP(Do II)	나421	C4212	171.76	12,400	12,780
513	C215	AFP(Integrated)	나421	C4212	171.76	12,400	12,780
514	Z960	AFP(NT Screen)	나421	C4212	171.76	12,400	12,780
515	E952	AFP(other)	나421	C4212	171.76	12,400	12,780
516	S163	AFP(Quad)	나421	C4212	171.76	12,400	12,780
517	C221	AFP(Sequential test)	나421	C4212	171.76	12,400	12,780
518	E550	AFP(양수)	나421	C4212	171.76	12,400	12,780
519	C408	CEA	나422	C4220	230.59	16,650	17,160
520	E953	CEA(other)	나422	C4220	230.59	16,650	17,160
521	S464	CA19-9	나423	C4230	263.56	19,030	19,610
522	S463	CA125	나424	C4240	253.63	18,310	18,870
523	E514	CA72-4	나426	C4260	280.19	20,230	20,850
524	S468	PSA	나428	C4280	241.06	17,400	17,930
525	C168	PAP(Prostatic acid phosphatase)	나429	C4290	140.11	10,120	10,420
526	C551	PAP(환부 swab)	나429	C4290	140.11	10,120	10,420
527	S465	Neuronspecific enolase(NSE)	나431	C4310	310.84	22,440	23,130
528	S469	CA15-3	나433	C4330	251.58	18,160	18,720
529	H977	HCV RNA(정량)	나424	C4424006	1127.20	81,380	83,860
530	B713	Leucine	나443	C4432006	277.94	20,070	20,680
531	B712	Methionine	나443	C4432006	277.94	20,070	20,680
532	B710	Phenylalanine	나443	C4432006	277.94	20,070	20,680
533	K597	Mucopolysaccharide 선별	나444	C4442	59.36	4,290	4,420
534	C658	Very long chain fatty acid	나445	C4450	1128.77	81,500	83,980
535	D704	Acetaminophen(Tylenol)	나450	C4503390	124.99	9,020	9,300
536	C850	Aspirin(Salicylic acid)	나450	C4503390	124.99	9,020	9,300

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
537	C460	δ-ALA(Aminolevulinic acid)	나450	C4503390	124.99	9,020	9,300
538	D405	Phenobarbital(Luminal)	나450	C4504020	252.59	18,240	18,790
539	D401	Carbamazepine(Tegretol)	나450	C4504030	252.59	18,240	18,790
540	D407	Phenytoin(Dilantin)	나450	C4504050	252.59	18,240	18,790
541	D409	Valproic acid(Orfil)	나450	C4504060	252.59	18,240	18,790
542	D402	Digoxin(Lanovin, Dinoxin)	나450	C4504090	252.59	18,240	18,790
543	D406	Theophylline(Aminophylline)	나450	C4504110	252.59	18,240	18,790
544	D404	Gentamicin	나450	C4504120	252.59	18,240	18,790
545	S972	Methotrexate(MTX)	나450	C4504130	252.59	18,240	18,790
546	C714	Vancomycin	나450	C4504160	252.59	18,240	18,790
547	D422	Amikacin(Amikin)	나450	C4504390	252.59	18,240	18,790
548	B568	Tacrolimus(FK506)	나450	C4504390	252.59	18,240	18,790
549	D424	Tobramycin	나450	C4504390	252.59	18,240	18,790
550	C447	Li(Lithium)	나452	C4523610	313.68	22,650	23,340
551	C445	Cu(Copper, S)	나452	C4523620	313.68	22,650	23,340
552	C450	Cu(Copper, U)	나452	C4523620	313.68	22,650	23,340
553	C451	Pb(Lead)	나452	C4523630	313.68	22,650	23,340
554	C446	Hg(Mercury)	나452	C4523640	313.68	22,650	23,340
555	C442	Cd(Cadmium)	나452	C4523650	313.68	22,650	23,340
556	C449	Mn(Manganese)	나452	C4523660	313.68	22,650	23,340
557	C452	Zn(Zinc, S)	나452	C4523670	313.68	22,650	23,340
558	C459	Zn(Zinc, U)	나452	C4523670	313.68	22,650	23,340
559	H189	Selenium(S)	나452	C4523990	313.68	22,650	23,340
560	S553	Selenium(WB)	나452	C4523990	313.68	22,650	23,340
561	E534	Cu(Copper, tissue)	나452	C4527620	619.40	44,720	46,080
562	Z007	Iron(tissue)	나452	C4527990	619.40	44,720	46,080
563	S951	VDRL(정성)	나460	C4600	18.35	1,320	1,370
564	S952	VDRL(정량)	나460	C4601	33.05	2,390	2,460
565	S019	RPR(정밀)	나460-1	C4602	25.73	1,860	1,910
566	S020	TPLA(정밀)	나461-1	C4612	123.74	8,930	9,210
567	S440	FTA-ABS IgG	나462	C4620006	158.40	11,440	11,780
568	S472	FTA-ABS IgM	나462	C4620006	158.40	11,440	11,780
569	S792	Leptospira Ab(MAT. Korea 4종)	나462	C4620006	158.40	11,440	11,780
570	S101	ASO(정성)	나463	C4631	28.79	2,080	2,140
571	S831	ASO(정량)	나463	C4633	107.52	7,760	8,000
572	S115	Widal test	나464	C4640	42.28	3,050	3,150
573	S474	H.pylori IgM	나465	C4650	202.97	14,650	15,100
574	S731	H.pylori IgG	나465	C4650	202.97	14,650	15,100
575	S455	Leptospira Ab	나466	C4661020	113.14	8,170	8,420
576	S962	M.tuberculosis Ab	나466	C4661190	113.14	8,170	8,420
577	X149	Aspergillus Ab IgG	나467	C4672236	190.48	13,750	14,170
578	S700	Trichinella Ab	나467	C4672296	190.48	13,750	14,170
579	S413	Rubella IgG	나468	C4682416	273.64	19,760	20,360
580	S411	CMV IgG	나468	C4682426	273.64	19,760	20,360
581	S427	EBV VCA IgG(EIA)	나468	C4682436	273.64	19,760	20,360

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
582	S966	EBV EA-DR IgG	나468	C4682446	273.64	19,760	20,360
583	S963	EBV EBNA IgG	나468	C4682456	273.64	19,760	20,360
584	S416	Herpes IgG	나468	C4682466	273.64	19,760	20,360
585	S589	HSV Type I IgG(S)	나468	C4682466	273.64	19,760	20,360
586	S590	HSV Type II IgG(S)	나468	C4682466	273.64	19,760	20,360
587	S791	Hantaan Ab(Korea 4종)	나468	C4682476	273.64	19,760	20,360
588	S417	Hantaan virus Ab(정량)	나468	C4682476	273.64	19,760	20,360
589	S423	Measle IgG	나468	C4682486	273.64	19,760	20,360
590	S429	VZV IgG	나468	C4682496	273.64	19,760	20,360
591	S506	VZV IgG(CSF)	나468	C4682496	273.64	19,760	20,360
592	S424	Mumps IgG	나468	C4682506	273.64	19,760	20,360
593	S950	Adeno virus IgG	나468	C4682516	273.64	19,760	20,360
594	S816	RSV IgG	나468	C4682536	273.64	19,760	20,360
595	S704	HTLV-I,II Ab(CSF)	나468	C4682596	273.64	19,760	20,360
596	S703	HTLV-I,II Ab(S)	나468	C4682596	273.64	19,760	20,360
597	S414	Rubella IgM	나468	C4683416	261.00	18,840	19,420
598	S412	CMV IgM	나468	C4683426	261.00	18,840	19,420
599	S428	EBV VCA IgM(EIA)	나468	C4683436	261.00	18,840	19,420
600	S721	EBV EA-DR IgM	나468	C4683446	261.00	18,840	19,420
601	S970	EBV EBNA IgM	나468	C4683456	261.00	18,840	19,420
602	S420	Herpes IgM	나468	C4683466	261.00	18,840	19,420
603	S430	Measle IgM	나468	C4683486	261.00	18,840	19,420
604	S959	VZV IgM	나468	C4683496	261.00	18,840	19,420
605	S507	VZV IgM(CSF)	나468	C4683496	261.00	18,840	19,420
606	S425	Mumps IgM	나468	C4683506	261.00	18,840	19,420
607	S492	Adeno virus IgM	나468	C4683516	261.00	18,840	19,420
608	S817	RSV IgM	나468	C4683536	261.00	18,840	19,420
609	Z995	CMV Antigenemia	나469	C4690426	203.37	14,680	15,130
610	B108	Adeno virus Ag	나469	C4690516	203.37	14,680	15,130
611	S415	Rotavirus Ag	나469	C4690526	203.37	14,680	15,130
612	B106	Respiratoryvirus Antigen Screening 5종	나469	C4690536	203.37	14,680	15,130
613	B109	RSV Ag	나469	C4690536	203.37	14,680	15,130
614	K495	Norovirus Ag	나469	C4690596	203.37	14,680	15,130
615	S457	Heterophil Ab	나470	C4701	81.03	5,850	6,030
616	S418	AIDS Ag/Ab(Combo)	나471	C4713	142.99	10,320	10,640
617	X881	Clonorchis sinensis Ab IgG	나472	C4722616	269.38	19,450	20,040
618	X883	Cysticercosis Ab IgG	나472	C4722616	269.38	19,450	20,040
619	X882	Paragonimus westermani Ab IgG	나472	C4722616	269.38	19,450	20,040
620	X884	Sparganum Ab IgG	나472	C4722616	269.38	19,450	20,040
621	S454	Toxoplasma IgG	나472	C4722616	269.38	19,450	20,040
622	S625	Toxocara canis Ab, IgG	나472	C4722796	269.38	19,450	20,040
623	S471	Toxoplasma IgM	나472	C4723616	269.38	19,450	20,040
624	S458	Mycoplasma Ab	나474	C4741820	59.99	4,330	4,460
625	S789	Chlamydia Pneumoniae IgG	나474	C4742816	207.72	15,000	15,450
626	S881	Chlamydia Trachomatis Ab IgG	나474	C4742816	207.72	15,000	15,450

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
627	C548	Mycoplasma pneumoniae IgG	나474	C4742826	207.72	15,000	15,450
628	S706	O. tsutsugamushi Ab(IFA)	나474	C4742836	207.72	15,000	15,450
629	S794	O. tsutsugamushi(scrub typhus Korea 4종)	나474	C4742836	207.72	15,000	15,450
630	S793	R.typhi(murine typhus Korea 4종)	나474	C4742836	207.72	15,000	15,450
631	S790	Chlamydia Pneumoniae IgM	나474	C4743816	205.84	14,860	15,310
632	S882	Chlamydia Trachomatis Ab IgM	나474	C4743816	205.84	14,860	15,310
633	C549	Mycoplasma pneumoniae IgM	나474	C4743826	205.84	14,860	15,310
634	Z004	Aspergillus Ag	나475	C4752996	308.29	22,260	22,940
635	E526	HBs Ag(CIA)	나480	C4802	138.37	9,990	10,290
636	E527	HBs Ab(CIA)	나481	C4812	148.74	10,740	11,070
637	E530	HBe Ag	나482	C4822	207.02	14,950	15,400
638	E531	HBe Ab	나483	C4832	208.04	15,020	15,480
639	E528	HBc Ab	나484	C4841	211.54	15,270	15,740
640	E529	HBc Ab IgM	나484	C4842	197.17	14,240	14,670
641	S606	HBV DNA real-time PCR 정량	나485	C4854006	894.88	64,610	66,580
642	X706	HAV Ab IgG	나486	C4861	164.56	11,880	12,240
643	S407	HAV Ab IgM	나486	C4862	238.23	17,200	17,720
644	Z904	HCV Ab	나487	C4872	207.31	14,970	15,420
645	S634	HCV Immuno Blot Assay	나487	C4873006	559.00	40,360	41,590
646	S111	RA Factor(정성)	나490	C4901	20.20	1,460	1,500
647	S112	RA Factor(정량)	나490	C4903	104.97	7,580	7,810
648	S452	FANA	나491	C4912006	157.37	11,360	11,710
649	S449	FANA(정량)	나491	C4913006	282.46	20,390	21,020
650	S451	Anti ds-DNA Ab IgG	나492	C4922	254.88	18,400	18,960
651	E685	Anti ds-DNA Ab IgM	나492	C4922	254.88	18,400	18,960
652	S432	Thyroglobulin Ab	나494	C4940	169.45	12,230	12,610
653	S433	Anti Microsome Ab(TPO Ab)	나495	C4952	223.74	16,150	16,650
654	S435	Anti Mitochondria Ab	나496	C4962	132.55	9,570	9,860
655	S439	Smooth muscle Ab	나497	C4972	131.16	9,470	9,760
656	S732	Anti Phospholipid IgG (EIA)	나498	C4982006	274.51	19,820	20,420
657	S784	Anti Phospholipid IgM (EIA)	나498	C4983006	275.25	19,870	20,480
658	S924	Anti neutr.C-Ab(ANCA)	나499	C4991006	163.44	11,800	12,160
659	S231	ANCA(정량) (IFA)	나499	C4992006	329.57	23,790	24,520
660	H417	Cryoglobulin	나500	C5001	31.27	2,260	2,330
661	H420	Anti platelet Ab	나501	C5012006	251.60	18,170	18,720
662	S475	Platelet associated Ab	나502	C5022006	251.60	18,170	18,720
663	S494	Anti Cardiolipin IgG	나503	C5032	262.41	18,950	19,520
664	S495	Anti Cardiolipin IgM	나503	C5033	262.41	18,950	19,520
665	S332	Anti Cardiolipin IgA	나503	C5034	262.41	18,950	19,520
666	S518	Anti gastric parietal Ab	나504	C5040	78.08	5,640	5,810
667	S094	Anti β 2-GPI IgG	나506	C5061	262.41	18,950	19,520
668	S095	Anti β 2-GPI IgM	나506	C5062	262.41	18,950	19,520
669	S510	CD3 (WB)	나512	C5120006	451.56	32,600	33,600
670	S528	CD4 (WB)	나512	C5120006	451.56	32,600	33,600
671	S529	CD8 (WB)	나512	C5120006	451.56	32,600	33,600

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
672	S511	CD19 (WB)	나512	C5120006	451.56	32,600	33,600
673	S771	CD16+CD56 (WB)	나512	C5120006	451.56	32,600	33,600
674	S512	TdT(Terminal deoxynucleotidyl transferase)	나513	C5130006	665.23	48,030	49,490
675	A030	PRA 선별(Class I)	나522	C5221006	752.81	54,350	56,010
676	M741	PRA 선별(Class II)	나522	C5221006	752.81	54,350	56,010
677	M742	PRA 동정(Class I)	나522	C5222006	1308.12	94,450	97,320
678	M743	PRA 동정(Class II)	나522	C5222006	1308.12	94,450	97,320
679	B002	Legionella urinary Ag	나531	C5310	100.26	7,240	7,460
680	M439	Histopathology(L,≤15)	나550	C5500	882.23	63,700	65,640
681	M435	Histopathology(L,≥16)	나550	C5504	1234.92	89,160	91,880
682	H529	Bone section	나552	C5520	346.62	25,030	25,790
683	H525	Masson's trichrome stain	나553	C5532	123.77	8,940	9,210
684	K491	면역세포화학염색(Calretinin)	나557	C5575006	518.78	37,460	38,600
685	K492	면역세포화학염색(CD45/LCA)	나557	C5575006	518.78	37,460	38,600
686	K493	면역세포화학염색(CD68)	나557	C5575006	518.78	37,460	38,600
687	K490	면역세포화학염색(CK(AE1/AE3))	나557	C5575006	518.78	37,460	38,600
688	K494	면역세포화학염색(D2-40)	나557	C5575006	518.78	37,460	38,600
689	K410	면역조직화학염색(ALK)	나557	C5575006	518.78	37,460	38,600
690	K550	면역조직화학염색(Bcl-2)	나557	C5575006	518.78	37,460	38,600
691	K551	면역조직화학염색(Bcl-6)	나557	C5575006	518.78	37,460	38,600
692	K191	면역조직화학염색(Calponin)	나557	C5575006	518.78	37,460	38,600
693	K192	면역조직화학염색(Calretinin)	나557	C5575006	518.78	37,460	38,600
694	K553	면역조직화학염색(CD10)	나557	C5575006	518.78	37,460	38,600
695	K559	면역조직화학염색(CD138)	나557	C5575006	518.78	37,460	38,600
696	K413	면역조직화학염색(CD15)	나557	C5575006	518.78	37,460	38,600
697	K552	면역조직화학염색(CD1a)	나557	C5575006	518.78	37,460	38,600
698	K554	면역조직화학염색(CD20)	나557	C5575006	518.78	37,460	38,600
699	K555	면역조직화학염색(CD23)	나557	C5575006	518.78	37,460	38,600
700	K411	면역조직화학염색(CD3)	나557	C5575006	518.78	37,460	38,600
701	K414	면역조직화학염색(CD30)	나557	C5575006	518.78	37,460	38,600
702	K556	면역조직화학염색(CD31)	나557	C5575006	518.78	37,460	38,600
703	H707	면역조직화학염색(CD34)	나557	C5575006	518.78	37,460	38,600
704	K557	면역조직화학염색(CD43)	나557	C5575006	518.78	37,460	38,600
705	X906	면역조직화학염색(CD45/LCA)	나557	C5575006	518.78	37,460	38,600
706	K412	면역조직화학염색(CD5)	나557	C5575006	518.78	37,460	38,600
707	X753	면역조직화학염색(CD56)	나557	C5575006	518.78	37,460	38,600
708	K630	면역조직화학염색(CD61)	나557	C5575006	518.78	37,460	38,600
709	H542	면역조직화학염색(CD68)	나557	C5575006	518.78	37,460	38,600
710	K558	면역조직화학염색(CD79a)	나557	C5575006	518.78	37,460	38,600
711	X842	면역조직화학염색(CEA)	나557	C5575006	518.78	37,460	38,600
712	X751	면역조직화학염색(Chromogranin A)	나557	C5575006	518.78	37,460	38,600
713	H533	면역조직화학염색(CK(AE1/AE3))	나557	C5575006	518.78	37,460	38,600
714	X748	면역조직화학염색(CK19)	나557	C5575006	518.78	37,460	38,600
715	X844	면역조직화학염색(CK20)	나557	C5575006	518.78	37,460	38,600
716	X840	면역조직화학염색(CK5/6)	나557	C5575006	518.78	37,460	38,600

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
717	X841	면역조직화학염색(CK7)	나557	C5575006	518.78	37,460	38,600
718	X747	면역조직화학염색(C-Kit(CD117))	나557	C5575006	518.78	37,460	38,600
719	X943	면역조직화학염색(CMV)	나557	C5575006	518.78	37,460	38,600
720	K560	면역조직화학염색(CyclinD1)	나557	C5575006	518.78	37,460	38,600
721	K415	면역조직화학염색(D2-40)	나557	C5575006	518.78	37,460	38,600
722	H538	면역조직화학염색(Desmin)	나557	C5575006	518.78	37,460	38,600
723	X746	면역조직화학염색(E-cadherin)	나557	C5575006	518.78	37,460	38,600
724	X743	면역조직화학염색(EGFR)	나557	C5575006	518.78	37,460	38,600
725	S419	면역조직화학염색(EMA)	나557	C5575006	518.78	37,460	38,600
726	K057	면역조직화학염색(Galectin 3)	나557	C5575006	518.78	37,460	38,600
727	K055	면역조직화학염색(GFAP)	나557	C5575006	518.78	37,460	38,600
728	K631	면역조직화학염색(Glycophorin A)	나557	C5575006	518.78	37,460	38,600
729	K561	면역조직화학염색(GranzymeB)	나557	C5575006	518.78	37,460	38,600
730	X749	면역조직화학염색(HBME-1)	나557	C5575006	518.78	37,460	38,600
731	X745	면역조직화학염색(HER-2(C-erb B2))	나557	C5575006	518.78	37,460	38,600
732	X932	면역조직화학염색(HMB45)	나557	C5575006	518.78	37,460	38,600
733	X750	면역조직화학염색(HMW-CK)	나557	C5575006	518.78	37,460	38,600
734	K562	면역조직화학염색(HSV)	나557	C5575006	518.78	37,460	38,600
735	K563	면역조직화학염색(Kappa)	나557	C5575006	518.78	37,460	38,600
736	X754	면역조직화학염색(Ki-67)	나557	C5575006	518.78	37,460	38,600
737	K564	면역조직화학염색(Lambda)	나557	C5575006	518.78	37,460	38,600
738	K416	면역조직화학염색(Melan A)	나557	C5575006	518.78	37,460	38,600
739	K417	면역조직화학염색(MLH1)	나557	C5575006	518.78	37,460	38,600
740	K565	면역조직화학염색(MPO)	나557	C5575006	518.78	37,460	38,600
741	K418	면역조직화학염색(MSH2)	나557	C5575006	518.78	37,460	38,600
742	K419	면역조직화학염색(MSH6)	나557	C5575006	518.78	37,460	38,600
743	K566	면역조직화학염색(MUM1)	나557	C5575006	518.78	37,460	38,600
744	X755	면역조직화학염색(p16)	나557	C5575006	518.78	37,460	38,600
745	K568	면역조직화학염색(P504S)	나557	C5575006	518.78	37,460	38,600
746	X744	면역조직화학염색(p53)	나557	C5575006	518.78	37,460	38,600
747	K567	면역조직화학염색(p57)	나557	C5575006	518.78	37,460	38,600
748	X843	면역조직화학염색(p63)	나557	C5575006	518.78	37,460	38,600
749	H530	면역조직화학염색(S-100)	나557	C5575006	518.78	37,460	38,600
750	H537	면역조직화학염색(SMA)	나557	C5575006	518.78	37,460	38,600
751	X752	면역조직화학염색(Synaptophysin)	나557	C5575006	518.78	37,460	38,600
752	K570	면역조직화학염색(TDT)	나557	C5575006	518.78	37,460	38,600
753	K056	면역조직화학염색(TTF-1)	나557	C5575006	518.78	37,460	38,600
754	H113	면역조직화학염색(Vimentin)	나557	C5575006	518.78	37,460	38,600
755	S795	Joint fluid Microscopy(Crystal, Bacteria)	나558	C5580	52.55	3,790	3,910
756	S134	면역조직화학염색(ER)	나559	C5590	483.96	34,940	36,010
757	S133	면역조직화학염색(PR)	나559	C5590	483.96	34,940	36,010
758	M436	Histopathology(S,1~3)	나550	C5911	282.35	20,390	21,010
759	M429	Histopathology(S,4~6)	나550	C5912	380.51	27,470	28,310
760	M430	Histopathology(S,7~9)	나550	C5913	478.66	34,560	35,610
761	M431	Histopathology(S,10~12)	나550	C5914	589.09	42,530	43,830

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
762	M432	Histopathology(S,≥13)	나550	C5915	687.25	49,620	51,130
763	M437	Histopathology(M,≤6)	나550	C5916	445.87	32,190	33,170
764	M433	Histopathology(M,≥7)	나550	C5917	636.85	45,980	47,380
765	M438	Histopathology(L,≤20)	나550	C5918	1207.08	87,150	89,810
766	M434	Histopathology(L,≥21)	나550	C5919	1803.93	130,240	134,210
767	M419	Endometrium cytology	나592	C5920	89.02	6,430	6,620
768	M101	Gy cytology	나592	C5920	89.02	6,430	6,620
769	M105	Gy cytology(검진)	나592	C5920	89.02	6,430	6,620
770	M420	Non-Gy(Sputum) Cytology	나593	C5930	104.42	7,540	7,770
771	M104	Non-Gy cytology	나593	C5931	110.05	7,950	8,190
772	S873	Cell Block(체액)	나594	C5940	121.73	8,790	9,060
773	M421	Aspiration cytology	나594-1	C5941	180.66	13,040	13,440
774	M102	Cell Block(흡인)	나594-1	C5942	240.08	17,330	17,860
775	X705	액상 흡인세포검사(ThinPrep)	나594-3	C5943	392.25	28,320	29,180
776	S137	CMV PCR	나595	C5951006	426.21	30,770	31,710
777	S642	Parvovirus B19 PCR	나595	C5952006	392.46	28,340	29,200
778	M578	결핵균 PCR	나595	C5953006	407.06	29,390	30,290
779	S132	HBV DNA PCR	나595	C5954006	387.28	27,960	28,810
780	S628	EBV DNA PCR	나595	C5955006	386.82	27,930	28,780
781	K084	BK virus PCR	나595	C5956006	415.49	30,000	30,910
782	K083	Bordetella pertussis PCR	나595	C5956006	415.49	30,000	30,910
783	M734	Borrelia burgdorferi PCR	나595	C5956006	415.49	30,000	30,910
784	S678	Chlamydia pneumoniae PCR	나595	C5956006	415.49	30,000	30,910
785	M052	Gardnerella vaginalis PCR	나595	C5956006	415.49	30,000	30,910
786	M727	Haemophilus ducreyi PCR	나595	C5956006	415.49	30,000	30,910
787	S874	HPV PCR	나595	C5956006	415.49	30,000	30,910
788	S139	HPV type 16 PCR	나595	C5956006	415.49	30,000	30,910
789	S138	HPV type 18 PCR	나595	C5956006	415.49	30,000	30,910
790	S747	HSV PCR	나595	C5956006	415.49	30,000	30,910
791	S862	HSV type 1 PCR	나595	C5956006	415.49	30,000	30,910
792	S863	HSV type 2 PCR	나595	C5956006	415.49	30,000	30,910
793	S653	Human Herpes virus type 6 PCR	나595	C5956006	415.49	30,000	30,910
794	K085	JC virus PCR	나595	C5956006	415.49	30,000	30,910
795	M696	Malaria Plasmodium falciparum	나595	C5956006	415.49	30,000	30,910
796	M698	Malaria Plasmodium malariae	나595	C5956006	415.49	30,000	30,910
797	M699	Malaria Plasmodium ovale	나595	C5956006	415.49	30,000	30,910
798	M697	Malaria Plasmodium vivax	나595	C5956006	415.49	30,000	30,910
799	M695	Malaria PCR 선별검사	나595	C5956006	415.49	30,000	30,910
800	M728	Mycoplasma genitalium PCR	나595	C5956006	415.49	30,000	30,910
801	Z127	Mycoplasma hominis PCR	나595	C5956006	415.49	30,000	30,910
802	S680	Mycoplasma pneumoniae PCR	나595	C5956006	415.49	30,000	30,910
803	S683	Neisseria gonorrhoeae PCR	나595	C5956006	415.49	30,000	30,910
804	P001	Pneumocystis jirovecii(carinii) PCR	나595	C5956006	415.49	30,000	30,910
805	Z912	Salmonella PCR	나595	C5956006	415.49	30,000	30,910
806	S160	SRY gene	나595	C5956006	415.49	30,000	30,910

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
807	S679	Treponema pallidum PCR	나595	C5956006	415.49	30,000	30,910
808	S892	Toxoplasma DNA PCR	나595	C5956006	415.49	30,000	30,910
809	X579	Trichomonas vaginalis PCR	나595	C5956006	415.49	30,000	30,910
810	S934	Ureaplasma urealyticum PCR	나595	C5956006	415.49	30,000	30,910
811	Z006	VZV DNA PCR	나595	C5956006	415.49	30,000	30,910
812	Z151	HPV genotyping (DNA chip)	나595-2	C5959006	698.13	50,400	51,940
813	S391	HPV Probe(HCS)	나595-3	C5960006	668.38	48,260	49,730
814	S588	Enterovirus PCR	나596	C5962006	616.46	44,510	45,860
815	K579	HER2 FISH	나590	C5967006	2734.92	197,460	203,480
816	B562	HEV RNA PCR	나596	C5969006	678.10	48,960	50,450
817	S652	Mumps virus RNA PCR	나596	C5969006	678.10	48,960	50,450
818	S739	Rubella PCR	나596	C5969006	678.10	48,960	50,450
819	M555	PCR of Major bcr/abl	나597	C5971006	1626.16	117,410	120,990
820	M556	PCR of Minor bcr/abl	나597	C5972006	1631.15	117,770	121,360
821	H188	PML/RARA Bone Marrow	나597	C5973006	1631.15	117,770	121,360
822	S884	PML/RARA Whole blood	나597	C5973006	1631.15	117,770	121,360
823	X031	E2A-PBX1 유전자 재배열	나597	C5974006	1631.15	117,770	121,360
824	Z020	AML1/ETO 유전자 재배열	나597	C5975006	1631.15	117,770	121,360
825	Z019	HTLV 1 DNA	나597	C5976006	1623.96	117,250	120,820
826	S928	Hantaan virus PCR	나597	C5977006	1620.39	116,990	120,560
827	X615	EWS/FLI 재배열	나597	C5979006	1791.12	129,320	133,260
828	S893	TEL/AML1 유전자 재배열	나597	C5979006	1791.12	129,320	133,260
829	S203	Friedreich's Ataxia	나598	C5980006	1001.80	72,330	74,530
830	Z955	Myotonic dystrophy	나598	C5980006	1001.80	72,330	74,530
831	B341	Thalassemia mutation	나599	C5992006	1999.33	144,350	148,750
832	K599	HBV 약제내성돌연변이 24종(sequencing)	나599-1	C5993006	1666.46	120,320	123,980
833	X421	HIV drug resistance mutation	나599-1	C5994006	2091.42	151,000	155,600
834	S351	Ch(Hematologic BM)	나600-1	C6005006	1658.71	119,760	123,410
835	S460	Ch(Hematologic PB)	나600-1	C6005006	1658.71	119,760	123,410
836	S930	Breakage Ch(Fanconi set)	나600-2	C6006006	1590.33	114,820	118,320
837	S456	Ch(PB)	나600-2	C6006006	1590.33	114,820	118,320
838	S876	M.TB PCR Hybridization	나595-1	C6021006	672.67	48,570	50,050
839	G067	M.TB PCR Hybridization (Tissue)	나595-1	C6021006	672.67	48,570	50,050
840	S676	Chlamydia trachomatis PCR	나595-1	C6029006	725.71	52,400	53,990
841	M522	Mycobacteria 신속동정검사	나595-1	C6029006	725.71	52,400	53,990
842	M700	HCV RT-PCR	나596-1	C6081006	891.24	64,350	66,310
843	S864	HCV Genotype	나596-2	C6092006	1704.75	123,080	126,830
844	K883	HCV genotype (sequencing)	나596-3	C6093006	1666.46	120,320	123,980
845	D126	HPV genotyping (PCR-RFMP)	나595-2	C6094006	698.13	50,400	51,940
846	K836	SCA study 17	나573	C6097006	1199.67	86,620	89,260
847	X194	SCA study 8	나573	C6098006	1199.67	86,620	89,260
848	E435	Cortisol	나324	C7322	110.33	7,970	8,210
849	E439	Cortisol,free	나324	C7323	84.70	6,120	6,300
850	E405	T3 uptake	나331	C7331	140.81	10,170	10,480
851	E407	Thyroxine Binding Globulin	나338	C7338	174.88	12,630	13,010

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
852	E446	Glucagon	나344	C7344	57.07	4,120	4,250
853	E442	Gastrin	나345	C7345	50.86	3,670	3,780
854	E453	17 α -OH progesterone	나347	C7347	147.75	10,670	10,990
855	E434	Testosterone(RIA)	나353	C7353	167.71	12,110	12,480
856	E467	Aldosterone(24hU)	나358	C7358	133.98	9,670	9,970
857	E436	Aldosterone(RIA)	나358	C7358	133.98	9,670	9,970
858	E416	ACTH(RIA)	나359	C7359	170.68	12,320	12,700
859	E437	Renin Activity	나360	C7360	161.49	11,660	12,010
860	E415	Osteocalcin	나363	C7363	151.79	10,960	11,290
861	E431	DHEA-S	나364	C7364	224.71	16,220	16,720
862	E418	ADH	나365	C7365	108.83	7,860	8,100
863	S467	SCC(TA-4)	나430	C7430	310.79	22,440	23,120
864	E512	Tissue polypeptide Ag	나432	C7432	305.03	22,020	22,690
865	E511	Cyclosporine	나450	C7451150	212.51	15,340	15,810
866	Z883	Cystatin-C	너131	CX131	112.18	8,100	8,350
867	C434	VMA(U,정량)	나321	CX223006	341.86	24,680	25,430
868	C438	5-HIAA(U,정량)	나322	CX224006	337.43	24,360	25,100
869	E455	Somatomedin-C(IGF-1)	너230	CX230	199.07	14,370	14,810
870	E561	IGF-BP3(CLIA)	너231	CX231	245.38	17,720	18,260
871	E587	Free Testosterone	너232	CX232	169.62	12,250	12,620
872	D749	Iodide(Urine)	너234	CX234	57.01	4,120	4,240
873	C171	Bile acid	너272	CX272	161.06	11,630	11,980
874	X949	1,5-Anhydroglucitol	너273	CX273	173.93	12,560	12,940
875	Z018	Stone Analysis(physical)	너274	CX274006	409.88	29,590	30,500
876	S774	Free PSA	너321	CX321	179.68	12,970	13,370
877	D706	Paraquat(Gramoxone)	나450	CX374040	325.85	23,530	24,240
878	D705	Zonisamide(Excegran)	나450	CX374690	325.85	23,530	24,240
879	C695	Diazepam(Valium)	나450	CX375016	577.54	41,700	42,970
880	D416	Haloperidol(Haldol)	나450	CX375066	577.54	41,700	42,970
881	Z129	Amiodarone	나450	CX375116	577.54	41,700	42,970
882	D417	Amitriptyline	나450	CX375696	577.54	41,700	42,970
883	D702	Clonazepam(Rivotril)	나450	CX375696	577.54	41,700	42,970
884	S808	Clozapine	나450	CX375696	577.54	41,700	42,970
885	K053	Everolimus	나450	CX375696	577.54	41,700	42,970
886	D418	Imipramine(Tofranil)	나450	CX375696	577.54	41,700	42,970
887	C963	Mycophenolic acid	나450	CX375696	577.54	41,700	42,970
888	D425	Nortriptyline	나450	CX375696	577.54	41,700	42,970
889	X291	Quetiapine	나450	CX375696	577.54	41,700	42,970
890	X029	Risperidone	나450	CX375696	577.54	41,700	42,970
891	C509	Sirolimus	나450	CX375696	577.54	41,700	42,970
892	X290	TB drug 정량	나450	CX375696	577.54	41,700	42,970
893	K030	Voriconazole	나450	CX375696	577.54	41,700	42,970
894	X564	Warfarin	나450	CX375696	577.54	41,700	42,970
895	S650	HIV Ag	너394	CX394	222.82	16,090	16,580
896	S408	Anti delta Ab(HDV Ab)	너421	CX421	166.37	12,010	12,380

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
897	S968	Islet Cell Antibody	너446	CX446006	121.34	8,760	9,030
898	S719	Anti GBM Ab	너451	CX451	125.99	9,100	9,370
899	S807	Anti intrinsic factor Ab	너452	CX452	120.96	8,730	9,000
900	S804	Anti LKM-1 Ab	너455	CX455	336.36	24,290	25,030
901	X064	Cell Culture(Amniotic Fluid)	너498	CX498	499.57	36,070	37,170
902	X864	액상 부인과세포진검사(CellPrep)	너541	CX541	368.48	26,600	27,410
903	S870	액상 부인과세포진검사(ThinPrep)	너541	CX541	368.48	26,600	27,410
904	X587	SYT-SSX fusion gene	나596	CX564006	633.09	45,710	47,100
905	S875	Apo E genotype	너572	CX572006	924.73	66,770	68,800
906	K470	MSI(Microsatellite Instability)	너574	CX574006	3117.41	225,080	231,940
907	R003	IGF-BP3(RIA)	너231	CX731	223.81	16,160	16,650
908	S626	Anti GAD Ab	너441	CX744	498.79	36,010	37,110
909	S958	Insulin Ab	너444	CX745	123.67	8,930	9,200
910	S707	Acetylcholine receptor Ab	너450	CX747	138.33	9,990	10,290
911	S204	Tbc PCR	너563	CY051006	595.22	42,970	44,280
912	X249	IgH 유전자 재배열(삼성)	너563	CY056006	609.58	44,010	45,350
913	C404	25-(OH) Vitamin D	너153	CY155	84.70	6,120	6,300
914	C612	Vitamin B1(Thiamine)	너153	CY160006	441.49	31,880	32,850
915	C614	Vitamin B2(Riboflavin)	너153	CY161006	441.49	31,880	32,850
916	C610	Vitamin B6	너153	CY162006	441.49	31,880	32,850
917	K209	25-OH Vitamin D2 & D3 by HPLC/MS/MS	너153	CY165006	441.49	31,880	32,850
918	C533	Vitamin E(Tocopherol)	너153	CY166006	441.49	31,880	32,850
919	C625	HVA(P)	너225	CY251006	351.79	25,400	26,170
920	C301	HVA(U)	너225	CY251006	351.79	25,400	26,170
921	E449	Epinephrine(P)	너228	CY281006	332.51	24,010	24,740
922	U449	Urine Epinephrine	너228	CY281006	332.51	24,010	24,740
923	E450	Norepinephrine	너228	CY282006	332.51	24,010	24,740
924	U450	Urine Norepinephrine	너228	CY282006	332.51	24,010	24,740
925	C604	Dopamine(P)	너228	CY283006	332.51	24,010	24,740
926	U604	Urine Dopamine	너228	CY283006	332.51	24,010	24,740
927	C458	Metanephrine	너228	CY284006	332.51	24,010	24,740
928	G317	Metanephrine (P)	너228	CY284006	332.51	24,010	24,740
929	E452	Total Metanephrine	너228	CY284006	332.51	24,010	24,740
930	C457	Normetanephrine	너228	CY285006	332.51	24,010	24,740
931	G318	Normetanephrine (P)	너228	CY285006	332.51	24,010	24,740
932	Z136	NMP22	너322	CY323	305.35	22,050	22,720
933	C506	Pyruvic acid(Pyruvate)	너345	CY341	201.90	14,580	15,020
934	C639	Citric acid(Citrate,S)	너345	CY342	201.90	14,580	15,020
935	C505	Citric acid(Citrate,U)	너345	CY342	201.90	14,580	15,020
936	C713	Hyaluronic acid(HA)	너345	CY343	201.90	14,580	15,020
937	C169	Lactic acid(Lactate)	너345	CY345	201.90	14,580	15,020
938	C538	Organic acid analysis	너345	CY348006	2521.31	182,040	187,590
939	S317	Mandelic acid	나451	CY373020	251.42	18,150	18,710
940	C504	Hippuric acid(마뇨산)	나451	CY373030	251.42	18,150	18,710
941	S315	Methyl Hippuric acid	나451	CY373040	251.42	18,150	18,710

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
942	H509	N-Methylformamide(NMF)	나451	CY373060	251.42	18,150	18,710
943	Z156	2,5-Hexanedione	나451	CY373290	251.42	18,150	18,710
944	S318	N-methylacetamide(NMAC)	나451	CY373290	251.42	18,150	18,710
945	G320	삼염화초산(TCA-1,1,1 TCE)	나451	CY373290	251.42	18,150	18,710
946	G319	삼염화초산(TCA-PCE)	나451	CY373290	251.42	18,150	18,710
947	S674	삼염화초산(TCA-TCE)	나451	CY373290	251.42	18,150	18,710
948	M344	HIV RNA 정량	너396	CY396006	2317.76	167,340	172,440
949	B707	Total Galactose	너341	CY412	152.94	11,040	11,380
950	S306	HEV IgG	너422	CY431	126.40	9,130	9,400
951	S334	HEV IgM	너422	CY432	126.40	9,130	9,400
952	S516	Sm-Ab	너443	CY443006	411.76	29,730	30,630
953	S513	RNP-Ab	너443	CY444006	400.52	28,920	29,800
954	S514	SS-A/Ro Ab	너443	CY445006	411.77	29,730	30,640
955	S515	SS-B/La Ab	너443	CY446006	411.81	29,730	30,640
956	S953	Anti SCL 70 Ab	너443	CY447006	589.20	42,540	43,840
957	S125	Anti Jo-1 Ab	너443	CY448006	558.84	40,350	41,580
958	S981	Anti Centromere Ab	너443	CY449006	530.48	38,300	39,470
959	S488	Anti Histone Ab	너443	CY450006	532.44	38,440	39,610
960	B342	Ribosomal P Ab	너443	CY451006	532.44	38,440	39,610
961	B151	ANCA (PR3 Ab)	너447	CY471006	212.38	15,330	15,800
962	B152	ANCA (MPO Ab)	너447	CY472006	212.38	15,330	15,800
963	Z150	Huntington's Disease	너573	CY531006	1199.67	86,620	89,260
964	S902	SBMA(spinobulbar muscular atrophy)	너573	CY532006	1199.67	86,620	89,260
965	X288	DRPLA gene mutation	너573	CY533006	1199.67	86,620	89,260
966	Z906	SCA 1	너573	CY535006	1199.67	86,620	89,260
967	Z907	SCA 2	너573	CY536006	1199.67	86,620	89,260
968	Z908	SCA 3	너573	CY537006	1199.67	86,620	89,260
969	Z909	SCA 6	너573	CY538006	1199.67	86,620	89,260
970	Z910	SCA 7	너573	CY540006	1199.67	86,620	89,260
971	C703	Vitamin BT(Carnitine)	너154	CY544	296.45	21,400	22,060
972	X169	HHV 8 PCR	나595	CY561006	391.93	28,300	29,160
973	K294	Human herpes virus 8 (HHV8) PCR	나595	CY561006	391.93	28,300	29,160
974	D713	RET Mutation	나599	CY571006	4105.53	296,420	305,450
975	M677	Pre-BMT	너571	CY573006	3962.86	286,120	294,840
976	M678	Post-BMT	너571	CY575006	2755.12	198,920	204,980
977	B887	Hemochromatosis(서울대)	너562	CY627006	471.16	34,020	35,050
978	K598	MTHFR 1298A>C	너562	CY628006	475.79	34,350	35,400
979	M672	MTHFR C677T	너562	CY628006	475.79	34,350	35,400
980	M683	Factor V Leiden mutation	너562	CY633006	462.55	33,400	34,410
981	Z966	DYT 1	너562	CY635006	471.06	34,010	35,050
982	X522	EBV In situ(삼성병리과)	너567	CY673006	630.51	45,520	46,910
983	S931	Breakage study(Fanconi set)	너569	CY692006	1890.64	136,500	140,660
984	C615	1,25-(OH)2 vitamin D3	너153	CY705	158.79	11,460	11,810
985	Z141	hMLH1 genetic test	나599	CY711006	7634.12	551,180	567,980
986	Z962	hMSH2 genetic test	나599	CY712006	7634.12	551,180	567,980

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
987	Z137	BRCA 1 genetic test	나599	CY713006	7624.85	550,510	567,290
988	Z138	BRCA 2 genetic Test	나599	CY714006	7624.85	550,510	567,290
989	B153	항결핵약제신속내성검사(RFP)	나595-1	CY751006	638.23	46,080	47,480
990	B154	항결핵약제신속내성검사(INH)	나595-1	CY752006	638.23	46,080	47,480
991	Z159	HLA-DQB (Low)	나523	CY911006	2105.72	152,030	156,670
992	Z160	HLA-DQB (High)	나523	CY912006	3493.47	252,230	259,910
993	S754	HLA-DRB	나523	CY913006	2105.74	152,030	156,670
994	Z957	HLA-DR (DNA-High Resolution)	나523	CY914006	3566.18	257,480	265,320
995	X620	HLA-A Typing	나518	CY915006	2084.13	150,470	155,060
996	X567	HLA-B Typing	나518	CY915006	2084.13	150,470	155,060
997	K061	HLA-C Typing	나518	CY915006	2084.13	150,470	155,060
998	Z015	HLA-A (DNA-High Resolution)	나518	CY916006	3893.18	281,090	289,650
999	Z016	HLA-B (DNA-High Resolution)	나518	CY916006	3893.18	281,090	289,650
1000	Z017	HLA-C (DNA-High Resolution)	나518	CY916006	3893.18	281,090	289,650
1001	S501	HLA-B27	나524	CY917006	807.73	58,320	60,100
1002	E569	BNP(Brain natriuretic peptide)	나368	CZ204	605.25	43,700	45,030
1003	S805	NT-proBNP	나368-2	CZ208	608.98	43,970	45,310
1004	C218	Inhibin A(Integrated)	나369	CZ211	350.82	25,330	26,100
1005	S883	Inhibin A(Quad)	나369	CZ211	350.82	25,330	26,100
1006	C224	Inhibin A(Sequential test)	나369	CZ211	350.82	25,330	26,100
1007	C156	Inhibin-A	나369	CZ211	350.82	25,330	26,100
1008	M724	결핵균 특이항원자극 IFN-γ	나477	CZ393006	1162.62	83,940	86,500
1009	M428	액상 체액세포검사(ThinPrep)	나593-1	CZ521	419.61	30,300	31,220
1010	M562	K ras 전체 돌연변이	나586	CZ605006	1666.46	120,320	123,980
1011	M563	K ras 주요 돌연변이	나586	CZ605006	1666.46	120,320	123,980
1012	X348	C-Kit gene mutation	나586	CZ625006	1666.46	120,320	123,980
1013	M040	EGFR	나586	CZ626006	1666.46	120,320	123,980
1014	K157	Real time major BCR-ABL (IS) 정량	나587	CZ809006	1694.66	122,350	126,080
1015	M031	글리벡내성유전자(Sequencing)	나588	CZ817006	1382.51	99,820	102,860
1016	K325	HER2 SISH	나591	CZ988006	2315.72	167,190	172,290
1017	G279	난소암 위험도(ROMA, 폐경 전)	나424	C4240	253.63	18,310	18,870
1018	G280		-	-	-	60,000	60,000
1019	G282	난소암 위험도(ROMA, 폐경 후)	나424	C4240	253.63	18,310	18,870
1020	G283		-	-	-	60,000	60,000
1021	H455	골수검사(도말&생검조직절편)	나111	B1113	577.75	41,710	42,980
			나111	B1117	476.53	34,410	35,450
1022	Z105	Platelet aggregation test	나164	B1641006	142.85	10,310	10,630
			나164	B1643006	144.65	10,440	10,760
			나164	B1644006	144.41	10,430	10,740
			나164	B1645006	144.67	10,450	10,760
			나164	B1645006	144.67	10,450	10,760
1023	K075	ABO, Cell & Serum typing	나201	B2000	14.72	1,060	1,100
			나201	B2010	14.50	1,050	1,080
1024	X111	A/G ratio	나221	C2210	22.45	1,620	1,670
			나220	C2200	17.71	1,280	1,320

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
1025	E300	α1-Antitrypsin clearance	나222	C2220	123.91	8,950	9,220
			나222	C2220	123.91	8,950	9,220
1026	S230	IgG Index (serum + CSF)	나228	C2281	139.40	10,060	10,370
			나228	C2281	139.40	10,060	10,370
			나221	C2210	22.45	1,620	1,670
			나230	C2302	203.50	14,690	15,140
1027	C696	CRF(Coronary Risk Factor)	나241	C2411	22.02	1,590	1,640
			나242	C2420	80.37	5,800	5,980
1028	C605	Amylase creatinine clearance	나261	B2611	40.93	2,960	3,050
			나261	B2611	40.93	2,960	3,050
			나375	C3750	16.75	1,210	1,250
			나375	C3750	16.75	1,210	1,250
1029	C616	Indirect Bilirubin	나372	C3720	17.31	1,250	1,290
			나372	C3721	17.55	1,270	1,310
1030	C391	Anion GAP	나379	C3791	15.64	1,130	1,160
			나379	C3792	16.87	1,220	1,260
			나379	C3793	14.68	1,060	1,090
			나381	C3812	45.04	3,250	3,350
1031	C167	Amino acid	나443	C4433006	1204.75	86,980	89,630
			나443	C4435006	273.35	19,740	20,340
			나443	C4437006	273.35	19,740	20,340
1032	C718	Drug test(Qualitative) [2종이상]	나450	CX372690	274.09	19,790	20,390
			나450	CX372400	274.09	19,790	20,390
1033	S644	Parasite specific Ab IgG	나472	C4722616	269.38	19,450	20,040
			나472	C4722616	269.38	19,450	20,040
			나472	C4722616	269.38	19,450	20,040
			나472	C4722616	269.38	19,450	20,040
1034	S681	Leukemia marker	나511	C5111006	211.56	15,270	15,740
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나512	C5120006	451.56	32,600	33,600
			나513	C5130006	665.23	48,030	49,490

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
1035	S761	HLA-ABC	나518	CY915006	2084.13	150,470	155,060
			나518	CY915006	2084.13	150,470	155,060
			나518	CY915006	2084.13	150,470	155,060
1036	G093	면역조직화학염색(Neuroendocrine tumor)	나557	C5575006	518.78	37,460	38,600
			나557	C5575006	518.78	37,460	38,600
			나557	C5575006	518.78	37,460	38,600
1037	G092	면역조직화학염색(Prostate cancer)	나557	C5575006	518.78	37,460	38,600
			나557	C5575006	518.78	37,460	38,600
			나557	C5575006	518.78	37,460	38,600
1038	G306	면역조직화학염색(Stomach cancer 3종)	나557	C5575006	518.78	37,460	38,600
			나557	C5575006	518.78	37,460	38,600
			나557	C5575006	518.78	37,460	38,600
1039	G305	면역조직화학염색(GIST battery 4종)	나557	C5575006	518.78	37,460	38,600
			나557	C5575006	518.78	37,460	38,600
			나557	C5575006	518.78	37,460	38,600
			나557	C5575006	518.78	37,460	38,600
1040	G091	면역조직화학염색(Breast cancer)	나557	C5575006	518.78	37,460	38,600
			나559	C5590	483.96	34,940	36,010
			나559	C5590	483.96	34,940	36,010
1041	M042	폐암 약제 감수성 검사	나586	CZ605006	1666.46	120,320	123,980
			나586	CZ626006	1666.46	120,320	123,980
1042	H171	Polyomavirus PCR	나595	C5956006	415.49	30,000	30,910
			나595	C5956006	415.49	30,000	30,910
1043	M053	Hemavision 28종	나597	C5971006	1626.16	117,410	120,990
			나597	C5972006	1631.15	117,770	121,360
			나597	C5973006	1631.15	117,770	121,360
			나597	C5974006	1631.15	117,770	121,360
			나597	C5975006	1631.15	117,770	121,360
1044	S685	Fragile X PCR(Southern)	나598	C5987006	936.71	67,630	69,690
			너573	CY539006	1199.67	86,620	89,260
1045	M701	HBV drug resistance mutation(LMV)	너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
1046	X236	HBV drug resistance mutation(LMV/ADV)	너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
1047	X067	HBV drug resistance mutation(LMV/ETV)	너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
1048	X703	HBV drug resistance mutation(multi drugs)	너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430
			너562	CY637006	503.09	36,320	37,430

No.	GC Labs 코드	검사명	분류 번호	보험 코드	상대가치 점수	검사수가	
						2014년	2015년
1049	Z119	LHON	너562	CY622006	471.06	34,010	35,050
			너562	CY622006	471.06	34,010	35,050
			너562	CY622006	471.06	34,010	35,050
			너562	CY622006	471.06	34,010	35,050
1050	X250	GSD1a, G6PC Mutation	너562	CY630006	483.08	34,880	35,940
			너562	CY630006	483.08	34,880	35,940
			너562	CY630006	483.08	34,880	35,940
			너562	CY630006	483.08	34,880	35,940
			너562	CY630006	483.08	34,880	35,940
			너562	CY630006	483.08	34,880	35,940