

녹 의: 제17 - 183호

2017년 08월 31일

수 신: 병(의)원장

참 조: 진단검사의학과, 병리과, 보험심사과

제 목: 미생물(항산균 제외)배양, 동정, 약제감수성 검사 안내

1. 귀 원의 무궁한 발전을 기원합니다.
2. 본 원에서 시행하는 검사항목 중 일부 항목의 변경사항이 있어 아래와 같이 안내드리오니 업무에 참조하시기 바랍니다.
3. 변경에 따른 귀원의 많은 협조 부탁드립니다.

- 아래 -



1. 미생물배양, 동정, 약제감수성 검사 항목 안내

보건복지부 고시 제2017-151호 의거 미생물(항산균 제외)배양, 동정, 약제감수성 검사 항목 코드를 신설하여 안내드립니다.

* 적용일: 09월 01일 접수분

* 별첨: 미생물(항산균 제외)배양, 동정, 약제감수성 검사 항목



의료법인 녹십자의료재단

▣ 미생물(항산균 제외)배양, 동정, 약제감수성 검사

※ 적용일: 2017년 09월 01일 접수분

| GC Labs 코드 | 구분 | | 검사명 | 보험정보 | 검사수가 |
|------------|--------------------|------------------------------|---|----------------------------|--------|
| N411 | 구강, 기도, 호흡기 | BAL (bronchoalveolar lavage) | Ordinary culture [BAL, 디스크확산법 감수성검사] | 나407/B4131003 (210.54점) | 16,630 |
| N412 | | 비인후/인후도찰물 | Ordinary culture [비인후/인후도찰물, 디스크확산법 감수성검사] | 나407/B4131003 (210.54점) | 16,630 |
| N413 | | Throat swab | Ordinary culture [Throat swab, 디스크확산법 감수성검사] | 나407/B4131003 (210.54점) | 16,630 |
| N414 | | Bronchial washing | Ordinary culture [Bronchial washing, 디스크확산법 감수성검사] | 나407/B4131003 (210.54점) | 16,630 |
| N415 | | Sputum | Ordinary culture [Sputum, 디스크확산법 감수성검사] | 나407/B4131003 (210.54점) | 16,630 |
| N416 | 소화기 | Gastric juice | Ordinary culture [Gastric juice, 디스크확산법 감수성검사] | 나407/B4132003 (169.18점) | 13,370 |
| N417 | | Rectal swab | Ordinary culture [Rectal swab, 디스크확산법 감수성검사] | 나407/B4132003 (169.18점) | 13,370 |
| N418 | | Stool | Ordinary culture [Stool, 디스크확산법 감수성검사] | 나407/B4132003 (169.18점) | 13,370 |
| N419 | 비뇨기, 생식기 | Cervix swab | Ordinary culture [Cervix swab, 디스크확산법 감수성검사] | 나407/B4133003 (164.42점) | 12,990 |
| N420 | | Random urine | Ordinary culture [Random urine, 디스크확산법 감수성검사] | 나407/B4133003 (164.42점) | 12,990 |
| N421 | | Vaginal discharge | Ordinary culture [Vaginal discharge, 디스크확산법 감수성검사] | 나407/B4133003 (164.42점) | 12,990 |
| N422 | 혈액, 체액 (천자액 포함) | Ascitic fluid | Ordinary culture [Ascitic fluid, 디스크확산법 감수성검사] | 나407/B4139003 (180.82점) | 14,280 |
| N423 | | Fluid (other) | Ordinary culture [Fluid (other), 디스크확산법 감수성검사] | 나407/B4139003 (180.82점) | 14,280 |
| N424 | | CSF (cerebrospinal fluid) | Ordinary culture [CSF, 디스크확산법 감수성검사] | 나407/B4139003 (180.82점) | 14,280 |
| N425 | | Joint fluid | Ordinary culture [Joint fluid, 디스크확산법 감수성검사] | 나407/B4139003 (180.82점) | 14,280 |
| N426 | | Pleural fluid | Ordinary culture [Pleural fluid, 디스크확산법 감수성검사] | 나407/B4139003 (180.82점) | 14,280 |
| N427 | | Amniotic fluid | Ordinary culture [Amniotic fluid, 디스크확산법 감수성검사] | 나407/B4139003 (180.82점) | 14,280 |
| N428 | | Bone marrow | Ordinary culture [Bone marrow, 디스크확산법 감수성검사] | 나407/B4139003 (180.82점) | 14,280 |
| N429 | 기타부위 | Catheter tip | Ordinary culture [Catheter tip, 디스크확산법 감수성검사] | 나407/B4135003 (224.32점) | 17,720 |
| N430 | | Tissue | Ordinary culture [Tissue, 디스크확산법 감수성검사] | 나407/B4135003 (224.32점) | 17,720 |
| N431 | | 균주 | Ordinary culture [균주, 디스크확산법 감수성검사] | 나407/B4135003 (224.32점) | 17,720 |
| N432 | | Wound | Ordinary culture [Wound, 디스크확산법 감수성검사] | 나407/B4135003 (224.32점) | 17,720 |
| N433 | | Others | Ordinary culture [Others, 디스크확산법 감수성검사] | 나407/B4135003 (224.32점) | 17,720 |
| N434 | | 환부 swab | Ordinary culture [환부 swab, 디스크확산법 감수성검사] | 나407/B4135003 (224.32점) | 17,720 |

| GC Labs 코드 | 구분 | 검체 | 검사명 | 보험정보 | 검사수가 |
|---------------|--------------------|------------------------------|--|----------------------------|--------|
| N435 | 기타부위 | Pus | Ordinary culture [Pus, 디스크확산법 감수성검사] | 나407/B4135003 (224.32점) | 17,720 |
| N436 | | Pus (closed) | Ordinary culture [Pus (closed), 디스크확산법 감수성검사] | 나407/B4135003 (224.32점) | 17,720 |
| N437 | | Pus (open) | Ordinary culture [Pus (open), 디스크확산법 감수성검사] | 나407/B4135003 (224.32점) | 17,720 |
| N438 | 구강, 기도, 호흡기 | BAL (bronchoalveolar lavage) | Ordinary culture [BAL, 항균제 최소억제 농도검사] | 나407/B4141003 (245.61점) | 19,400 |
| N439 | | 비인후/인후도찰물 | Ordinary culture [비인후/인후도찰물, 항균제 최소억제 농도검사] | 나407/B4141003 (245.61점) | 19,400 |
| N440 | | Throat swab | Ordinary culture [Throat swab, 항균제 최소억제 농도검사] | 나407/B4141003 (245.61점) | 19,400 |
| N441 | | Bronchial washing | Ordinary culture [Bronchial washing, 항균제 최소억제 농도검사] | 나407/B4141003 (245.61점) | 19,400 |
| N442 | | Sputum | Ordinary culture [Sputum, 항균제 최소억제 농도검사] | 나407/B4141003 (245.61점) | 19,400 |
| N443 | 소화기 | Gastric juice | Ordinary culture [Gastric juice, 항균제 최소억제 농도검사] | 나407/B4142003 (186.59점) | 14,740 |
| N444 | | Rectal swab | Ordinary culture [Rectal swab, 항균제 최소억제 농도검사] | 나407/B4142003 (186.59점) | 14,740 |
| N445 | | Stool | Ordinary culture [Stool, 항균제 최소억제 농도검사] | 나407/B4142003 (186.59점) | 14,740 |
| N446 | 비뇨기, 생식기 | Cervix swab | Ordinary culture [Cervix swab, 항균제 최소억제 농도검사] | 나407/B4143003 (187.80점) | 14,840 |
| N447 | | Random urine | Ordinary culture [Random urine, 항균제 최소억제 농도검사] | 나407/B4143003 (187.80점) | 14,840 |
| N448 | | Vaginal discharge | Ordinary culture [Vaginal discharge, 항균제 최소억제 농도검사] | 나407/B4143003 (187.80점) | 14,840 |
| N449 | 혈액, 체액 (전자액 포함) | Ascitic fluid | Ordinary culture [Ascitic fluid, 항균제 최소억제 농도검사] | 나407/B4149003 (222.76점) | 17,600 |
| N450 | | Fluid (other) | Ordinary culture [Fluid (other), 항균제 최소억제 농도검사] | 나407/B4149003 (222.76점) | 17,600 |
| N451 | | CSF (cerebrospinal fluid) | Ordinary culture [CSF, 항균제 최소억제 농도검사] | 나407/B4149003 (222.76점) | 17,600 |
| N452 | | Joint fluid | Ordinary culture [Joint fluid, 항균제 최소억제 농도검사] | 나407/B4149003 (222.76점) | 17,600 |
| N453 | | Pleural fluid | Ordinary culture [Pleural fluid, 항균제 최소억제 농도검사] | 나407/B4149003 (222.76점) | 17,600 |
| N454 | | Amniotic fluid | Ordinary culture [Amniotic fluid, 항균제 최소억제 농도검사] | 나407/B4149003 (222.76점) | 17,600 |
| N455 | | Bone marrow | Ordinary culture [Bone marrow, 항균제 최소억제 농도검사] | 나407/B4149003 (222.76점) | 17,600 |
| N456 | 기타부위 | Catheter tip | Ordinary culture [Catheter tip, 항균제 최소억제 농도검사] | 나407/B4145003 (258.06점) | 20,390 |
| N457 | | Tissue | Ordinary culture [Tissue, 항균제 최소억제 농도검사] | 나407/B4145003 (258.06점) | 20,390 |
| N458 | | 균주 | Ordinary culture [균주, 항균제 최소억제 농도검사] | 나407/B4145003 (258.06점) | 20,390 |
| N459 | | Wound | Ordinary culture [Wound, 항균제 최소억제 농도검사] | 나407/B4145003 (258.06점) | 20,390 |

| GC Labs 코드 | 구분 | 검체 | 검사명 | 보험정보 | 검사수가 |
|---------------|----------------|--------------|--|----------------------------|--------|
| N460 | 기타부위 | Others | Ordinary culture [Others, 항균제 최소억제 농도검사] | 나407/B4145003 (258.06점) | 20,390 |
| N461 | | 환부 swab | Ordinary culture [환부 swab, 항균제 최소억제 농도검사] | 나407/B4145003 (258.06점) | 20,390 |
| N462 | | Pus | Ordinary culture [Pus, 항균제 최소억제 농도검사] | 나407/B4145003 (258.06점) | 20,390 |
| N463 | | Pus (closed) | Ordinary culture [Pus (closed), 항균제 최소억제 농도검사] | 나407/B4145003 (258.06점) | 20,390 |
| N464 | | Pus (open) | Ordinary culture [Pus (open), 항균제 최소억제 농도검사] | 나407/B4145003 (258.06점) | 20,390 |
| N465 | 소화기 | | CRE culture [소화기, 디스크확산법 감수성검사] | 나407/B4132003 (169.18점) | 13,370 |
| N466 | 소화기 | | VRE culture [소화기, 디스크확산법 감수성검사] | 나407/B4132003 (169.18점) | 13,370 |
| N467 | 비뇨기, 생식기 | | GBS culture [비뇨기, 생식기, 디스크확산법 감수성검사] | 나407/B4133003 (164.42점) | 12,990 |
| N468 | 비뇨기, 생식기 | | GBS culture [비뇨기, 생식기, 항균제 최소억제 농도검사] | 나407/B4143003 (187.80점) | 14,840 |
| N469 | 비뇨기, 생식기 | | N. gonorrhoeae culture [비뇨기, 생식기, 디스크확산법 감수성검사] | 나407/B4133003 (164.42점) | 12,990 |
| N470 | 혈액, 체액(천자액 포함) | | 혈액배양 및 동정 (Blood culture) [혈액, 체액(천자액 포함), 디스크확산법 감수성검사] | 나407/B4139003 (180.82점) | 14,280 |
| N471 | 혈액, 체액(천자액 포함) | | 혈액배양 및 동정 (Blood culture) [혈액, 체액(천자액 포함), 항균제 최소억제 농도검사] | 나407/B4149003 (222.76점) | 17,600 |